
FT MEADE 4BF 940 Copy 1



	1000	11 .						
					X			
					L			
			32		7.0			
						8		
4								



Copyright, 1991, by Prof. H. C. Murphy.



# List of Illustrations.

ſ	7	1	-	'n	1	Ť.	106	106	101.	. > [	-			order provide provide	1	1-0-1		?!	0.0	1	1-
75 TG:	0.580	HEE	92080	аде	12.50	भाष्ट्रम	opposite page	age	opposite page	opposite page	150	925.6	320	SECP	वद्ध	opposite page	age	age.	opposite page	Plate Eopposite page	50
0	ife ]	ito I	ite I	ite I	ite 1	ite D	ite l	ite l	ite l	ite]	ite p	to 1	iten	ite p	ite p	itop	ite p	ite p	ite p	ite p	ite p
· opposite page	. opposite page	sodd	opposite page	sodd	Sodd	blocs	opposite page	Social	opposite page	· opposite page	Sodd	Sodd	sodd	sodd	sodd	· opposite page					
0	0	0	:		0	· · ·	0	0 · · ·	0	0	opposite prge	· · ·	opposite page	÷ :	· ·	0	opposite page	opposite page	0	0	0
						٠				•	•				:			•	•	•	
? î	71	101	26.	1 - 1 71	: {;			:	?;			100		1-	5	3.6	<u>(</u>		21		+
Date 5	Plate 24	Mate 25	Plate 26	Plate 27	Vate 25	Plate 29	Plate 30	Plate 31.	Plate 32.	Plate 33	Plate 34	Plate 35	Plate 36	Plate 37	Plate 35	Plate 39	Plate to	Plate	Plate 12	late	11111
	7	1	4	7		7	2	7	2	J										1	
~ 1	2	1	5	50.	2 300	20	7	9 70	13	25	99 1	99 8	99 7	1	1-	75	7	99 1	06 6	1-	1
pag.	page	Dag.	page	page	page	page	Dag(	page	page	page	page	pag.	page	page	page	page	page	Dag.	Dag.	page	Dage
site	site	Site	Site	site	7. T.	Site	site	site	site	rite	Lite	zite	Zitt.	Sito.	Site	Zit:	site.	site	site	Lite	Site
opposite page	opposite page	opposite page	opposite page	apposite page	opnosite page	apposite page	opposite page 66	opposite page	opposite page	opposite page	opposite page	opposite page	opposite page	opposite page	opposite page 90	opposite page	opposite nage				
		~									•			•			•	,			
				•												•					
	7.1	70					· ·	5.	-		⊋1		-		()		·	5.	( )		. 1
ن	Plate	Plate	Plate	Plate	Plate	Plate	Plate	Plate	Plate 1	Plate 1	Plate 1	Plate 1	Plate 1	Plate 17	Plate 16.	Plate 17.	Plate 1	Plate 19	Plate 20	Plate 21	Plate 2.
Plate	E	Ta la	To la	3	B	E	13	T	To the second	12	<u>a</u>	Ta	[	E	30	12	la m	a	ದ	E	===



and MORRIS N. and CHESLEY Y. YOUNG Collection
Gift-Oct. 12, 1953

1

100 iet rel rel n i si "hat 50 tempt. only T  $\overline{\phantom{a}}$  $\overline{\phantom{a}}$ Will are man attainments 9 a cannot powers, for he

2 lmite; Whirt ind in int ipoi pr > 1dice + ha + . Ingly without letaining that which is dross. then, knowledge is others forethought rejecting Of pinions our with Or scarding individuals her accepting care, the reigh with gold and + 1707 e1+1

a Healing. Magnetic there has years F O F which is In the last ght,

reali, and H accelted Kn wn 40 been TOPIJ progress. thoughtfu Strugalo もりよの is now the J O many, principles greatest thought the JC realm that

1 differences 40 ---and occur, J 0 result nust opilion material differences 20 4-4 å0, ther These STO IN けいしょ

reception. tire has thought I C All

Say 0 W great bel people always has · Every stages: first, د. اص said, they 1 67 naturalist, Sa Z next, three they Bible; goes through tly, the great with the 12 0 91. before Z truth gassi conflicts covered . . 0

experiments 9% Bible OWIN the by his With conflict this can prove not 200s investigator Healing Mugnetic true

show just how the can the reader the With conflicts 0 purpose of this course practiced, ب 1 no t OL ω Η Healing whether the himself fagnetic Ω H for

ages principles apply. for A C before, ther which anot its fundamental being discovered OL MQ form method the in Of practiced discovery Magnetic Healing ---40 claim been the lay t0. have 90 they Wha

al Healins, the pidl Ingin treating Magnet1c ar IN World 40 thousands regard over the  $\vdash$ ----حب ---parti pro 217 true . onderfal eople our F + H tire to 10 thousa


#### · I L SSHI

attrac ing. Suo coming, .onderful taken sub ha sa which aver E. 40 have In set > I'V powers, years. € E The Healing 10, subject. realization the these forces. certain inherent possibility. the people, for Marnetic phases o' the advancement and all-important over discussion understoou, body, better thinkirg mind Sinve understand a had the  $\Omega$ the where circumstances i J years, D C this over into recently tigation attention tion that 10 day, late mind ort posi zed 40 the intere reali 0

FOr X TOGI parts ユ・ナ rind. intricate otherwis every 5 - - + the the by mind, the does; controlled functions, mind, 211 die. the ب نب and by  $\alpha$ instantly of the are and excretion, day controlled and its body bidding t0 day ould of the organ the -N C ecretion 4 Very workings H hea U O without emoved

·H d FA llus Will incident The following

through Of trav lir in tuated Was who town small THE Q years opped everal



The above shows the style of operating table and stool which trial has proven the best. Whenever the patient is able to sit unaided, the stool should be employed, if possible. The table is well padded, so that it is soft and yielding to the touch, the cover being leatherette. Any good carpenter will make a table of this kind for a small sum.

			•		
			٠		
			•		
	·				
		*			
		•			
				•	
		~			
•					
	•				
	•				
					-
٥					
		•			
-					

oc. urred obtain fresh .ompletely Willin taken rtranger · 0 7 atta.k 20 + pla the only way he could obtain lodging This he finally arreed could affected with asthma, that sometimes Mr. B-- was informed tue 4 r the night he would immediately die if he in B-- that fresh hot-1 non ler to admit plenty of only and he requested Mr. stranger. th. t he Lhe to his roon, states. ely, and J anj I with r. - rr

7,0 occupants of the room di door and immediately tuopen the <u>-</u>-щ thorowar thus relieve the terrible and sprang up to - TIT AND OPENED THE DOOR OF A WARDROBE. haste to open a door both ದ the morning dashed open .zed what had happered, <u>-</u> — Mr. - L.g for breath; that he might the night that in red-fellor. subsided. - - - Od.

M. shes Whatever him, that the re believe that the result. he. = healtr is the result. t . t SO is man thinketh, disease is + himself, what re-. ₩ "As a health for himself, what he that that FI TAMESS FOR himself,. he ealth, prosperity that is is demonstrates in him, is good . thinks, ink for thi Ks .tmself.

S--m to Exactly, i agination the 1.147 1147. ADOL." been without アーコー イナガ 12 the imaginatio asthr. into Flay tion playing ny 1 as that tions Tas the

DI mind. because acts, but it is not the circums tances or that through 010 blood the heart mind. propelled, or ans the NO the heart is under the 40 air because they are heart is mind peak that the the the blood. remember SAY the \*n organ through which organ; "hen the 7.611 or an by hich brain must physical just as reader the the acts are Courd 10 air The Inply The FOI

abnormal SIMPLY and wrile the body is healthy or become ablormal, mind the 4 H ın. real man, the mind. if the nind is body vill remain s.. the JO the expression ·Π mind but setion, +2 The

sufferers are maring I I J, 137 In a glso to taken of the , CO. order to the are treating singly t Ken of the Udy in result there thousands +houint. TI 0. 7. The is Cree

CON **+**--mist b, J, controll is the body, ve Magnetic absolu - mastir of the control 0 order this s hence, in ani mind, the.

The averug seers to care which le subjer+ Man has con.rarahas ton rallet. over the boly has been a poters but OTCON. year. Healing attention of thinking poolle, the ו מופר inherent of kanind all-importart understand these ingre in he has for has cer tin but dirunssion since no idea of the phases not understand, this mird late years, 0 alen more interest in he investigation and effort the that Of little realized. does Of power the but ring has 4-1 The ..- I y 1

be ause they ego.e mental are physical conditions

0 + 17 1) +16 ull, el mentar thin p.in, hin without telegrains back the The application MI nstant place unife, ted and most telegraph 0 take 4-1 in disease to cause taught Can action of the mind. nerves Of can sensation ·Η. seems true the the This .⊢ Ω and flesh until 70 OTO experienced. same NO pain change experienced the mind The Of the to the sation ologies. ON without iron pe JO cal red-hot t0 -1--physi the

the third ir the rylcal the mind. Iparent which is once hody, a + h 1 case, order controls the in beinr influen ed This Tha pe

p livided, 1 FP; F 40 sciontists man is divided, er בווסה ה Objective Which phases, phases. ctive ferent Conscious The Subje

that Ttl. M. 4 h h h i a hears ω . he 7 ns . 0 ts ar with the surroundirgs and snells. Objective 14 1.8 <u>u</u> tes I I H (1)

+ [ateria] function and environments. Suppe necessities P C 13 the not control (d against objective Phenomens," 다 다 고 the fiv with his material physical r asoning are FRY his the 4-1 observation takes cognizance J O man's that of evidence struggles OF outgrowth function is briin 7 T T T media his physical 1 1 1 1 1 another. Hudson, knowledge, the in ective د ـ WOLLd. highes Ω H guide tre T

Common OF capable developed received in 3180 .H whinn phase elucation subconscious trat the mean mind The JO phase By this etc. school

rac W syster iran · f r nt by ed cation, In

Mar Long 20 t ea by the 'ors'ious ohase ir commity 'l COUY, Tose the ubcc s ions inss. L L ors no s have ortrols voluntary muscles, hil thosa involuntary. control termed Tie pe 0

called oksio sund ...nn th y an action the are artion of the will ortrolling ar ar raised the in action; by the miscles beca se with which the are voluntary, because muscles, muscles the heart The

hypnotized ogn1 ~ c the sub o s. a of indu + subcons jous phase, as it camer almost any lue because cause senses. out hypnotism is possible carries it never proves the falsity of back from effect to This true, that surroundings ty means of ne iv physical is incapable oes not white is black or proposition. D D black, s ggestion as ದ sleep, believes, 4 is told hot is cold, or that white is mind suggestion. by intuition and nind is t prove the falsity o' the the Be ause of this chara teristi , he be ause it cannot reason the what the believes upon the mind accepts the Of nodn O T 1.5 phase The subrons ious p r elves the falsity subject and, acting impressed That conscious of his suggestion. the judges or pe prove canno + Pe

bsolutely the boay C. r. t. 1, (C) rd U , the Organ fiber every or rols and and phase ruscle serretion and ex retion, re con roll d by it. subconscious every Every nerve, The

cons.jons Sillve the 7/2 -H ana 4 sleeps, asleer. never mind is sub onscious phase reasoning constious

7 4 4 3 رى + + MOUL stop their 40 called mind man explanation his conscious lungs, The materialists would the NO the lungs and find soon as heart could beat, and death would ensue. the <u>α</u> they the heart would cease to dare to sleep; for Of because action contr 11 1 the action, lex

### II. LYSEL

# SUGGESTION.

ounipresent, "11-pcm: inf uencing character nay be, aria with everyone, forces or is It influences rctent the life of every huran beinr. matter what his by suggestion, sargestion. It is the contact. J O constantly influerced ou , one. · H S3 Suggestion thrown Every by one else r. L force

not desirable n'v, recessary-for ever, m' i KI OW I 4 orerni: this conderf 1 force: fen, Lulssful the <del>ب</del> Tr - 1 . \*\* S ₩ |--|

by siv to himself whate prolatina OI love, can, Lappi esk, 0 lavs, every kind; beinz wealth, others, iru rst us Tist ne health, or hate suggestion to himself 2 be that SOLLOW, adverse Knorledge, estions esires, overty,

Leds a knorledge of 1t, as much to protect himself from ָּמ יַּר LO111 -urgestions as the sugrestions of others sword, it two-euged Suggestion is

4 nothing nore tran orrelves or to others. think are The thourhts we giving to are

4 01 result a tion is ratural action; in fact, the 13. T. .... form, in mat rial alrays thought Though t

Verus suggestion nave persors Many

thim constantiy Well animate sunset I. y another are originate), 3 OL Me well torm വ ഡ Of. gestire means true, thoughts to inanimate picture, Or fron NO 100K (cause landscape, by suggestions ω .H suggestions this else; beautiful tatement; g stions. anything ceiving

دډ ソコナナン that m. th in music life arise his 40 0 piece Of suggestions course beautiful whole

'rell SOLOMICT ----7 7 herr, man thinketh ir m n is what he thinks, "AS ai,

+O \*ring Lese tho in ma 'll 'se a 'r. Il 11. + 11.0 blollt 1111 ر م د good and healthful the his, ext at that hower other hand, 1 is a faily surgestions the result giving 577.0 to the by 4-1 20 0 0

χ. Υ. Τ. Υ. σ. <u>'</u>Q (I H rey , , peopl clime that ral, ir as, should. ur ''' , 1 1 lives of fear, fello: time many of these kind suggestions Fiving their Lre millions exactly the gu.vig day leading every tre

, + + 301 12 . ; 7. T. M giving unfriendly surrestions Z. 7 · [.] blild'. WDOL those with 0 man who is SIN 40 he 4 COMMITTING Jown when poison OT

passe Ve Nevitive or Lassive. two phases or attitudes of and that totally ust OT ind totally positive Of and the ons conditi Positive either two 0 thes the are pe mind must sumed, ling, idered.

n t be pos ''', in parting. Of condition reating 40 J. D. L'D be operator to ŧΩ --positive the 0 ondition e q

ו

0 DOM the impress 0 tnat rive 20 believe then must must and fact. De cure, determined; this U with bout lent 0

sub COLIL positive the and conditior; positive, terns the objective The 1 0 imparting. receptive 0 . ا called be objective a negative. Of in sometimes 90 n of receiving instead 4 Ω H 9 0 passive are s to ve phases. negative -000 De Fir ecti 0

onil dre. little 1 subjective become Very are must children "Ye said, because Christ

F thei together which Interested in playing 1777 childran greatly seen absorbe that they probabl are has they noticed eader , that agree nas The

childr r bear-and takiny the in TIT the possible bear would become intensely interested ther The child 4 The example, praying imitatin. thei as nearly round the yard. unildren animal-for out carrying 4-1 and scream, children a aninal Ine writerhus fright. took the part would growl and of the . . - ed the Jo suct r ating una gra

00 STE interested, one of its playmates Simulate the Thera child playing would no longer badly frightened. il tensely have who the succeed in catching children  $\sigma$ and time they would become when become soream that 40 playing would play, would ı I -authenticated fact 8 would thei caught convulsions i ii i bear but ohild fter rbed

. hy is this?

im-DOU 0 play the S D - tive, ب ا ا being that chili, ilea, the one because the With .H

TOT alli reasor, reality I ypnotized; play **→** tu

ras n objectiv play; they ILay they until positive 11 Julg 11 the truth of the d veloped subjectivity. the cannot easo ing a stroys all of the in matures have r : Ization of adults .H T that 1

subjective 1 ind, condition plans, objective condition carry his. subjective these would of his execute desire inpressions then could Imost perfectly, and positi e or h c thet 4 me'n unl'it.d could ineas 211 -sions, Then il the E L. L. O

the war are brought into a thom. tiat are weak wak wills, Wills their rrt th y have . stlons irarre


excep. the or strong will ·H nodn yrat simply the relying orstitutes Weak will. tinat thilo ·H د<u>+</u> a D Q ω Φ stron SU PL *τ*Ω Η

arraid 7) said JIL LIL N N • upon it the 7 プード stron vill, while ,111, not rely relies pon i. does have 17 T 1 3 said to his , - illei. man Ω +> 07

S 0 3 d sired. Healing onspicio by i any dorr practice Mannetic cultivated to This faculty who intends to can be will. many, his one nodi ery in

120 tim, extre.... rejuires simple in the a complish this p. . . caure 18

arts or t 111-11-I sele ti of to cultivate lis avoilin \*n refrain 100 first. desires in t0 by determining ta t person "ho s lutions some - Isin



This method is fully described in the chapter on Hypnotism. The position of the subject should be such that he will be perfectly comfortable.

		,	
		•	
			*

gesnore resolution, ntll should rabit given the stronger H. Of as thought of thought the 211 and less powerful becomes thought as possible, made result. Ω Ω more the final resolution as much and ω +1 nission ITICE desire,

leterring develor gradually torning Can anyone to hold, and t becomes indomitable. plan that are hirder this following BY

lind of the reader, but faithful trial ill monsor 7 curt this method truth of these statements. simplicity The th

JAIKS. I. 6 3 1 + Bullery I at the it, failure is the inevitable essential to S. "ill-po"er lit'; ithout

Try to, T f T t ost-hyonot, t h Su restin. f'or Hetero-, divid d, Direct and Pre-Auto-, . . . ~ restion

P. J. LIPP +1 + Same Keny one purson Alto-Simplifice; w ) Pril. lin, rle nit had ubter F 'e ? 1. 1 . . Ven by the orjestive inl mild of the sale orson; Ω 211 15 lt rust ر ټ determinations, ry the person making it. rdisturbed; that is, po "erful mina. . t rninati n ..- < tion 5 11 . . . t 1 V.

4.65 prevails 1 CILETY LO LIVERO 18 , the suse, man sould be hypnotized grannst persons, + 1 that rue, S Louis To suggestion The strongest suggestion on lin ally be not the ignorant ontrolled by other This rust re dea lies 1n lu .cd sub e tive rind the unot possibly be hy unotized. -bsolutely sugrestion is \* 12 |-| + tor trota to .ould "er not avenosis

remains 40 ong given. Auto-Suggestion, cther that any

こって +-1 une Tersur mental M-VI3 verbal ONE indire t, .H Hetero-Suggestion OL direct pe 40

the instarce learr r + thir after he P take effect sleep; for when that and he hat, hypnotic 0 but hls that aw ke, + ske subject stre-t. Sugrestion wide nouse he vill for to vill be it until he is in the the Post-hyprotic operator tells suc thas been richt, all

-F.Odx coln erast .1. hares the trea .. nt 50 throws of great value . . . . . . . . . . th rerior T-8, + 7, 8-1 treatment ; the next treatment, Well. be obtained in now hat wan opera or tratier, rleep r caus or rin ONslill to the following nables .here this instance, ther a and you .ill r ggesti n for by 1-1 ) Thich from givin him su'h suggestio discoura in that 10 an hour that ' ' Y 'ro, hin, improve .Π. St. T. Stion unfriendly rouse the proping is isnt, reals, ncouraged this Post-hypnotic & 1 restion Irotection treatment will grantly ou ic grent; it is this b a fect crposed ontinuat; an feel an be in the for Kept live, patient ratian hopeful You rill Sre cperator 17 = + ride., kr those ...o printe 11y in 1 tharc in nis feel sto r - " You ill 7) that

10n rgani Ω s gestion. h ir hidden resul Surgestion is t'he part. **a** he principal place changes take arvated

t the 10 ∫<sub>d</sub> Of "- 11- mo."n physi isn

solething. 40 1.edicin. akil. on t some harmless insist ひにた give nothing, 40 forced need  $\Omega$ -a11y ---D. D.

<del>د</del>. belief .Ll Drov-S On: 7Ω •⊢ Suggesti ا—ا but him, rork, Larvated == प्प that cures the *U*2 ·⊢l but does man thinketh, that nothing ent feels him Pure ナナー・ナ

ti; objecti objective thes u till arother. sueg stiors, t rit sent from in this mann r liven from mird rives the subjective are id.r of, for thoy are subjective and ω .Η person the. Surrestion 0 Significa 0 op rat r or hypnotizes Der Indirect one the -- tions

extent oferator 2 2 rertsi. another. from th Tart subjective nind c patient. that ) - T = 1 0 3 St2+ th 12 " L . ctinr ireit 、「ゴブラ

be the ctar 1 and 12 6 6 F1 , ridiril have cut, a suto arises TER 21 T 119 h-alen. +⊃ 1---1 re ve r ti it, Healir Aut -- Sty -estion. 4 Larnetic KFU favor bl 0 (Transtion) 111 cvercome. easy. WORK lard 40 the patient his rears that will b har pitient to the hester healer wil -Sugy - tic <del>ا</del> th eith gne, -- lions

71.5 glven. <u>اس</u> - 011 operator should sugrestion the 1 signestions, Tith intention givin

loud Of 七日辺。 definit jues firm quiet, imarinin hi.s concentrate given in 1000 suggestions the oferator must by making hileous rringles, be should then reak n their Sugrestions 400 in cperators Le Wante this π 1

ここと、いれましてました。 Tucreat the 2 sugge + 1000. f + 1 - 1 - 0 - 1 - 0 - 1 - 0 - 1 - 1 The Cosmonl be commandin; Lell I noise or engthera culd

0 t 0 in fort in the + + + slep, thi sily and a 171'e - i t at atlots 7/2 it isserts to initite, assume a falligoi s - c::- 2 - c::0 + 2011 T'. 'T' ₹ 4 · X · 7 · 7 · 7 - The your velve as postini orce . ect; = = sult . - O - - - -0

tien of pit that I from that the contract the contract the contract that the contract the contract the contract that the contract the contract the contract that the contr · A Pell I. 


. . stout te iv T ... 211. + 4 Tate +; he in for the aro n. I woult, a will but fell ر ا 0. t. , this can that

control in production of the stall y tollo 1 man 1, h n : , o, en of your are not take eller at any proficular tire Ta. E. F 636 - A al hour from - to ' = rullly exprise, by th latint. "GIT IN III. I M feling reshaan in inrae." ce avo ded: 1,7 7 11 th arr t arujin + 2 D H you 'ill .a will feel some better, s r extent, ine suggestion- are to-right you 2 d-1 Stir better; y; you till have 111, 10 and ui. Th - ions Q . . . . . .

rade 2001d study the same tof sur es a thur-



POSITION FOR INDUCING AN ILLUSION.



0 1 0 (1) C () 0) D, W  $\vdash$ 0 Z S 3 1)  $\bigcirc$ O L 口 ----40 4  $\overline{\phantom{a}}$  $\Omega$ a 0 50 -I fu 2 W ---- $\circ$ 4-1 Z  $\Omega$ ---4 2  $\circ$ 0 Z 0 W . ----0 I a a  $\Omega$  $\Omega$ (1) 0 0 7) 1) W Д -50 (1)  $\bigcirc$ 11) Z M can 1 2.7 ONE 11 000 (1)

LESSON III

HYPNOTISM.

73 (1) 1 0, 디  $\bigcirc$ ---42 (1) W 312 \*\* •r { 40  $\bigcirc$ 0 hypne Whi 14 ---+ Ø ons Z ا\_- $\cdot \vdash \mid$ 4 7 an condi 0 WO 7) H 널 αí 0 10 m De (1)

61 1) 1) H  $\alpha$ () 1) 73 (1)  $\vdash$ (1) H 2 Ω, 0 H A uch UO U ----4  $\Omega$ m 0 40  $\Omega$  $\alpha$ 4  $\Omega$ 0 TIC 7 0 0

m 117 0 0 F. (1) H 다 O on,  $\bigcirc$ 0  $\alpha$ ()  $\cdot {\color{red} {\vdash}} |$ Z  $\bigcirc$ 4  $\omega$ 5 mino a (1) 1 Re ත easoning Sug a t0 0 디 iV ---- $\omega$ trary دب  $\Omega$ abjec 4 ccept ----H 7 inductive C con  $\cdot {\rm id}$  $\Omega$ ದ the Will 0>  $\Omega$ ----ا\_ 277 4 estion (1) mind 1 4-1 0, 0 0 sede L B Įq tiv th ncapa uper ubjec 50 the ----- $\Omega$ oud --whether  $\Omega$ TD (1) 는 다 0 3 L ---- $D_{i}$ E--4 되 ----O U O Cri  ${\mathfrak O}$ H C (1) ---+-> Z

1 4 (1) () 7 m 73 (1) 01 14 (1) a  $\Box$ 40 4 50 T  $\vdash \vdash$ اـــا، an that  $\vdash$ #3 #3 1 CUL 7 0 2 0 and change H 다 다 5. hypno Zed (1) Z,  $\langle f \rangle$ 4 thi ٠, equal *Ω* (1)  $\vdash$ Ω contro headache 60 head ta 8 becomin the mind  $\Omega$ peen ವ from ubjectiv Z Z eady ON receding Wh 4 מ ircula ent the ha 4 (1) Da  $\bigcirc$ --m IQQ P  $\alpha$ 7 a دہ  $\zeta_{-}$ () 1 1 04

(1) 0 m H 7/2 4 4  $\Omega$ 3 ---2 4 00 hypno 0 ----H profes (1) 4 come 4 99 (1) (Q pecome ther can 0 any mind will Z  $\cdot \!\! \vdash \!\! \! \vdash$ ound 0 OMO ω Φ  $\Omega$  $\alpha$  $\bigcirc$ (1) # 0 ours the ONS 7/2 ()4 ľΩ H  $\bigcirc$ ŧΩ (1)  $\alpha$ ty  $\vdash$ Ω H ---1 4 3

U (1) 10 10 10 (1) 1) dr -----per () ΤŊ  $\Box$ pri  $\succeq$ 1 J SOL the Ω (D eous; DOSS 1 4 rron the Je OF the har ζŊ M M 99 Of 4 0 اساء 2 Ø 4 ---حب 42 4 par shown T ---cud. ۲ ha hy the a been  $\alpha$ een uee ecome On 4 tha  $\Omega$ has  $\Omega$ Ø ---ha  $_{\mathcal{Q}}^{(j)}$ one 0 ľΩ  $\nabla$ () L  $\vdash$ than ٠, 7 (1) rit 7 (1) 10 2 ural 40 4 D,U 0 0 C: 13

(1) rf)-0 > H  $\square$ --ud. --- $\subsetneq$ NOT  $\bigcirc$ (1) 4 0 th ----(I) (1) 田 口 D, D, ---**(**) ,Q

CUC  $\sim$ 4 a Ful +2 4 (1) COM ent ---ದರ  $\alpha$ C

8 C 0 -2 8 0 4 Q 4  $\alpha$ 0 U  $\cdot \vdash \vdash$  $\circ$ 51 4 ಗರಗ  $\bigcirc$ H 41 a 0  $\alpha$  $\omega$ ---4 0 S ココ 0 4.0 DU ( H 0 ---E.F. J 100 > H 0 D, (A) tur ----4-1 4-1  $\bigcirc$ D B 4  $\vdash$  $\alpha$ () Z 4 2 E. 0 H Q 0 ---Д . Z (1) 9-1 ni. 2 C Z (1) H 4 ----50 Ur 2 (1) 0 C 4-1  $\nabla$ ن ---(1) - $\alpha$ 2  $\vdash$ Z Ud 40 ---772 40 0 a 1 m 12 a 40 ,C 0 a 40 0 40 ---H 4-1 Q 4 rm ---4 D, + 4 디 () (1) 5 9-1 80 ,CI 4-1 4 > H uni  $\circ$ 0 0 3 Z 60 0  $\Omega$ > 60 -Z 4 0 ------60 42 0 0 H Z UO U 4 40 0 ---4-1 OIL 2 Z by en - $\bigcirc$ 40 0 --- $\Omega$ TIP. (1) 51 р () H Q ---4- $\alpha$ ---- $\vdash$ -C cu  $\vdash$ Сh W Ø 40 7 0 0 N  $\circ$ -[-] -1 H 9 DC -15 40 +1

M S 4 1) 12, -づ  $\overline{\phantom{a}}$  $\vdash$ 7 9 \$ C 0 0 9-4 77 Cur d () C 4 ----(1) 7 ಹ  $\nabla$ ----.2 4 4 U O  $\bigcirc$ T  $\vdash$  $\bigcirc$ 0 8 51 4-) ---- $\alpha$ ---75  $\vdash$ 口 -4 4 (1) 4 ,Cl (1) () H 1 :3 (1) (/) 12,  $\alpha$ 7 40  $\bigcirc$ Ä  $\bigcirc$ 10 51 (1) ----(1) H a 0 40  $\vdash$ (1) ,2,  $\vdash$ N N  $\alpha$ ------ $\circ$ 4 ----0 ---D. ---2  $\circ$ D. ay Ö 0 >:  $\vdash$  $\vdash \vdash$ -1(1) ne  $\mathcal{O}$  $\alpha$ W (1) mpl ---0 0 H 4-7 4 (1) S hypno 0  $\Omega$ 40 54 H -0 n -1

13 0 21 (1) (1) H 0 1  $\alpha$ 0 الكر -18 0 2 a 0  $\overline{\phantom{a}}$ (1)  $\bigcirc$ 70 -0 ದಿರಿ 7 12 0 Д 4 H Zi.  $\alpha$ ---1 a a T T ---0 F 80  $\alpha$ IQ4 H 0 Z,  $\vdash$ 010 (1) Ω (1) 5 OWN 4-4 --- $\bigcirc$ 4->  $\vdash$ 4 H  $\alpha$ ---0 (1) NOW  $\nabla$ 0 W D, (H) 4-1 디 W 4 On 077 (1) Garan Glass 40 ೧೧ H  $\alpha$ 7 -(1) 2-1 ----4. H 5 54 17 (1) () 12 :3 0 (1) (1) J Z, (1) +> ---4-1 E 40 (1) +2 ----(1) 4.0 ----M 0 C H 1 D, (1) a 0 (1) 70 H 4-1  $\vdash$ (1) 4 then then 4 ) N 14 4 (1) 40 -----7 ---2 0)  $\vdash$ H ,C ---0 9779 P -50  $\alpha$ H 4 0 54 ,2, ----51 13 ---0 H ا\_ر، H  $\alpha$ (1) (1) ಹ 40 H H + 3 + 3  $\vdash$ NO 0.0  $\vdash$ ---50 0  $\vdash$ 0 a  $\alpha$ Z 4  $\bigcirc$  $\circ$  $\alpha$ 4-1 mi 5 7 40 4 n d  $\vdash$ ಭ್ (D) Q 0 40 9 0 -0  $\bigcirc$  $\alpha$ th 0 enc D, Z 4 H  $G_{-}$  $\Box$  $\vdash$  $\circ$ Q Z Z H 4 200  $\alpha$ D, 0 ---0 40 Z 12, r t 40 4 H ---0 0 60 --------0 \square 4-1 U. ----0  $\vdash \vdash$ 80 2 40 K . . 4 Z  $\vdash$ omf × 5 Ö --- $\vdash$ 0  $\vdash$ (/) ond 0 ---the  $\Omega$ 0 0 40 4 C 0 H $\Omega$  $\alpha$ 200 0 H  $\circ$ 5  $\Omega_{\gamma}$ (1) 5  $\vdash$ 4 7 1 CC ---1 -디 rt  $rac{1}{2}$ ·r 1 0 2 4-1

hill H Si (1) (1)  $\alpha$ ---1 D, 50 ·--000 51 4 50 4 H 40 0 40 > 0 0 H ---42 0 .-H 4 ·--CUC 50 J 70 U 0 (1) H 42 H Q 0 Z (1) a 4 0 I -4.0  $\bigcirc$ (1)  $\vdash$  $\vdash$ 51 (D) 4 (1)  $\eta$ 40 2 > ----1 70 ---0 40 2 20 7  $\overline{\phantom{a}}$ ,Cl ---0 K 50 a  $\vdash$ 4 4.5 80 ന  $\alpha$ M J Q D, 1) ----(1) 7 + nu (1)  $\Omega$ 0 mor Z Ur H J 0 ---3 F 0 -1 a دب (1)  $\Omega$ H D, 0 0  $\overline{\phantom{a}}$ Q  $\alpha$ 0 J  $\bigcirc$ びび  $|\!\!\!-\!\!\!\!-\!\!\!|$  $\alpha$ ದ 0 (1) On 00 2 Z Д Z  $\Omega$  $\Omega$ W H 20 (1) 4-1 W 0 F unl 2 a (1) 4 ---S 0 H S \$ - 20 \$ - 20 0 Z 4 Z  $\bigcirc$ 0  $\vdash$  $\Omega$ >  $\vdash$ Q (1) Z --- $\alpha$ 0  $\vdash$ 4 Q  $\nabla$ 0  $\vdash$ 11111 13 0 W UZ SU) 0 I Q 1 W

but a and on × ed dua . . N  $\omega$ qual  $\alpha$ Ø  $\vdash$ 0 ay 0 coming C D 5  $\alpha$ eadac 60 0 4 口 Q 80 rom  $\Omega$ •— Cn 4-1 ering 0 --sur 2 rcul uff pa C.1. W 7 W the ٠, adua away د٠ en ---0 H 4 qui oing U 2 W ·H 0 >  $\vdash$ --erfec Q 0 0 P

0 OF  $\Omega$ NO 4  $\alpha$  $\alpha$ 4-1 50 Z Z she ons 0 8 ಬ್ಡ -Д 0 0 pa  $\vdash$ 0 th ---S  $\vdash$ en 0 り 0 H T M - $\sigma$ 7 0  $\vdash$ give di DD ugh 0 F O 0  $\Omega$ Ken ය ග 3 OU 4-1 0 > 60  $\vdash$ OU tho. 8 awa  $\Omega$ up 0 SUN 60 2 0 0 ā 0 and F  $\alpha$ 0 Thes 4 thi than wake minu -should eel such  $\Omega$  $\vdash$  $\vdash$  $\alpha$  $\Omega$  $\vdash$  $\vdash$ 0 0 Wi 4 ON 4-1  $\vdash$  $\vdash$  $\alpha$ whi  $\Omega$  $\vdash$ ter is O wake." t0 ju WI 4 000 60 morning in 4-1 4  $\vdash$  $\alpha$ beginning ubject  $\Box$ subj ре iven  $\mathrel{\;\; \bigsqcup}\;$  $\alpha$ O L 0  $\alpha$ 4-1 manne a OP  $\vdash$ 0 + 661 0 0 Q-50 4-1 hims day the 0 Wid  $\alpha$ W th they  $\vdash$ ter  $\Omega$ 4-1  $\vdash$ ON 0  $\Omega$ Wi  $\vdash$ th 0 in 0 eron H H  $\vdash$ --awake Way 4.0 Wi 4 pain Φ,Ω K aken 0  $\alpha$ sugges Ken a wa  $\langle f \rangle$ FI you eal 4 70 0 sleepy  $\vdash$ boi  $\alpha$  $\triangleright$ wide д Ф 0 E 7 F-20 2 2, MO oul  $\alpha$ 0 your +  $\Box$ -0 40 Will 2 10 m 10 m 10 m  $\alpha$ these о С С wake nose not ery ght; ---0 1 2 P 0 C) 0 J Z 20 מוֹ  $\vdash$ ontinuing Ω += $\lambda$ OU 4-1 W bu Ora  $\Omega$ 5 D 1.3 H Q 0  $\alpha$ H 13 . ~ + > 40  $\vdash$ N  $\alpha$ 50 <u>م</u> when in tor ent T Eu 7 ous d.i. 4 H. nner ght OL  $\alpha$  $\Omega$ 12 12 13 U O  $\Box$ 60 Ea

Z P sug ame becomin <u>~</u> Q mind (1) 0  ${\mathbb O}$  $\Omega$  $\bigcirc$ Son the simil are bri rour apeu GR 0  $\vdash$  $\Omega$ 4 2 you 0 ther ould tion  $\Omega$ 0 before 0 Ü, erf en eep; 0  $\Box$ the  $\geq$ sugges 4-1 2  $\cdot \vdash \vdash$ Q 7 the oul 0 an 0 asl Of •[-] 0  $\Omega$  $\overline{\Box}$ 0  $\bigcirc$ Draw  $\Omega$ iar; sound  $\alpha$ instead 0 inducing + en can nduced impl famil eep. asleep you ven, th th -> 0 Of 287 NOU been 4  $\nabla$ C F ent. ma .H €0 thod perfec sound ound tinct;  $\Omega$ Φ,Ω W ---pre me T W experiment 7 shoul -H sily  $\overset{\cdot}{\square}$ the 0 ar 연구 hypnosi 4 OUL  $\vdash$ 9 9 tha 00 0 zed owing MOL  $\Omega$ ₹= tand and were 0 the hypnoti ter en . . ons ter U) 0  $\circ$  $\mathcal{G}_{-1}$ you 4-1 + 2 1  $\omega$ some the qui 0 0 0 4 70

ch whi 0 por nd ful mi the  $\Omega$ 40 0  $\alpha$ Ö 4 SU ا\_، en 0 0 pres tur Q > bl. 0 > Di  $\vdash$  $\alpha$  $\vdash$ tua 0 pro Ç which  $\circ$  $\alpha$ WI by ---D, C riment imag hat ナ ト 0 4 --th exp(  $\nabla$  $\nabla$ 0 なな 0 J  $\Omega$ 0

> ---4 0 4-1 0 > H 0 >  $\Omega$  $\cdot \vdash \mid$ 40 in'd 40 ·H W hypn  $\Box$ duc 디 ·H 4-1  $\circ$ og meth follows Another <u>ന</u> ഡ -

0 + H nod. 1-1 our . .  $U_2$ ONS  $\square$ ----- $\alpha$ inclinat Z 0 and ink er N ---a 4 the fing sugges 00 eyes bl you, your leep. not Of the my your towards fix front following go When  $\alpha$ د sound S 1 S 40 Of and 디 re you finger inches ٠, heavy. to wander, tand 0 not the Want and Ø Do four my feel give Ø hi and I <del>ا</del> move heavy. 010 t 0 0 t0 low your gaze +2 ぬ and up, gradually niged three yield very 7 tting shoul finger within but Will 661 S L operator them, 4-1 ם  $\vdash$ (1) my  $\Omega$ shal Ω Will to eye 4 019 should OU your proaches 0 口  $\Omega$  $\Omega$ i, d shal eyes Who ٠, QO, 0 1

0 Wal. blank closely should and No. but very хед cut . H rapidly, (See patient Q U2 assume finger 100 the patient finger watch the to move should the the dvance Of beginning operator 26  $\alpha$ a not the 0 0.11d Φ Th OL until (I)

 $\vdash \vdash$ د sugges the Φ Ω 67 hì  $\Omega$ 0 0 Cl د+ the patien given De  $\alpha$ should Soon AB ep Ū  $\vdash$ 

TREAT ا۔ 40 ga  $\Omega$ SEA OTHER 17.0 19.0 DI 4 THE ecause HIIM WHAT P USED, 0 MATTER Iq S. C. 田田田 W 0 SHOULD NO O 다 CASES U HYPNOSIS this ALL zea TREATING (U) اً: hypnot BLE, 0 8 8 POSSI many pe NI in annot FI • 田田田 ()

## LESSON IV.

# VITAL MAGNETISM.

0 617 Sm. 4 Magneti  $\Omega$ his over Vital sing JO exerci use <del>4</del>0 the aculty λq influence the ಗಿಇಬ utary Man

7 na Of  $\overline{\phantom{a}}$  $\alpha$ form (L) ----0 th 8 in known exist 0 NOU seems analyzed ا—، composition 0 pl 9 princi cannot (Z) tal •— ;> but , it Thi Ces ons H f<sub>C</sub> -H -H

0 era 0 2 effluen the "An  $\Omega$ hand says the subject from this come On does writer ertainly ب eminen 0 Kind An Some



HYPNOTIZING.

The finger should be held as still as possible for a few moments, and should then be advanced very slowly.



4 1) 1 5 1 0 14 4 (1) M 11) -(1) 1> 2 J M (1)  $\Box$ -42  $\alpha$ 5 m 51 TD -----9> 4 a TIP Z Guy 1) ---0 7 40 H ----10 'ny pla 4 77 hj -UO 2 0 nci Z. 0 (1) + tur 9---9-------40 SI -11-11 2 -40 Si  $\Omega$ 77) 40 p---Z. 40 ----Z 0 -H -1- $\rightarrow$  $\bigcirc$ 디 (1) Z 4 1 ---Ò -1-[-] H m 4 4) ()-1 40 (1) -7 ---2 0 --4 ---0 0 Z 1 -H W ---4 + 0 C (I) A 0 4 + 0 40 ID ub C -7 40 (1)  $\Omega$ Wh W + 4-0 3 S 8 by M E. 44 4.2 0 0 - $\Omega$ 4 0 40 40 ĪΩ C (1) J a Z 0 -----84 × 4 1 1 ()

51 4-4 N (1) S 4-2 0 ---0 ----4.0 0  $\Box$ W 0 0 W W W 9 ದ 54 Z, C 0 4 0 Fi

8 42 -a 04 0 -40  $\Omega$ حد Ø 0  $\Omega$ 2 54 3  $Q_{I}$ W 47 0 40 + 0 ---- $\Box$  $\Box$ ا\_ر. (T 4-4 1-1 0 r=18-1 42 Vi 4-4 d d e 0 I 52 1 W  $\alpha$ D, 디  $\alpha$ 덕 () $\alpha$ 

Į, 5 4.0 ----()- $\vdash$ 51 0 -----1-24 () 40  $\alpha$ (1) M Z Ci (1) () a 60 0  $\overline{\phantom{a}}$ 2  $\Omega$ -.С  $\cdot \vdash \mid$ 1 40 (1)  $\vdash$ 4-0 () 0 hD  $\overline{\phantom{a}}$ > 1 $\alpha$  $\Omega$ (1) -1 (1) 1 8 -. 1) + 2 1 () H N M D, H ----1 5 0  $\nabla$ 4 口  $\Omega$ + 4-1 1 40 N  $\alpha$ abla1  $\bigcirc$ 0 ---- $\Box$ 0 Zi. 4 日 4-0 a  $\overline{\phantom{a}}$ -4 a 0 -1- $\alpha$ 60 -1---40 4 E M 4 8 Ω -----[-] 0 J d dm. H 1 4 > Ø 4 0 岗 - $\not \bowtie$ Q 0 + 4-1 -1W 0 W a Thi  $\triangleright$ 40  $\triangleright$ 4 0 1 r $\Box$  $\overline{\phantom{a}}$ (1) H 건  $\vdash$ 8  $\Omega$ Ę  $\Box$  $\alpha$ (1) J (1) 40 Q ium 54 口  $(\Omega)$ 0 ---- $\vdash$ (1) 4  $\bigcirc$ Z  $\Box$  $\vdash$ ರ Z 2 50 -1-1 40 7 ----Ur 0 . . (1)  $\alpha$ (1) (1)  $\alpha$ 0  $\Omega$ > H Z E  $\Omega$ C 2  $\vdash$ SI 4-0 2 lK-mg 0  $\overline{\phantom{a}}$ 70 1 TD 0  $\Box$ 0 0.0% -[-]  $\alpha$  $\Box$ 3 Z. 40 > 0  $\Rightarrow$ 4-0 Z 40 0 ---40 -1-1 -1 Q  $\Omega$  $\circ$  $\alpha$ + ----. . H  $\Box$ 1 ٠٢٦ >a 4-1 0 설 1 4 -1---- $\nabla$ 4 4 84 a H 0 4 0 ٠,---T a m 2 0 0 0  $\Omega$ WL WIL --a ರ 4  $\Omega$ H  $\vdash$ hy (1) 0 ත  $\bigcirc$ () 8 40 H ---4-1 1 (1) C P. ٠٢-- $Q_{I}$  $\alpha$ ----()  $\nabla$ H + N W 40 (1) ٠٢-8 ()5 0 Z 0 40 1 H H -디 N 0 0 (1) 0 4-1 8 27 44 ----

17:3 (1) (1) F-1 (1) 1-1 -40 0 E 54 (1) 7 (1) 40 (1) a 1  $\overline{\phantom{a}}$ M (1) 0.00 4 E 7 . .  $\Omega$ 42 -(1) (1) 40 (1) (1) Ω 5 Z 口 60 60 (1) 0 a W C  $\vdash$ 5 0 + 0 -40 a ()  $\alpha$ E 5 a SH P, (1) - $\geq$ + C P4 ----K Z  $\overline{\phantom{a}}$ 7 4 0 0 (1) 4-0 a > STI  $\circ$ ----7 Ä -------50 Ka 54  $\overline{\phantom{a}}$ 0 40 0 Z  $\bigcirc$  $\Box$ (1) (1)  $\vdash$ 0 -1(1)  $\vdash$ 0  $\alpha$ a 0, 团 40 (1) --- $\Omega$ 7 5 (1)  $\alpha$ C N  $\alpha$  $\square$  $\alpha$ J D, (1) 0  $\vdash$ W  $\overline{\phantom{a}}$ (1) (1) 8 0 0 ()  $\overline{\phantom{a}}$ -1-1 + 0 . . a  $\Box$ 60 m -1-1 -H + m -1-4.0 W S. (1) دب W --- $\bigcirc$ ----Z SI 80 (1) D, (1) --1

 $\Omega$ (1) E 40 1 42 ---1 a Q ------4 75 (1) () (1) (1) Zi. 53 + > (1) ---50 m Z 8 40 2 (1)  $\vdash$ (1) 7 (1)  $\overline{\phantom{a}}$ a (1)  $\vdash$ 1 ,Ci NI 8  $\alpha$ 8 (1) 40 J 4-1 a 7/2 (1) 1 ٠٢---U) 4 (1) 7  $\Omega$  $\Omega$ 8 --Q,  $\bowtie$  $\overline{\phantom{a}}$  $\zeta_{-\!\!\!\!-\!\!\!\!-\!\!\!\!-\!\!\!\!-}$ 4 1 •— (1)  $\alpha$ 4 C ರ್ D, (1) 40 84 -4 8  $\bigcirc$ ---8 0 7 J 4-4  $\Box$ Z Z (F) a  $\alpha$ 4 4-0 P 30 5 0 51 70 en. 0 Q 07 (1) 8 0  $\Omega$ 40 ---5 k-s 7 3  $\alpha$ a ---7  $\Omega$ 5 (1) (1) SI. 口  $\vdash$ 0 H 0 0 + > 8 - $\cdot {\sqsubset}$ 4-1 (1)  $\sim$ .  $\overline{\phantom{a}}$ 40  $\circ$ > -----1-Z 0 (1) E ---E U) 0  $\omega$ . 0 Z + -1- $\Box$  $\alpha$ 0 4 0 4-1 0  $\cdot {\sqsubset}$ 1 -1 (1) HIA M (1) 0, 炓 丛  $\Box$  $\alpha$ 7 H  $\alpha$ -Z Z, 40  $^{\prime} \vdash \!\!\!\vdash$ 8 N ದ 7 0  $\vdash$ (1)  $\square$ + 077 1 15 ----0 0 (1) (1) 71

8 9 houl 4 gne Ha 0 the nd a hence Н --ಋ fresh upply 0 bur 0 th 4-4 90 Of 0 Sour ent 4 en  $\dashv$ 4-1 4 2 ga Chi the  $\Omega$ --1 br 4 40 tha 0 -1 nou. 8 0 ---0

0 -G10 4 +2 \(\Omega\) 0 cui 8  $\alpha$ 8  $\vdash$ C 7. imi pole in move 5 ------9 <u>ب</u> nega 10 inci pr 0 4 thi 4 0 ---Siti 4-1 -[-] 00 ction tha  $\alpha$ rom  $\alpha$ . . The CI MO

(1) 0 suall 40 0 F1 0 hand ---nd H 4 hai 5  $\alpha$ ther 0 I е Ф 0 US ω (1) 2 th J be should tor nd should  $\alpha$ opera • and 0 pol Z hand the ame tiv  $\omega$ am nega 0 Ø 800 S The nd di the a ing guit pole, for pole pol ( 40 ന ധ CO 0 F) tive tiv 4  $\Box$ nega. 0 000  $\square$ 0

T 1) 0 a 0 Н Z +>  $\bowtie$ 0 50 口 operator health bei thi 200J the + patien in from be ting the • ω (1) cour emana nodn CO ons luen should اب. دب bra 4-1 \( \sqrt{} --- 1 tor ದ The --- $\alpha$  $\succeq$ > NO

54 14 8-1 U-4-0  $G_{-1}$ 40 throughou 4 (1) 2 DE T can erme 5 ther but 40 P body shall  $\alpha$ han +-> 1.1 40 ----4  $\vdash$ en en  $\Omega$ 0  $\alpha$ 4 the 4 be current, from anda The the ape  $\circ$ 0

modi the اسره たいから nstinctiv nto 00 ----124 0 and M 0  $\bigcirc$ 0 pnq  $\vdash$ knowl In ロロ 0 9 r e ub everything and Д in ngui  $\Omega$ The E --nand his hi 0 an C ----5 ----0 pod  $\bigcirc$ in  $\zeta_{-1}$ where 4 5 40 4 0  $\vdash$  $\alpha$ -0 H H the hims 9 S G opping ubje 90 4 concent ing W 0 ing  $\circ$  $\Omega$ J be 디 ticular (/) 4 112 how hi ·H me 43  $\vdash$  $\Omega$ --par  $\vdash$ もご 4 7 0 0 4 hou and 0 (1) rned 4-1 Z (1) par M 47 \C| thout 40  $\vdash$ Wi  $\vdash$ ---Wi 4-) Ф В 7 4 H --the fo. dwo 0 13  $\overset{\Omega}{\mathbb{O}}$  $\vdash$ 0 حب bou ---0 impul has Dr Z 5 4 4 thi wha sui 80  $\alpha$ know, 4-1 OL 0 er.  $\vdash$ th U O 0 4-1 this hims 4  $\vdash$ حہ Ø hea Ω []  $\alpha$ ب ply  $\alpha$ 0 4 0 H 4  $\vdash$ H tmen and ب Wi the and bey 0 --t 0 Ω 4 0 WOrk  ${\boldsymbol{\omega}}$ H P 200  $\Omega$ ren en t 0 0 --tr  $\Omega$ J 0 mpuls omes  $\Omega$ cul 1 P Dati rg r U2 1) £ MC

FI 口 0 0 4 en En Wh T 0 OV  $\dashv$ d'iii 0 0 Ω, 79 びつ Sh 70 thod N 4 me 0 Z 50 owing mag pe 011 4 4-4  $\Omega$ he >

1 tion ------S  $\Omega$ our od a 4 5 4  $\alpha$  $\eta$ ri O 0 (n)---0 (1) t W a Q 0 peq On the him (1) Ω, in may 0 for OWn (J) pe 0 0 0 Kn self ---W hì 0 your ب 40 4 R T 디 0 ace ----ب 0 pa pl our nd 00 40 5  $\mathfrak{m}$ > 0 0 0 aus Ω, 0 W MOI Od

1 1 51) CI. 0 ·H 60 Q  $\vdash$ Q Z NO d 2 0 4-1 Z 0 -----47 4-1 7 口  $\Omega$ 4-1 0 0 اً: 7 H 0 S S S 80 ---김정 a 2 0 our 口 hi 0 th H 40  $\circ$  $\alpha$  $\alpha$ 60 0 OF  $\Omega$ 口 0  $\cdot {\sqsubset}$ H ---Z 7 -1-1 e H  $\vdash$ -[-] 47 OL - $\Xi$  $\alpha$  $\alpha$ <u>\_</u> a Demand 54 42 i m Ç (1) 7 0 ,C 4 > •— . > 0 Ĺ 口  $\vdash$ qui 디  $\alpha$ 0 2 -[-] H  $\vdash$ --0 W 0 4  $\Omega$ 0 ---Z,  $\cdot \vdash \vdash$ en  $\circ$ Z, て du --4  $\square$  $\alpha$ up th 0 0 Ō Ä 0 H 2 0  $\overline{\phantom{a}}$ 0 4-1 Ω 7 . -SHE  $\vdash$ ou Д ---(1)  $\Omega$ 0 0  $\cdot {\vdash}$  $\Omega$ H 0 0 日 디 4 + 되 C (1) •— 0) PO PI Д  $\leftarrow$ +-+ ---Q 0 H > 0 4 N N F 0 >  $\Omega$ 2 ----0 × nd 4-1 40 80 70 0 0 0 0 0 ಚ 0 0 ,디 On 4-1 고, C . . 0 --our 4 4 ಹ 2 4 ಹ ത C 0  $\circ$ P ,0 S a

(1) . . 53 our 54 74 42 70 (1) 7-1 -0 S 40 nu 0 S  $\alpha$ lowl 4 0 •— -poq 口 (1) 4 Kn squn you P 3 ರು 4-1 Q OF H em mi  $\Omega$ 0 On  $\alpha$ 0  $\alpha$ 0  $\alpha$ 0 섥 0  $\circ$ em 0  $\vdash$ 2 tha ω . . . th the ing -- $\Omega$ 0 ace th ty 4-1  $\alpha$  $\vdash$ 0 a th. pla  $\square$ 口 4-1 Q may Z, 70 H  $\Box$ (1) OU end 4 emi 0 ---+ ಹಿ + 00 0 口 0 S and ONE > 0 our them 4 to 70 ()  $\circ$  $\Omega$  $\Omega$  $\cdot {\sqsubset} \mid$  $\Omega$ Vi ·the OU --tr -[-] Q a 0 0 Q 70  $\Omega$ hì -I (1)  $\Omega$  $\alpha$ ешо 0 † 1 5 썱 -0 CH 딨  $\Omega$  $\succ$ H ---FH ----- -H  $\Box$ 0 C Q 0 0 Q 2 0  $\alpha$ H Z Ha un e n 0 4-1  $\Omega$ 60 0 + H 60 hen 0 70 H efor 4 це eepin C hi 0 0 口 the T.M  $\Omega$ 4 4 디 th 0 0  $\Omega$ D D Z -1--4-1 tw 0 H ~ 0  $\alpha$ 4 4  $\circ$ 4-1 a 0 0  $\alpha$ 0 0  $\vdash$ 0 0  $\Omega$ 7 口 2 Z em  $\vdash$  $\alpha$ M 7 40 0 2 (1) 0 4  $\Omega$ 4-1 4 0 ---4  $\Omega$ , C 口 4-1 5 en Q 40  $\alpha$ C par 8  $\Omega$ em OWN Į, D'A  $0 \\ 0$ 디 0 0 0 60  $\Omega$ + h.i. OH 60 0 LI th W + + 4. H 0 hi. C nd nd  $\Omega$ nu 口 4 (I)  $\alpha$  $\nabla$ our 4 our Z Z --em rd + Q J 0 4 ಭಿ C L + 4 nd the mi حب  $\mathfrak{q}_{+}$  $\alpha$ 口  $\Omega$  $\Omega$ 4 7 em em th 0 0  $\Omega$  $\alpha$ 0  $\alpha$ 0 4 5 0 0 Q 9-4 > W Ę  $\Omega$ (1)  $\alpha$ 0 Φ Ω Z, kne 0 0 4-0 ಗರ್ಗ 9 Ž 7  $\Omega$ ouch 0 0 ٠, 4 th Z 0 4 670 口 BB end F > 8 4 <u>\_</u>  $\alpha$ 50 0 0 H 1 in nni 0 Ong  $\vdash$ ONG ----H  $\alpha$  $U_2$ bring 0 oma 20 7  $\cdot \Box$ 口 H 0 4-1 口  $\Box$ 0  $\overset{i \in \mathcal{A}}{\in \mathcal{A}}$ ~ inche thd Ä > 7 War 40 4 th 0 0 42  $\Omega$ 00 디 he 0  $\cdot {\sqsubset} |$ N N onr  $\vdash$ -0  $\vdash$  $\square$ th 0 0 4 H int 60  $\triangleright$ +  $\alpha$  $\vdash$  $\alpha$ > Q H 4 Q (1) 4 0 7 - $\overline{\phantom{a}}$ 0 Q 1 4 0 OM M and 2  $\mathcal{C}$  $\Xi$ > . 5  $\leftarrow$  $\rightarrow$  $\alpha$ during で W oul  $\Omega$ 0  $\nabla$ . . 0 0 Z, H D01  $\vdash$ Q oul humb th 다 90  $\alpha$ ~ H Q 05 Z Z  $\Omega$ 4 U B 口 (1) W  $\alpha$ an (1) rms humb оие  $\omega$ + nger 口 4 ---Z BR C t, OIHO E.  $\Omega$ rni •— 0  $\vdash$ -4-1 **₽**. 디 ПQ humba out 0 3 8 1 a  $\Omega$ J 4-1 4  $\alpha$ E E  $\vdash$ 7  $Q_{-1}$ 0  $\alpha$ 70  $\circ$ 0 4 4-1 (1) H H Z 4 ---U 0  $\Omega$ ත () ب 0 70 Q -7 ---12  $\alpha$ a 12, OU ur ---C OUL 42 0 C 01 디 4 디 ne bod  $\cdot {\sqsubset} |$  $\nabla$ 디 0 1 H  $\bigcirc$  $\Omega$ 0 0 00 (1) S H the  $\cdot \sqcap$ -[-] (1) HO > mmen 10 0 -60 0 th 40  $\Omega$  $\vdash$ N N N 4-1 pr  $\alpha$ 口 S On Z, 14  $\omega$ 0 4 0 0 +-4 4 0  $\alpha$ tu 4-1 H 4 دب H 0 0 en 40  $\overline{\phantom{a}}$ 0 0 D, 5  $\overline{\phantom{a}}$ + E D D 0 1  $\alpha$  $\alpha$ 0 0% 口 0 0 + 0  $\alpha$ Ch 口 C 0 4-1 ----0 eni am OHIO 2  $\vdash$ 0 + Ω 60 MO 4 0 W 4 2 J 0 Z  $\cdot {\sqsubset} \mid$ ---0 7 0 ťΩ Q Q ರು  $\Omega$  $\Omega$ 0 0 ----0 + 0 딤 1 0.00 70 4 42 W Q 0  $\bigcirc$ I 0 OU -디 日 0 70 0 0 4  $\Omega$ d 0 H C 디기 디 C pn pa Q -- $\vdash \vdash \vdash$  $\vdash$ 4  $\vdash$ 口 40 4-1 5 40 40  $\alpha$ 0 0 0

0 ب 0 Q 0 0 끘 دہ 0 M 70 42 ~ ಡಿ 0 口 ----4 d d 4 ----ಹ 6% 0 口 口 ، د 0 只 4 0 nd 0 디 0  $\alpha$ put 4 emi 4 4 × 0 드 0 -Z, OU U rà 5 Q B 0 口 70

10 Z 4 (1) CU 0 7 eyon  $\Omega$ 40 Ω ime (1) +> W ch 9  $\alpha$ 0 our H (1) ಶು Ø H Η. Ur OL 0 0 > 0 2 14 40 (1) 0 びば 4-1 0 Q Z, W 0 4 0 ---emi

 $\overline{\phantom{a}}$ -12 H 0 0 4 a --0 口 دب H 0 1 4 2  $\vdash$  $\Box$ 8 H ----디 0 4 Q -0 a uc W 12 0 دب 70 Q 0 0 pro J 디 Z. and  $\alpha$  $\cdot \vdash$ H H 0 -80 4  $\Omega$ H 3 디 0 0 7 > (1) ---0 (1) 4 P OMO 13 -4 0 a + 5 8 CLE Z . .  $\vdash$  $\Omega$ 0 0 7  $\alpha$ 0 4 1 0 0 4 H + N H 0 -----디 0 4 5 4-1 7 0 50 0 Z -1-4 Д 0 0 0 40 E O d W E du  $\alpha$ 0 -CH 口 0  $\Omega$  $\Omega$ an FI -0 0 2 Ω Z > 0 0  $\Omega$ +5  $\vdash$ Z, Ç  $\vdash$ 7 4 Sm D ---123 T B 0 en th 0 •— E دہ +5  $\Omega$ 0 0 42 nd 口  $\Omega$ 0 1 -H W

回 0.0% ---51 [7] 77  $\vdash$ رب اب  $\alpha$ Z 12 Q 田田 H 口 0 Z 0 0 H 2 はれ t L пd 70 0 8 a 0 > 70 an D THE  $\alpha$  $\alpha$ Q 0 د + 42 50 口 C  $\alpha$ (I) 口 S S S  $\Omega$ 22 dy 4-4 4 H S ROIM 0 0  $\vdash \dashv$ -W  $\cdot_{i=1}$ 0.77 H  $\circ$ > -1-1-0  $\Box$ 4  $\circ$  $\Omega$ 1 H ÇQ nd 0 F F れなり دہ H  $\Omega$ ۲-C 0, 0 0  $\Omega$ th  $\alpha$ 3 0  $\alpha$ H  $\vdash$  $Q_{i}$ 0  $\nabla$ 0 01 0 1 0 -1-4 T A 1  $\alpha$ 7  $\Box$ 0 4 口 4  $\vdash$ 디 Ø 14 15 0 --2  $\alpha$ -and 1 H H 0 4 0 Z W  $\bigcirc$ th 0 1 -73 - $\sqsubseteq \vdash$ 8-1 H --12 තා در  $\Omega$ 1 as  $\square$ 0 40 디 디 田口田 0 E +> × d 0 -2 ·H era (1) rom 0 4 am MA 61) 4 U > 0 Φ C ·H 0 -1-4 Д 70  $\Omega$ W  $\Omega$  $\leftarrow$ 2 1 国 0 +2 Z 0 0 0 --0 4 M  $\alpha$ Д 7 24  $\Omega$ 口 ,21  $\Box$ 0 oul 4 4  $\bigcirc$ 田田 1 re + 4-) th 0 0  $\alpha$ 2 口 0 Ç 田区 ,0 حہ > + P,  $\alpha$ rown 81 üt  $\Omega$  $\alpha$ W 4-1 --Omo Z Omo  $\Omega$ دب  $\vdash \vdash$ 4 0 0 Q  $\overline{\phantom{a}}$ en en 4 9 H て H ľΩ 80  $\overline{\phantom{a}}$ th त्रु W OUL 4 a  $\Omega$ 4 0 H HAND 0 -1---0 1 1 1 2 2 3 a Z MO ehe  $\Omega$ 4 -2 (1)  $\Omega$ H 耳 g 0  $\circ$ (1) - $\alpha$ W  $\vdash$ H 디 0 2, 0 2 4-1 + 0 Z, 4 C 4 C + URRENT 国 1 4 en ·r--{ نــ  $\vdash$ > 口 0  $\vdash$ ಗ್ರದ --4 - $\mid \! \! - \! \! \! |$ 4  $\Omega$  $\vdash$ 4 2  $\vdash$ TA E--i 44 -H cur 60  $\alpha$ 4 0 13  $\vdash \dashv$ 4 4 F 口 H 0 en  $\Omega$ en en . . 0 E -4  $\circ$ d 0 C K N 1 다 나 97 디 口  $\Omega$ OTIO **M** 0 THE --ha -1 40 4  $\alpha$  $\alpha$ H N C IJ (B 4 0 2 H 84 0 E H ---60 4 0 0 --H U a 12 0 5 -

50 0 (1) C 4 (1) -4-1  $(\Omega)$ --sual DI + 0 0  $\omega$ a Ha  $\Omega$ da 1 50 C'h Ch Q × pa Ne CU. ---(1) 0 Z 4 0  $\Box$ (1) A.  $\Omega$ th th I C 1-20 1-20 1-20 Z, 1500  $\Box$ 口  $\alpha$  $\alpha$ 40 H0 4 a 2 97 4 Vì 0 C 70  $\Omega$  $\Omega$ 디 nd n our XUX Vì ----Z -0 × t m 70 0 ---J H 70 (1) 0  $\bigcirc$ 0 1 4-1  $\vdash$ a 4 1 0  $\bigcirc$ 4 A 0 0 0 Q tua H th C XUX 1 ПQ U Z  $\vdash$ 1-1 4 ب 0 4 口  $\alpha$  $\alpha$ II. 0 + a -----4 -H OTH W ch. . . -0 13 J 9  $\Box$ 0 IJ Bra W  $\Omega$  $\vdash$ .  $\vdash$ --H -1-4 د (1) -1-1 0 0 0 ch ,0 Ch th gr  $\bigcirc$ 0 د 0 0  $\Omega$  $\Omega$ Ç th 1 -1---(0)C nche M D + Wh J -----E 0 0 an d th - - $\subsetneq$ 0 0 2  $U_2$ 0 .1-4 H 0.00 Of XUX exu  $\Omega$ ut  $\Omega$ 0  $\alpha$ 1 Ç 2 C 0 0 a 0 Pl  $\Omega$  $\vdash$ 4  $\geq$  $\alpha$ 0  $\vdash$ 0 دد  $\Box$ 0 C Д H 0 4 FI Z 40 40 0 g cu ·H -by H 4  $\Omega$ 3 0 + H Lumba OU CU 0 our 47 H ---0 ting Д (N) 0 C a 9 U 0 4 0  $\cdot {\sqsubset}$ 0 d  $\bigcirc$ د > J 0 trea OHO Q 0 --口 0 디 4 0 4 4 th ed C K H -口  $\alpha$ 0 4 **д** 4 H 4-1 H d 디 4 0 0 Z 1 ---> + 日 0 0 0 0 4 12 8 H

(1) 0 F 0 4 4 73 二 0 through 0  $r_{\vec{Q}}$  $\vdash$ IM a P,C 0 t T 0 > -حب 60 4-1 口 ---CJ. 24 CH 4 4 첮 0 rom by nd a -1

0 4 54 1 H 0 4  $\vdash$ 42 0 OHO 7 H C 4-1 a W 0 > 42 H 0 H 口 0 tre Z Z ZI 20) - $\vdash$ 40 a a  $\vdash$  $\Omega$ 4  $\alpha$ + 75 0 40  $\circ$ ---0 口 H 00  $\alpha$  $\omega$ 2 ದ حہ е д H H E E  $\alpha$ 0 Ρ, 0

0 40 0 FI 70 0 2 J H a W rm 54 a 0 -0 Q P. + W ٠, 4-4 4 Z, I'm 4  $\alpha$ 0.00 a 1 7  $\Omega$ 0 0 N N 1 口  $\nabla$ 4  $\vdash$ E E  $\Omega$  $\vdash$ --a hrou Di) XC ·H 0 4  $\vdash$  $\alpha$ 1  $\Omega$ 0  $\vdash$  $\vdash$  $\alpha$ 4  $\omega$ 2 -[-] Z Ch Ch  $\vdash$ ٠٢--17

77-7  $\omega$ +> D, -0 -4-1 ----4 0 0 4 2 4  $\cdot \vdash \vdash$ 0 Ver J the 4 口 0 for  $\Box$  $\nabla$ 40 an ---d Ø 0 H 0 4 2  $\geq$ 口 λq ·H  $\alpha$  $\vdash$ 4 20) W Will 3 9% 1 40  $\mathbb{O}$  $\Omega$ 口  $\beth$ 1 CD 0  $\mathbb{O}$ th 口 4 4 US S and 0 50 in MO  $\vdash$  $\overline{\phantom{a}}$ CJ. 971 1 0 exus the Xer 8 a 7 -디  $Q_{l}$ a and 0 Ch C 0 4 C 0 0 ;> U 0 14

11) 73 93 K 0 12 W (1) 4-2  $\vdash$ 0 디 0 Q ON 4 Of  $\Omega$ th Ch e r and W + pa cti rH  $\vdash$ whi >0 On  $\Omega$ 口 a  $\bigcirc$ 1  $\nabla$ 2 -0 0 4 0  $r \rightarrow 1$ thy OI T B D D Har OT  $\geq$ Z B 0 ----ODO ш Ц 0 Q 0  $\Omega$ 60 a Ø 0  $\alpha$ Q Dr Z, 0 그 E O  $\vdash$ EH H  $\Omega$ 00g ٠٢٦  $\Omega$ H  $\geq$ 4 J th(  $\Box$ 0 -0 Z  $\Omega$ 0 Q em Iq q 0 000 4  $\Omega$ H Z and 0 nd ا\_th S نہ H H 0 0 4 a th Ch Z  $\frac{1}{n} \frac{1}{2n}$ 二 -DI DI -دب ľΩ XUS gne 4 whi 0 QIII \$ Q ٠, ON E 47 -1-- $\mathbf{0}$ eph F a 田田 0  $\vdash$ CH I L L mul Ork Ĭ, ON ٠, 4 H ٠, اب. 9 0 OWe br TW( دہ th th  $\vdash$ ٠/- $\square$ cra 4  $\alpha$  $\vdash$ 4  $\Omega$ WI 0  $\vdash$ -1 (1)  $\vdash$ the CU  $\vdash$ 0 디 th a 675 -1-1 це qu 4 H  $\Omega$  $\Omega$ 0 70 th H 0 Cl H  $\mathbb{O}$ 4  $\alpha$ > Z 0 D  $\alpha$ 42 Ď, Ω C L 0  $\bigcirc$ •— ಶು he 4 0  $\Omega$ 0 5 tin eg  $\Box$ 口 OUN 1 H ON  $\Omega$ 0 d 0 XUX P. 0 flict  $\alpha$  $\square$ (m 0 1 to 10 to 1  $\circ$ 4 0 ced Z 0  $\circ$ tr ٠, 0 W 0 0 nne N 4 ON ar oug  $\alpha$  $\mathcal{H}$  $\Omega$  $\cdot {\sqsubset} \vdash$ In  $\vdash$  $\omega$ 0 0  $\vdash$  $\vdash_{\uparrow}$ الم الم 2 a H 4 0 H 0 U Ω, Z 12,  $\bigcirc^1$ 10 4 47 4 Ψ W L 1

7 II. 0 0 1 E C H iv (1) 4 -[-ದ *)*  $\vdash$ 0 2  $\vdash$ 7 when nega fu o T T G ome 4 0 be  $\nabla$ 0 OF On 00 the Or Succe T T i V 0 4-1 4 he nd 9 ω. Π nd  $\Omega$ р 0 U $\alpha$ 4 00 and a Z  $\Box$ M 0 -1 0  $\alpha$ 0 е ф 200円 t D 4 4 000  $\subseteq$  $\Omega$ -CI DI Z procedur E B 7 0 0 0 py  $\Box$ 0, 4 4 디 --- $_{\omega }^{\Omega }$ 0 M 4 tment 디 4 H 0 eq 4 ---+- $\vdash$ 1 XUX Whi nd GRS 4-1 -0  $\omega$ -1 0  $\alpha$ a 0  $\vdash$ 0 0  $\triangleright$ Qed: tr 2 ogo 0 60 ted ON H 0 0 he E ict  $\Omega$ ers h.T. نہ  $\circ$ ---7  $\bigcirc$ -d.i. ---ON 4 4 ff] Н 2 ON plen 4 curren 67 0 4 hr 0 ced a U th Ver O د 40  $\Omega$ 50 a H 2 W a  $\vdash$ a  $\pi$ 9 2 2 ry е д れい 0 0 W (1) ----MP t L L > d. (1)  $\alpha$ 5 U > H 4.1 -112

Ú D,  $r \rightarrow |$ 50 Ha H 42 a NV ರು) Ω, a > Z  $\alpha$ 4 +2 W 4  $\vdash$ (1)  $\bigcirc$ a Q 0 0 0  $\Omega$  $\Omega$  $\square$ pur 0 0  $F_{-1}$ a  $\Box$  $\alpha$ H 4 4 0  $\Omega$ ဌ 4 4 4 Q  $\nabla$ OF and -4 em 0 4 ann en 4 -- $\vdash$ at +-4-1 2 4 en bu E L -1 4 7 Φ Ω 口 0  $\alpha$ H Z +3 70 0 0 d قم N  $\vdash$ 1> 0

0 12 17. 73 (17) -10 (1) (1) ---H ----0 Д N C 40 ---口 our 0 4 تہ 4 4 a +3 Φ Σ, 0 0 1 40 0  $\vdash$ . . 1 > 7 ದು Q 口 4-1  $\vdash$ ·H Ū 6 0 50 nd 4 W 0 0  $\alpha$ H ,C 150 170  $\Box$ L  $\Box$ 3 -[-] OMO  $\bigcirc$  $\alpha$ J دب 4 OUL  $\nabla$ 0 all  $\cdot {\color{red} \vdash}$ 0 0  $\overline{\phantom{a}}$ Н 2 0 Z 400 디 ب 0  $\mathcal{G}_{\rightarrow}$ 4  $\alpha$ 1 ---Д a ----t V 0 Z  $\Box$  $\Box$  $\alpha$ W 0 Ma 0 7 0 ---OL  $\alpha$ Н 0  $\Omega$ Z 4-1 H Ō Z 口 0 -7 4-1 حب  $\alpha$ a •— J 0 12, 4 0 0 0 -0 OIL  $\Omega$ nn 4-1 H W  $\Box$ 9 40 N 0  $\alpha$ Z an 0 -1-1 ---0 7 Q 40 (1) 4 0  $\Omega$ P,  $\vdash$ 0 0 4-1  $\square$ D, E L ---- $\vdash$ Q 0 4 0 70 40  $\vdash$ 0 0 oul un > -1 Ha  $\Box$ 0 C  $\Omega$  $\vdash$ 5 - $\overline{\phantom{a}}$ 디 S E--I  $\vdash$ 0 ou 4  $\alpha$ Q 2 40 ---0 O  $\Box$  $\cdot {\sqsubset} \vdash$ Z, ay -0 7  $\Box$ 4 0  $\Omega$ 43 口 2  $\vdash$ 1 (U) H 0 0 Z d nn gn 0 NIN 'nт  $\nabla$ ref. Ρ, > 0 디 0 W  $\alpha$ 4 ---Q Zi. 2  $\alpha$ MIL -C --H 4 Omo 60 O 4 4 ~ 7 ema 8 4 4 4 0 0 D, 0 OUL H 7  $\vdash$ H an ,O × 4  $\mathcal{L}_{\mathbf{I}}$ 0 Q 0 H +0 CI. 9 D. れなり ub Kings In pr ,4 0  $\overline{\phantom{a}}$ en G 0  $\Box$ d 0  $\overline{\phantom{a}}$ 0 Fi  $\alpha$ 0 ---0 0 +7 a 5 ------٠, H + 0 0 24 0 SH W 2 口 ---bul 70 Q 0 50 ---口 E 0 0 0 د ب a 口 4 8 .\_ 0  $\alpha$ て 0 -0 4 0 70 0 E B 무그

C 0 1) C 1) SI 4 (1)  $\bigcirc$ -0 Ħ  $\cdot {\sqsubset} \mid$ 4 د 0 H in. and  $\overline{\phantom{a}}$ 40 0 4 Q  $\Box$ 4-1 ome th. Q S 0 W ta 0 0 40 د 7 d  $\Omega$ on,  $\vdash$ ----0 ens 0 C 0 د N  $\vdash$ 0 0  $\alpha$  $\bigcirc$ 07. 7 ----口 OF - $\vdash$ th 0 0  $\alpha$ حہ 2 ful C E H  $\alpha$ 0 H cua 80 ب. -口 4 0 0 0 d 8 C 口 Н 0 H H 0 HA 4 0 (1) ела  $\alpha$ H  $\Box$  $\vdash$ --th 3 دد lui 0 W 0 W  $\nabla$ W 0 0 she 2 4  $\Omega$ 0 and --en ans he 4-1 +2 Z 2 40  $\vdash$ 2  $\Omega$ ---•[-] حہ  $\circ$ 2 0 ب  $\vdash$ 50 ---- $\alpha$ حہ Z H OF . 0  $\alpha$ W دب  $\Box$ W 7  $\Omega$ Q 0 1 7 Ŏ (1) imí 0 د ng n H 0 Z D, 0 W 0  $\Omega$ 0 W 4 Th omet pJ 0  $\bigcirc$ 0  $\Box$ mag oint حہ •— -2 ¥ Ø  $\triangleright$ 4-1 4-1  $\Omega$ Ø  $\nabla$  $\circ$ 0 0 he  $\vdash$ ·H  $\alpha$ th  $\nabla$ W D, ed 9 d 0 TO U Q W Z 口 W ~ 00 -E  $\Omega$  $\alpha$ 4-1 0 0 OIJ ----W ----0 حب 40 0 th  $\vdash$ C ure 0 in  $\cdot {\textstyle \vdash} {}$ 0 M III On 4 0 4 حہ  $\vdash$  $\vdash$ r B  $\vdash$ ommuni 8 0 H  $\alpha$ a H 0 د Д in  $\alpha$ 0 9 0  $\circ$ Q د ----1 --- $\bigcirc$ 口  $\vdash$ en a  $Q_{I}$ W  $\Omega_{i}$  $\Omega$ 70 N cul  $\Omega$ 0 th Ch 디 C. 00 W Th 0  $\vdash$  $\circ$  $\omega$  $\alpha$ 0 7 ---Н 0 24 0 70 0 D D 7 Wh . 4 2 N ano  $\Omega$ 0 0 .  $\cdot \vdash \vdash$ دے. Q ٠,--| th  $\vdash$ 0 口 Q a دہ 0 0  $\alpha$ W W 0 Z, 0 Z  $\Box$ 0 0  $\overline{\phantom{a}}$ -Ti all ch Ρ, 0 E  $\Omega$ 0 4 W  $\Box$ W 1  $\circ$ a  $\alpha$ 디 40 Q 4 S 50  $\bigcirc$  $\cdot {\color{red} { }} {\color{red} { }} {\color{red} { }}$ W (1)  $\Omega$ (1) OHO 口 -(1) 0 0 E -0 00 +2 3 + × -+> P, P  $\overline{\phantom{a}}$ W W  $\bigcirc$ (1) a 4 4

0 ---4 (1) () ---70 Z -1-1 حہ 0  $\vdash$ 0 0 0 40 uià th  $\Omega$ د CU + 0 0 Omo  $\vdash$ > 0 0 H 0 +2 W he  $\alpha$ 4 0  $\Box$ en \_ -4 > On  $\vdash$ a 0 -0 80 3 Q دب ---口口 0 pr ---0 4 2 > a 무  $\alpha$ LII 0 4 by Q  $\overline{\phantom{a}}$ H 7  $\bigcirc$ ب  $\bigcirc$ ON 0 H SU  $\alpha$ OL +> 0 Z -Q,  $\vdash$ 42  $\overline{\phantom{a}}$  $\Box$ a ب Q 4 0 7 디 15  $\alpha$ Z CU -1-1 0 Fi a th th 4 d 0 0 口 2 Z 0 > 0 a 0 W 0 0 W 무 1 0 OUU br. 0 th 4 th( a 0 --- $\overline{\phantom{a}}$ 口  $\vdash$ > 50  $\square$ , 4 2 ---Pa E W 50 OH 0 NE 0  $\nabla$ ·H OP 0 > د4. 1 ... 0 ----4 2 Q N Z 0 口 1 um 다 구· 8 0 H B 그  $\Omega$ 7  $Q_{I}$ +2  $\cdot _{\square } |$ 0 0  $\cdot \vdash \vdash$ 0 +2 20 and 4-1 1 디 0 + > 4 Ha 47 ---0 0 Mad Ω, +-> C  $\Omega$ W +2 -tp د. 4 ,5 ----+2 ب دب  $\overline{\phantom{a}}$ 0 ---H D D  $\Omega$  $\nabla$ 1 Ω, 0 口 Z Z 4 0 nd -H ٠٢ --- $\alpha$ d d ひ い い  $\Box$ 4 E-Sale January J 0 0 口 OFF H -0 W

a 0 0 Q M Z  $\alpha$ mu 0 디 > 40 ٠, 0 40 ರ 8  $\bigcirc$ 0  $\alpha$ d 口 0 دب 2 ----W  $\omega$ 0 4 III 0 4 4  $\alpha$  $\square$ a מקק  $\vdash$ 3 0 (1) Ω  $\Omega$  $\Omega$ ON 4-1 0 اب d H 다 다 دب 0 FI 0 Ed (1) ,C ----() 디 I -(1) Q 4 1 J ٠,--| (1) M Ω (1)Z M 7 디 0 디 4 (1) اسا  $\bigcirc$  $\vdash$  $\alpha$ ZI. نہ H Z,  $\bigcirc$ ---0 4 (1)  $\alpha$ W Wi -دب H (1) 0 0 0.05 5 0 0 ಗ್ರಡ  $\bigcirc$  $\nabla$ 0 · [ (1) 0 2 Q mi D1 4 0 اب. W Wi  $\Omega$ hi ny oddo  $\Box$ 0 أساء d نب تب (1) 13 n n MOV 50  $\Omega$ 디 0 +0 نہ ---an Z, and 50  $\bigcirc$ 40 -ガロ  $\langle f \rangle$ 4-1 a 口 -0 نب  $\circ$ P 0 H 1 1 ---

Zi.  $\bigcirc$ 0 () Z W ಹ (1) دد 70 O 50 2 (1)  $\Box$ 0 50  $\Omega$ 0 E 0  $\cdot | \cdot |$ 40  $\vdash$ r60 0 MI 디 اسر، 4 47  $\overline{\phantom{a}}$  $\alpha$ (1)  $\square$ 40 Zi. 40 إساء UI 0 M 4-1 1) 0 0 4 U en  $\alpha$ 4 تب  $\alpha$ 40 (1) (1) 0 1 -C 60 0  $\vdash$ 40  $\alpha$ Z 0  $\Omega$  $\vdash$ --H  $\vdash$ a 0 1 E Zi 40  $\alpha$ a 1  $\alpha$  $\nabla$ 0 D اً: - $\Box$ 43 -

# HOW TO HEAT THE HANDS.

(1) 1  $\bigcirc$ Ç ----J L S دہ 4.3 US O  $\circ$ Z  $\omega$ Z ur tme Н en NO •— 7 full 0 the ದ 4-4  $\Omega$ 1 42 0 (1) mus C 4 7/2inu nd -[---] ·H 50  $\alpha$ 40 C  $\equiv$ 40  $\Xi$ نه en VÌ nds Z,  $\Omega$ (1) Н 40 -[-tud 1) 0 50 1  $\alpha$ Q<sub>i</sub>  $\Box$ Z, un 디  $\Omega$ 0  $^{\prime }\vdash \vdash \mid$ 7 54 mor 0 p e 1 0 ت دب > نب ಗ್ರ  $\alpha$ (1) 40 1 H 0 4 42 Z, (1) 1  $F_{-1}$ ದ and  $\Box$ a 0 Z 0 H  $\Omega$ Z نب 0  $\Omega$ 42 Z, OU 0 디  $\sigma$  $\geq$  $\Omega$  $\Omega$ ------1 ----42 دہ 口 9 e~ Q a 0  $\Omega_{l}$  $\Omega$ br 0 urs 40 hi ಹ C ದ Store Store Vi 1 40 0  $\Box$ 0 H  $\bigcirc$  $\supset$  $\bigcirc$ 0  $\alpha$ اب.  $\nabla$  $\Omega$ Th 0  $\Omega$ Ø  $\Omega$ D O  $\nabla$ 口 d  $\alpha$ 디 a 2 40 1  $\mathcal{D}$  $\Box$ :3 E Z ment 0 0 0 D D tor  $\Omega$ ----0 4 نہ  $\Box$ () 40 0 H W.T. 41 1-1 J

(1) 7.1 H 7  $\Omega$ , (1) 1) H ·--a  $\cdot \vdash \vdash$ () th 40 1  $\alpha$ a 1 40 50 th 4 0 thro n 1 rm (1) 1 Cl. 1 70 r0 ದ W d 4 1 TM دب H hi 0 th rna D, (C) Pe re ದ دب 1 40 4 0 KI ch Z 1 67 2 4 pea د  $\vdash \vdash \vdash$  $\vdash$ 0 a > Ø O C E ಗ -0 4 you bri  $\alpha$ B 0 0 tre Re  $\Omega$ E  $\vdash$  $\vdash$ 1 Then hi 0 suddenly ũ Q  $\Box$ ough  $\Omega$ ۲ 1 -... hand and Ф 4 W m 11) Z Q (U) J Sample Resident Sample 1  $\Box$ -[---[- $\alpha$ 0 D, . E L W 口  $\vdash$ 44) 0 H nd 01 40 1)  $\circ$ 10) 0 -N<sub>O</sub> ЙO  $\Omega$ th em <del>ا</del>  $G_{-1}$ C ಹ 44  $\alpha$ (1) 0 imp  $\square$  $\bigcirc$ 2 cut W د 0 Of 12 دب ന 1 ಹ jus 02  $\Omega$ ,C out rop  $\Omega_{I}$ oul  $\vdash$ 0 7 W ťΩ H 0 0 cut palms て a (30 1 aní  $\sim$ . 口  $\Box$ 0 7 (]) ب 4.5  $\Omega$ m  $\bigcirc$ 0  $\mathbb{H}$ 0 C (1) ಗಗ 드 H t Was  $\Omega$ D, 1 0 1 0 1 2 0) (I) ibl 9 4-1 (1) 1)  $\alpha$ D, ry t D er Ľ, ۲ Z Ø Q τΩ hand 0 1 Q, 0 ಗ  $\nabla$ rub D, S Ø 디 an تہ  $\Omega$ 00 (A) (1) 1 t |a me  $\Box$  $\Omega$ Z, han 1  $\vdash$ 20 p> then unti onr  $\Omega$ ぴ 0 2 1 nod Q  $\bigcirc$ 0 ---th 0) 0 --- $\Omega$ ت 4 1 40 hem 4 I  $\mathcal{L}_{i}$ the ON rom 4-2 em hey 77 Z 40  $\Box$  $\omega$ 2 (1) (1) n R 0 口 a て 0  $\omega$ 口,口 CC 42 4 4-4 DI C 40 Ø 0 0  $\quad \, \vdash \quad \, \vdash$ W -1 (1) 1 -1.3 (1) , C) 71 1)

HC 0 3 C Q 0  $\overline{\phantom{a}}$ (1) (2) J -5 54  $\alpha$ W  $\Omega$ 0 () 0 done Z (/) -be (1) O ナゴ دب Ø  $\circ$ mu  $\alpha$ H 2 0 DJ bu. HB 0 J 4 onsi en Sal

(1) -1-40 S (1) 0 1) m H ---40 7 C  $\omega$ 0 a () (1) 0 Si. 50 empl 0 < 0 40 7 W  $\Omega$  $\Omega$ H 0 1  $\circ$ pro 2 D B B 0 9 0 cul rti  $\alpha$ て 0 1) ,Ci  $\alpha$ H

#### LESSON V.

TREATMENT: SELF, ABSENT AND PRESENT.

E H (1) 13 a 1) Çļ. ば 50  $\bigcirc$ 디디 77 40 1 (1) hundr OIII  $\Omega$ have  $\omega$ >  $\vdash$ ami 00 aint Son 4-4 uman FI 0 compl 2 Z 1) 'n.e Q O nor 40 9-1 NO mi دب even (1) 4... はり em, 4 D, 4

(1) ,= 40 44 0 13 in T () 7 1)  $\otimes$  $\alpha$ vance 5 1 ompl for 0 d 0 a 7 0 0 0 773 0  $\Omega$  $\vdash$ Z 4 0  $\Omega$ FI  $\triangleright$ FI (1) 0 und tha  $\Omega$ rands hem 00 nt ت 0) tme 0 SI (1) D D  $\alpha$ Ø rea  $\vdash$ T B 2 -[--] 0 ب thing 4-1 0 0 W (1) ಮ 5 some thod 0 dur Z a He 1 0 OP 00 C C 4 4-1 د+ 0 pr G D 000 4 CH Ţ 4-1 Ong. 2 0 口 4 (1) 0  $\vdash$ 0 80 E, 5

----40 1 70 4 K Z 9 9 84 0 chapte O U give ing 9 ~ 3  $\Box$ 0  $\alpha$  $\Box$ pre tha  $\alpha$ d ١--ten. 43  $Q_{i}$  $\alpha$ 4  $\Omega$ U)

0 m 11)  $\vdash$  $\bigcirc$ 40 0 17-3 d 9 > ----4  $\bigcirc$ subjec body the the Of 40 tha  $\langle i \rangle$ ロロロ 3 tate ب (V) (1) 12 7 --WA  $\alpha$ 

## (1) 170 0 (1) 4 54 J.  $\Box$ pl me m -[--] thou. 43 ----Wİ any true elf O f  $\langle \Omega \rangle$ PU T imi 0 ٠٢٦ a 口 be دب 4 (U) m ---O U m H ш го 40 ---4 d the  $\alpha$  $\langle i \rangle$  $\bigcirc$ 00 UO UO pro ب thou- $\Omega$ per 0 % Wi (1) S 0  $\Omega$ 0 5 8

-wru (1)  $\Box$ 47 إساء Ò 1 اً-() (L) 4  $\nabla$ onfid 0 4.0 7 E C  $\overline{\phantom{a}}$ L'A H. ----()  $\alpha$ have hink cer अगां र ťΩ د+ دـ ---must 70 4 ----C 0 pati  $\alpha$ a 0 ---. .  $\Box$ ---4 Ur m tment Ğ  $\alpha$ -1ش بط пK M ---treat 17 KB hi. 4 a thi 17, 4 U O (1) 0) ---40 디 -111 1)

43 CI 73 ىپ 51 ಗ್ರ 0 ----4-1 O II 40 S -----per 77 H (1)  $\alpha$ P 4  $\alpha$ 0 4 FI a the t > (1) Ω --- $\alpha$ FI  $\vdash$ bj  $\overline{\phantom{a}}$ > anno  $\alpha$ ent -[--0 07 2 tm  $\square$ -[-- $\alpha$ 0 H ---H  $\nabla$ 4 (1) E (1) the الس 54 D, () 47 Z 4 but. nd Q Q 50  $\mathfrak{A}$ (I) C *a*~ 40 1 lvan cur 0 ದ್ದರ 41  $\vdash$ > onl 日 Ĭ 12, 2 1



MESMERIZING.

This illustration shows the position to be assumed in mesmerizing. The knees of the subject should be pressed firmly between the knees of the operator. The feet do not touch.

	` 		
b			
		•	,
		. ,	
		• .	

40 > th th 0 UO U 0 ---جد W  $\alpha$ 0 0 Sugge 0 0 1 0 0 4 H 7  $\square$  $\vdash$ 4 ---3 ---0 t L 12, C+ and L d -0 > one  $\alpha$ 0 0 7 D, and urbe W حب  $\cdot \vdash$ ha 4 2 نہ  $\vdash$ undi 0 rmining W 0 h-30 h-30 p-20 H 0 4-1 ind 0 60 4 D 口 4  $\vdash$ 0 0 tm  $\vdash$ 0 7 --- $\geq$  $\lim_{N\to\infty}$ a ---(1) en て H  $\bigcirc$ Ū Q 0 can pa 0 0 (1)

0 0 0 4 0  $\bigcirc$ C (A) a + > On E 0 -OMO > 0 pa たり On 0 --th H -[- $\Omega$ + 0 Ct H 디 60 2 0 0 20 0 a  $\triangleright$ rmi Z -[-] ej. en -ر\_ W 0 1  $\Omega$ د 0 4 0 0 en 0 ugge 0 t 4 日 nue NO -+ 0 P 00 U  $\cdot \vdash \mid$ ťΩ 0 0 0 On when <del>د</del> د  $\circ$ 70 K + 7 C MOM  $\bigcirc$ E 0 ear - $\vdash$ 0 0 he nd -口 H ena ---4-1 J 100 حہ 0 Q and D BB ON Z (I) 0 W > ţ ---ime  $\Omega$ 40 cei oub 40  $\mathbb{O}$ 40 Ĺ 4  $\Box$ ou F.G 60 Ĭ 7 60 W 80 mi SU 1.T d 口 a  $\nabla$  $\Omega$ H min OL  $\alpha$ තා 口 0 4  $\Omega$ 0 +2 >thi  $\omega$ ಶಾ Ω ---On 4 nd tha 0 4  $\bigcirc$ 677 r(h) ear ~ 4 H ti en W  $\bigcirc$ I 0 Ū  $\Omega$ 9-1  $\alpha$ D L ju ----2 これに + 0 0 8 E the CI W 0 0 a

all 0 0 D 4 W Z · [\_\_\_ -[-] C ---4 0 තා Sug 1 0 4 Au > 60 0 4 0 (ID)  $\Xi$ -1-4 1 4 F 4  $\Omega$ a (1) Ω eep 0 H  $\vdash$ 40

0  $\Omega$ (1) H H  $\alpha$ I J 0 0 -0 7 20 im Q 0 0 Ã 7 0 4.0 口 H  $\bigcirc$ 70 O rom oul 0 1 W 7  $\Omega$ 4-1  $\Omega$ 口 Z ľΩ W 0 a 8 changed 0 0 2 0 im( E en Ø 4 a  $\vdash$ 七十 口 -0 a Th 801 4 90 ∑Q. -0 0 they th onc d Ø oul W 4-1 0 0 Sh  $\vdash$ 7 hould 0 F 0 ťΩ Q  $\bigcirc$ Z 4 Z 9 0 دب 4 (/) 0 en  $\Omega$ tm made en H  $\Omega$ tme £1.  ${\mathbb Q}$ 1 > anc On a tr be re 40  $\bigcirc$  $\alpha$ 4 40 OF cums 0 ered should the the 4-1  $\Omega$ د H d our Ci sui ---0 rende 0 口 Z, 0 Z S  $\bigcirc$ 0 H 0 The 4 cha N. O L 0 r10 r-1 ful 0

dy 7 g  $\bigcirc$ 0 Ω, (1) O WIL your C  $\sigma$ qui  $\alpha$  $\Omega$ **р** 70 S S mu 0 0 a -Ľï 0 our hе 0 4 4-1 4 0 tion no -[hrough H  $\vdash$ <del>ر</del> اب S L 0 interrup H 54  $\vdash$ 4 a un  $\vdash$  $\Omega$ 0 M 4 0 H d 口 > arri a joint S  $\Omega$ 0 E from -0 40 tment --tha ry ery 4 0 a E 0 Z, 0 . -1 £ I Ω Ω 0 bed tud 9-1 H be H 0 4 --atti a OP mber  $\vdash$ 0 0 th  $\neg$ 70 4-1 M --time ---70 +2 you  $\vdash$ W a 口 N D 0 -H න ග ar  $U_2$ --he 0 8  $\alpha$ e r Z VOI N S Wh ON a W111 口 N ati 0 0 Sum H ส 0 EZ EZ 81 12 W 124 13

W) 4-4 • tal 0 Qa men Q 0 0 0 7  $\vdash$ H 디 دب mi 0 = > 0 Wil th S. H. onr Z S Ø thi 0 pa  $\geq$ you دہ OHIO be NO 7 0 fr 0 حد <u>\_</u> HO Of H R ,C  $\Omega$ ---- $\Omega$ think 70 ani O lment 9 دب on a 0 2 OMO d C to ani a H ty O 4-1 0 \_\_ your ζį n,c 0 0.0% ank ٠, 1 S cti ne OF a DI 0 Z 2 Q pr re 9-1 7---- $\alpha$  $\vdash$ a 0 --d 0  $\Omega$ 口 디 OM D4 our 0 H 딤 Ø 0 C our 0 口 -H 4 Of a equi 4 5 40 4  $\Omega$  $\alpha$ a ۲ 0 口 0 H LO 서  $\circ$ Ha nd -0 H C M -151

Q W 0  $\alpha$ 4 40 -On 4 -d condi 0 50 coura  $\Omega$ thi Ø di sume 0 ecom  $\alpha$ <u>م</u>  $\circ$ 0 ب. 4 how 4-1 0 yours earn  $\vdash$ MO 0 4 --0 Q mor 4 口 OP (P) 0 K

50 8 a H (L) OLO 유 3  $\vdash$ ou. WOL 4 0 OUL omf > 口 Φ Σ, OF 0 ervou (1) (1) Ke Ö 0 د Φ orming H  $\alpha$ a > On 80 4 Q H in  $\vdash$  $\vdash$ 0 but 4 0 --- $\Omega$ 2 approach 4  $\Omega$ 0 0 a erfe your ---muscl ಹು 口 perf 0 70 in دہ OUC War ou zed, دب  $\circ$  $Q_i$ دب > 0 0 0 my a H H  $\Omega$ 4 4 20 0 BH hì a 91 ----7 40  $\vdash$ epea. 4 H edua gans . .  $\vdash$ 디 r=1r = 10 0 dual N and ong gradua 口 М П -4 H OH 口  $\vdash$ W becoming  $\alpha$ poi  $\vdash$ pa 0 200 NO せっ rest the 4 Mou の 田 田  $\Omega$ gin 0 are am th All > beg -دب аш  $\vdash \vdash$ 0 a body ed and tter  $\Omega$ Mon 0 mind ation i Ch H === 4 ealth ther H  $\alpha$ be 0 my 0 13 9 . . my H ons  $\Omega$ 0 0 etting دہ tural q 0 0 0 --rcul 4 oughou >  $\vdash$ nn ---ect a 4 C O  $\Omega$ ----> H C  $\not \sim$ perf 0 E Ci no  $\alpha$ ಹಾ  $\overline{\phantom{a}}$ 80 Sug ----디  $\vdash$  $\Omega$ thr > H 017 W ons dually 0 0  $\Omega$ 0 C en oni Of  $\alpha$ دب <u>-</u> t L 19 4 60 Ø Wh Win D.J. CO ----0 0 OF 0 Q 20 0 0  $\overline{\phantom{a}}$ W  $\vdash$ LJ, 10

S 0 NU W 0 unl ----4 ත On ON d  $\circ$ 9% shoul  $\Omega$ MAKE 0 -4  $\vdash$ nu Wi ---you ILL H mind  $\triangleright$ 1 ent 4-1 E-1  $\vdash$ your 3  $\vdash\vdash\vdash$ ۲ ions ime H 4 en 0 + 0 4 4  $\Omega$ tha  $\Omega$ **D** 0 13 a ph ugu 44 0 W  $\Omega$ 0 OF On > 0 -4  $\Omega$ 4 be +-0  $\circ$ the  $\Omega$ 0 0 دا. P 8 Q NB 00 J SU  $\Omega$ -ب W the epea 0  $\alpha$ them  $\Omega$ 0 r=1th  $\dashv$ വ ഡ  $\alpha$ H inue F. 0 upoun ENCE d  $\vdash$ 'nï ul 40 0 t 口 M 2 国  $\circ$  $\Omega$ 0 田田田  $\alpha$ D 0 0 \_\_ ( (/)

W Ver On th 1 rom  $\mathbb{O}$ Q ind mpl 0 Sugg H E --omes Ø W our hi your  $\vdash$ 4 > 2  $\Omega$ I Huj.  $\leftarrow$ nt OU ·---MO -----0 E E  $\vdash$ N ome  $\vdash$ = ecogni 0 Worki 4 GH  $\circ$ bett ႕  $\overline{\phantom{a}}$  $\vdash$ WI  $\vdash$ WI Ø ぴて ----OU ing د nd shou > ongh 4 mi  $G_{-1}$ ب 0 th you 0 80  $\nabla$ a H H H subjecti  $\odot$ the Sur ed and  $\vdash\vdash$ \$0---\$0-10 W reward day ർ nd 0 F G S D D whi mi your +> 0 may  $\boldsymbol{\omega}$  $\Omega$ During  $\alpha$ > † † 4 tha H Will no 0 -H > 0 0 and H

On er 0 W دب Sub Q 0  $\alpha$ ent bo th  $\Omega$ 60  $\Omega$ حب OU ough. the W 60  $\Omega$ חת D D 0 be the a N  $\Omega$ ---th( ---د W 1 OUD 0 may rea. th L H 0 should O th d 0 4 pe  $\circ$ come OU حہ Ф В 4 en ever サゴ ep H prac pati  $\vdash$ he sugges ch H --en 3 d Whi Wh -**د**+ houl the  $\Omega$ 42 en en . . tm ons ant the W  $\Omega$  $\Omega$ when hi 0 9 pr( -he ---0 40 40 H 日 ever 40  $\Omega$ 4-1 W 0  $\Omega$  $\vdash$ ---• ÚΩ 0 00 ---- $\Omega$ 4 Sugi 二 حہ 0 ---though gen tem lowing wha On 42 and better  $\alpha$ the 0 th OF O III ced fol. Ø 0 = ane = these D D OL etting G L ---Zi pl 0 enf th 4 ----ب OL inking g 1 0  $\Omega$ OU ぴ Q, be 50 0 in . . Z Z consci SE SE  $\zeta_{j \to j}$ 0  $\vdash$ r =H ---0 口  $\vdash$ = 0 ims  $\vdash$ et 5 By --Ø eve ರು ,C OU ·H  $\circ$ the の田田 **(**) 0 0 -1--1-40

ant

دب

npor

·H

S

-1-1

CO

-

口

atment will seem insuffi

(1)

H

دب

W

---

4

NU

 $\alpha$ 

E

5

3

(1)

W

40

0

(1) OU H C 7 -(1) (1) C W 2 0 0 50 Ω E 디 - $\alpha$ 50 E  $\bigcirc$  $\Box$ 4 -=  $\sigma$ (1) H 60 5 Q +2 1 a 0 Q 4-1 4-1  $\Omega$ 40 (1) -W -(D) 84 ---H 2 0 (1) 40 ---15 FI FI En 50  $\bigcirc$  $\bigcirc$ C H H 0 2 -(1) 口 5 C. (1) a 0 1 -(D) UL 4-1 H W 口 7 ---40 .ц с 0 7 40 디  $\vdash$ hi 4 P, J Q  $\vdash$ 8  $\alpha$ 0 디 MN 50  $\circ$  $\alpha$ en. Z,  $\alpha$ 0 0 ni J  $\vdash$ 0 7 () 40 ---Z 0 60 ---C  $\alpha$ 5 디 H Q (1) 4 -60 4 Q 4 0 - $\alpha$ U 0) (1) 4 ---OH H --W -0  $\Omega$  $\bigcirc$ d (1) 0 40 4 تب ľΩ 4 디 4 non 0 7  $\cdot {\vdash\!\!\!\vdash}$ C C 2 Ω еш -ಡ ----60 W -- $\alpha$ 2 4 am 0 a  $\vdash$ 2 0 5 0 M  $\Omega$ ---- $\vdash$  $\vdash$ ---口 40 60 + 1 a ----Ci april.

(/) m (1) (1) 1 (1) (1) 50 (1) 디 50 H  $\vdash$ Z 0 0 40 50 0 D, ರ 0 口 (1) (1) 0 -0 W (1) 0 (1) (1) D,  $\geq$ 7 (D) 40 0 () ---디  $\alpha$  $\bigcirc$  $\Omega$ (1) 1 W 2 >Н 0  $\alpha$ -C  $\Omega$ 15 (1) 2 0 m 40 m 4  $\Omega$ ()a - $\langle I \rangle$ 0 C (1) D. H A. 4-1 0 4-15 (1) -() 40 (1) (H) C  $\vdash$  $\Omega$ S Ci (1) (1)  $\alpha$ W  $\Omega$ ,C Z, 13  $\sigma$ -1 + --1 C (1) 40  $\langle I \rangle$ mi 40 nod and ondi 1) S 40 て (1) (1)  $\triangleright$  $\square$ m  $\triangleright$ (1) تب  $\bigcirc$ 0 - $\omega$  $\vdash$ د 7 50 4 (1) J 0 a C 10 F  $\bigcirc$ 4 HI  $\alpha$ 0 4 d C 1 W (1) 0 -0 Ω (D) E 0 + ದ  $\square$ hen >4  $\nabla$  $\Omega$ 0 ---a ody C th 4 0 4 Q 40  $\bigcirc$ •— -0 61) 0  $\Omega$  $\Omega$  $\Omega$ دا. 1 (1) प्रत  $\vdash$ Ω,  $\Omega$  $\vdash$ ----(1)  $\overline{\phantom{a}}$ --- $\Omega$ Q D,  $Q_{i}$ Wh Q 73 4 0  $\bigcirc$ C -40 0 0  $\Omega$ コロロ -47  $\square$  $\Omega$  $\circ$  $\Xi$  $\Omega$ 40 -دب hy (1)  $\Omega$ 0  $\cdot \vdash \vdash$ 0 디  $\triangleright$ H 0 a nd 2 0 >---0 4  $\Omega$ C 40 --디 I (1) (1) 4 40 a ·H 0 (1) 0 W (UC 11 :3 -1-4

53 CD 84 n ---(1) E E ,Ci 40 d 0 ()  $\alpha$ 0 1 4 IQ4 4.0 13 4 50 ----0 디 て 口 -C Z, D, (1) 0 4 H > $\bigcirc$ H -50 C a 4-1 60 Z Z  $\Rightarrow$ 0  $\Omega$  $\alpha$ H Ξ 4 1 a  $\Omega$ H --4 ()() mus 드 (1) ---4 84 4 (1) -40 Fi 4 (1) C  $\Omega$ 0 S Z,  $\cdot {\mid \hspace{-0.07cm} - \hspace{-0.07cm} \mid}$  $\Omega$ M 0 (1) 0 d E  $\vdash$  $\Omega$ 0 C Un H a 0 (1) 0 4 > 40 . . d 0  $\alpha$ 4 arl UF C 0 0 8  $\Omega$ E E  $\cdot {\sqsubset}$ (1) ga 4 (1) ugh Ф В 000 0 40 1 H H + Σq 1 0 42 mus 口 4 0 Z 40  $| \cdots |$ 0 -100 50 40 \_\_ E en 40 دب 100 hi 4  $\alpha$ D ----bol >>> 口 ، د 4 40 (1) 0  $\alpha$  $\alpha$  $\alpha$ C 2  $\Omega$ Φ 4 MIN 디이  $\Omega$ H (1) 7  $\Omega$ J. Q 0 1 <u>L</u>1 112 -

17. T 0 13 CTS (/) 7/2 40 5 2  $\bigcirc$ H (1) (1) 0 () (1)  $\Box$  $\square$ 50 40 0 7 () Z 40 ---(I)1 a  $\vdash$ a --- $\alpha$ 1 'm  $\bigcirc$ N CO  $\Omega$  $\square$ ,  $\bigcirc$ 0 0  $\alpha$ H 13 4  $\vdash$ ()  $\vdash$ ರ 4 디 1) 0 0  $\alpha$ -(1) 7  $\hookrightarrow$ a D  $\bigcirc$ S M -O  $\Omega$ 4 5 (1) 1) (1) 4  $\Omega$ 그 -ロロ Ei 口, 50  $\overline{\phantom{a}}$ 40 H. 60 (1) - $\alpha$ 4 口 60 0 Z ·H 50 7 4-1 8 C N ---덖 (1)  $F_{-1}$ 0 +2 0 FI -(1) -----4 0  $\langle f \rangle$ --- $\cdot \!\!\!\! \vdash \!\!\!\! \vdash$  $\Omega$ S 40 (1) dd 4 0 4 Wr  $\alpha$ --a D,  $Q_{4}$  $\Box$  $\vdash$ 国  $\alpha$ 20  $\Box$ Z rol -0 fu  $\triangleright$ 0 Z ---D, \_\_  $I\Omega$ 1) 4  $\Omega$ 40 5  $\vdash$ 4  $\Box$ 40 Z C W  $\alpha$ (1)  $\bigcirc$  $\Box$ 0 (1) 0 land Marie ロ り に ----0 50 (1) Zzu 0  $\Omega$ 0  $\bigcirc$ (1)  $\Omega$ I 50 1 -E R emi H 4 a H + 0) ·H LS S 0 Ö 口 (1) and 4 1) ---4  $\Omega$ pJ 0 4 an دہ E  $\Rightarrow$ 0 (1) C  $\vdash$  $\alpha$ 4 Q 4 4 H 0 4  $\triangleright$ J 口 0  $\Omega$  $\vdash$ 50 50 60 디 I un (1) 40 Z th th (1) -[-0 mpl ---0 (M) =(1) 0 770 Z. 70 Z, 2 5 m 5 m >  $\cdot \vdash \vdash$ J a ·— 1 D,  $\not > \not \subseteq$ ----دب 0 0  $\vdash$ E 0 (1) our 0 C 4-1 口  $\Box$ 4 디 7 4 (1)  $\alpha$ C (1) 0 > --0 -SU 0

- $\vdash$ 1 5 Z C d 0 M 0 Z 4 50  $\alpha$ 4  $\Box$ W FI ami 12 0 디 0 40 1  $\sim$ 4  $\bigcirc$ 0 4 rg ಡ Sh. 4 4-1 men a  $\alpha$  $\circ$ a 0  $^{\circ} \vdash \vdash$ tr C C 4 7 0 دب 1 I Ci.  $\alpha$ Z TIE 0 Z, H 4 -1-(1) 14 40 0 0  $\vdash$ 0  $\sim$ 0 a ------1) 7 cur D 0 EB  $\vdash$ 9-1 +  $\alpha$  $\vdash$ 8 0 Was M W 0 0 1 1-3 th 40 ಗಿರೆ 60  $\Box$  $\vdash$ 50  $\sim$ K mi her 7 ٠,---OW,  $\Omega$ 077.0  $\bigcirc$ + p~ Z, ದ್ದಿದ್ದರು my 4 -4 0 0 40 ロロロ  $\Omega$ 50  $\circ$ 2 1-3 . . Ħ 0 0 F 1 up 60 0 0, +2 en Z 40 0 Z A C ---丛  $\alpha$  $\geq$  $\Xi$ 0  $\alpha$ -U O .H ₪  $\vdash$ 7 1 ppe 0 W ---Ø B 1-3 5 40 W \_  $\Omega$  $\nabla$ Z J  $\vdash$ 0 0 mi rul a -H 40 40 E 17 0  $\alpha$ 1 W 51 0 J. اب، D. 4 d ple T 40  $\bigcirc$ ---4 (1) H -T 111 ı—l H 1 --- $\Omega$ ---4-1 24 W 7 U

D, W 1 D, 1) 0.0 H 1-3 40  $\alpha$ Z  $\langle I \rangle$ thi P. C. 4 th  $\alpha$  $\vdash$ Wi 77 ---1 40 40 ガガ ()  $\cdot \! \! \vdash \! \! \! \mid$ 4-1 еd 4-1 Q 2  $\Omega$  $\alpha$ ---nod 8 0  $\nabla$ II, H 0  $Q_{i}$ H (1) (1) (1) --- $\Omega$ 4 9-1 > 15

1-3 (1) a + 0  $\Box$  $\omega$ ---0 40  $\circ$ hea Whi Much Z S +->  $\alpha$ ٠,  $\Omega$ 1-3 W ·H arm em 000 4 0 th owe  $\Box$ T T  $\Omega$ 0 دب 0 0 W 0, 84 ೧ಇಗ the 0 د 13 13 body ಗ್ರಗ  $\alpha$  $\bigcirc$ 70  $\bigcirc$ (1) ()  $\bigcirc$ Z ----دہ  $Q_{i}$ ſΩ W 0 a  $\vdash$ 04 2 40

50 -() J 7 0 1-3 -4 N (1) D, ----42 -0 a 8 Ø (1) 0  $\nabla$ +  $\alpha$ 0 XUA (1)  $\Omega$ 0  $\Omega$ should 0 th د  $\Box$ نه me (t) 50 J ದ (1) -0 4 4 H W 40

d 1) unn 7/2 90 d oul 口 W nd  $\cdot \vdash$ X  $\vdash$  $\vdash$ Q 9-1 0 Ŵ 40 C a  $\vdash$ ---<u>C.4</u>

40 11) W a ,5 40 ---100 W a (1) 2  $\vdash$  $\Omega$ a + ---5 0 C 0 4 FI rom -1 7 4-1 (1) (1) --ťΩ  $\leftarrow$  $\vdash$ H ಗನ್ನ 0 Q 0 4-1 (1) N Z ا\_ر، E 8  $\alpha$ Q  $\Omega$ د 1) a H FI 111 4-1  $\sigma$ 40

D D (1) 1 In (1) (1) 国 (1) -(1)  $\vdash$  $\bigcirc$ 4 C N ---d 50 D () 0 1-3 0 4-1 (1) 1 Ω 5 (V) 17 ----にに 4 (1) a 4  $\Omega$ 4-1 a  $\cdot \vdash \vdash$ 8-1 d 4-1 0 ೦೦೦ mm 0 W  $\cdot \vdash \vdash$ 60 C 0 4 0  $\Box$ W  $\bigcirc$ 50 odu ni  $\alpha$ 0 ry H W 2 I 0 a > 1 0 0 ure 0 (1) Ç 4 <mark>ප</mark> ත W a  $\overline{}$ 1-1 4-4 (1)

4  $\vdash$ H ()C 1) ---50 -1MI H. 9  $\square$ 1 SI f L +2 5 \ \ □ whene bure 5 口 1-3 +2 0  $\vdash$ 4-1 4 4  $\bigcirc$  $\alpha$ 4 0 th Ha ,C enty 0 i i i H > DId  $\vdash$ 0 50 improvin ſΩ ink labor 1 1-3 H t 0  $\Box$ J OP  $\vdash$ hi 4-1 ~  $\Box$ 0 13 Ω<sub>1</sub> W a 9-4 0 0 (D) 70 0  $\overline{\phantom{a}}$ - $\vdash$ -M -(]) 1 4  $\vdash$ th  $\alpha$ 2 2 ಗನ 0 12, ----E-1 . 4 7


 $\Box$ V 50 Ci ----und 0 0 ()2 77 0 (1) .cq 2 NO  $\vdash$ OLO • 5  $\vdash$  $\circ$ (1) ----40 KIL -67 7 II II 0 tme Ct. 9-1  $\bigcirc$  $\alpha$ 50 C ---1 ---5 8 0 4 4 (1) 73 J H hi Un (1) 4-1 ----40 (1) 4 4-1 1) 40  $\longrightarrow$ 4-1  $\square$ +-> C himse 0 Wri 4-4 po t -(1) 1 the 디 Z 200 773 hod دب 51 4 9 0  $\alpha$ 4 0  $\circ$ ful 0 tr cur came 84 40 8-1 0 onde  $\Box$ 4 75 T D  $\alpha$ 디 MO Д ---(1) Z, 40 H 5 9 77 ·H 日 ----0 ----H +  $\alpha$ 0 1 FI 10 U 0

1)

(1)



The hands of the operator are covering the left and right Cervical Plexus. In treating, the operator should be behind the patient, but in order to show the Plexus, it was necessary to assume the above position. All Plexuses have a right and left side, which are termed by some writers "Right" and "Left" Plexuses. In these lessons, however, the two sides have not been mentioned, as the entire Plexus is always covered by the hand when treating.



 $\alpha$ 173 d O 4 ---- $\geq$ SI (1) 5  $\alpha$ H 4 50 C +-) (1) (1) ന ന 1 40 2 FI 5 -44  $\vdash$ W -0 Wh  $\Omega$ (1) 口, ∑ Q 40 ady Z 4  $\cdot \, [ - ]$ -(1) 50 M (1) Un (1) 0 0 > (1) --

 $\Omega$ (1) 000 UΩ Me 021 -+  $\alpha$ ty Z N 1 H  $\square$ 4-(L) Q 4-1 0 50  $Q_i$ 1 OLL 0 CL imes 40  $\geq$ ain ---O තා 50 نہ 50 77 houl many nd H. 1 (H) 40 50  $\Box$ hem I. d 4 D D ಹ 69

Q any 50 173 J 51 H 0 Ω, ong S J 3 OP - $\vdash$ .\_-2  $\vdash$ SI -----() 77 ersever  $\omega$ Wel bove  $Q_{i}$ 22 13 T the II. a pai N. T. E C 7  $\alpha$  $\vdash$ 

10 1  $\vdash$  $\eta$  $\overline{\phantom{a}}$ A C. L. (1) -40  $\omega$ Z. uri (1) 7  $\sim$ 40  $\Box$ mi 4 73 17 4-1 د unsurpas 1000 in Ω 1 04 ば onsideration U) the ----JO 4 प्रभ OIJ 40 -;-tion  $\circ$ 0 4-T-O a 0 0

2112 ondi ti (]),Cl (I) Ω, TIQ. t he -----4  $\vdash \sqsubseteq$ q—þ ondi +>  $\alpha$ ()(1) OLO whi (1) lr 1)  $Q_i$ . , , , 40  $\circ$ heref other د ij this ---0 ha  $\Omega$ 0 ON ence 4. M 40 Z ロ conditi  $\alpha$  $\alpha$ . .  $\cdot \bigsqcup$ 0 04 디 control ---0 0 0 MM SH + 디 ance roll 01 4-1  $\bigcirc$ 2  $\cdot { \vdash \!\!\!\! \vdash}$ 0 9 bey W 4 0 UO (1) 0  $\vdash$  $\Omega$  $\vdash$  $\Omega$ 七 二  $\vdash$ 4 0  $\circ$ a  $\bigcirc$ ompl  $\vdash$ condi Ĭ contr pe I (1) 7 0 4 4  $\alpha$  $\vdash$ by can  $\circ$ comp. 0 have  $\alpha$ ty her (1) (D) Ω -00 bject V J. can --------<u>ا</u>، (D) ----2 011 0 0 Ţ 0 (D) S em, th pa H acul  $\vdash$ a 2  $\alpha$ 0 0 4-1 4 0 (D) Man 50 ural th ì∨⊖ 0  $\vdash$ 0 4 0 0 H D 40 5  $\nabla$ 1 > にい  $\bigcirc$ 1 Ω

7 1)  $\vdash$ trol qno UO UO J 0 t (0) (1) Ω 2h Can lì  $\Omega$ 0 the ナゴ facul not  ${\it \Omega}$ ---bjectiv 1 H the SU Ď, (1) (1) 0 th -W 40  $\vdash$  $\alpha$ ura ,C + >

qnc 1 taine <del>---</del>  $\bigcirc$ E B Cu دہ 01 a U O control 9,0  $\Omega$ a EM may hor 1) ecti aut his tha Z, (1) · [] 0 Q O  $\vdash$ th contro Н oweve 7 intense a  $\vdash$ the OL  $\alpha$ tu ted OF Z 0 ved th mi > λq ا\_، 4-1  $\vdash$  $\triangleright$ ways ent 9 ---0 U S 4 ext nj beca  $\omega$  $\cdot {\sqsubset} \mid$ ---4 0 T B rea nd (1)  $\square$  $\subseteq$ 1 Howeve an Z 50 **р**  $\alpha$ Q nd H

4 3 L  $Q_i$ 0 m ---- $\Box$ 4 りに 덖 -7 (1) ----77  $\alpha$ H 0 nt NA ---a 1 233  $\alpha$ Z (1) (D) Omo 0, en H 1 Ph 4 ----SI 0 h. 0  $\Box$ O 4 5 50 ear 1 Z اا > S

4 W ----70 OUO F. C. 0 0 H ch ا۔ 4 II D ----4 <del>ب</del> pec 1-1 (1) 0

eam H 42 H に 4 40 7 40 -4 4 0  $\alpha$ H 4  $\geq$ ----ಗ್ರಭ 4 a the  $\circ$ SU a 63 N 4 0 WOL 0 ----دب --CU 0 口 (1) a 4  $\Omega$ 2 54  $\Box$ 0 ----4 ----0) +> H H () 70 ---0 Ω -0 I 7 H

حب 7 4-) C ----4 -80 V. ---日田

 $\square$ 0 S . . 0 3 4 9  $\vdash$ 50 -J H OH () + KI  $\alpha$ O II Ü, H  $\Box$  $\Box$ H (1) ا... H H C 4) 0 8 the -4 ---- $\vdash$ (V) Wİ H  $\bigcirc$ eaml  $\Box$ aft you G L Q 0 4 ر 7 Ven they tly 7 4 4 50 --ni 0 Re 0.00 0 ame 1 4-1 er. --- $\bigcirc$ H 4 7 200 ONS 0 1 0 0  $\subseteq$ ---- $\vdash$ 7 they ---4 NO ---5 Z Z 40 eep מח hough  $\vdash$ W -Wi uca H

6

2 (1) 5: 0 H 17 17 4 7 9 dr  $\mapsto$ Af the +) continue ----+2 0 add an 4 H ---40 4 en C C the 6 0 the 69 5 C nd ctl --ever nd  $\alpha$ Q 0 a  $\circ$ 4 en 0 they ency er edni NB  $Q_{I}$ Of frequ ths 40 -Sul On Wer res 0 owe ams the 4 -口 with thin H 4 9  $\Omega$ H K ---. (1) MI 4 е Ф 84 --,--7

Wri H 7 0 hi 42 d (a) - $\Box$ ----ا—ا • No. 4 45 Which 0110 0  $\Omega$ 전 다 4 4 4 ---<u>G\_</u> 9 emp th  $\langle f \rangle$ 日 the --exper لى ئ  $\circ$ S 40 cond only • C Vi 69 0 00 dream Q 4 . Ω H 4 0 emp - $\mathcal{L}$ had + 4 0 th +> Q pg 9-1 4 eam,  $\nabla$ 4 0 adv 0 1

H -H 710  $\vdash$ 7 70 per 5 4 H 4 D D 4 upon --th 4 4  $\vdash$ 7 H for 4 0 70 0 E E H I I 4  $\vdash$ D U MI re and 1. 4 4 no 7  $\alpha$ in "You  $\Omega$ 5 to ght Thi he 0 night ب given though 4 The state of the s in en e OWI р () 4 ----H US foll( hor 4 h. SHS 5 4 4 Ma +1 n n OU On the 0 H. 4 Magn 7 the  $\alpha$  $\alpha$ 4-1 th E  $\nabla$ 0 0 0  $\vdash$ H an ON OF CU Z 0 I 7 manne --------9 4 Ur -Z Con me pa S. 3 the 0 e~ 0 60 0 р 0 디  $\vdash$  $\vdash$  $\sim$ つづ

0 20 anythin 0 a 5 4 07 ٠, E H xper a 5 FI 42 7 0 men 4 ril 4 디 ---x be 0 2 4 4 hi  $\leftarrow$ ----40 ۲ WOrk 5 0 + Sul the  $\nabla$ H 4 0 On 44 4 7 H ng اب. -H ur 5 a 0

H T an  $\Omega$ 0  $\bigcirc$ On the eep  $\vdash$ (1) whene 口 onvinced ťΩ 0 enong W ---디  $\triangleright$ emp from 1 0  $\vdash$  $\leftarrow$ 0 H 4 0 ٠, 4 3 *د*  $\circ$ 口 dreams whic 40 0 0 -----! d 口 0 10% 田江田  $\alpha$ ful 4  $\vdash$  $\overline{\phantom{a}}$ 4 0  $\alpha$ W hi J  $\Omega$ 0  $\vdash$ 口 60 succe rom W 0 coura 0 73  $\alpha$ 4  $\Omega$ > Z reams  $\square$ im +> حہ  $\alpha$  $\sigma$  $\vdash$ mmedi 口 0 d > Sh emp d 50 1 bani eam 4  $\alpha$ ۲ . . 0 a 0 oul ----口 e m -H E he 4 0 a Ę, 0

ure 0 0 na O L true 2 bu t . Ω ful --succe gradual NO . -\(\overline{\pi}\) ₩ W effec 4 sul re τ) Ω the أساء hav 40  $\Omega$ 40 0

0  $\nabla$ NO oul Of dreamed ream 0 the pe 0 + Woul tha J + 4 fac subjec 4 ш О the the EXHAUSTION 디 0 and chos ren.arakbl EMEMBERED ENTAL ime دہ eeme I CA 日日 +0 H ÄH

dreamer and + 11 the opos 4 Dr the ons the (GT ati evidence ground 2 0 JO revel dr  $\Box$ ееше TRUTH cular the the  $\Omega$ sonetimes ind UO ۲ ۲ THE 211 par OL Jective PROVE  $\hookrightarrow$ lect each ccounted 0 Wer COl OL Of sub 4 TEND t 0 ject  $\alpha$ the arrived emed sub 0 WOUL 0 mus the mind oni HAT Was --- $\Omega$ [- $\alpha$ 0 77 8 ed hat ctiv O do amer 1 +> 0 ODO · [  $\Omega$ 0 S +1-디

4-5 0 0 subje  $\Omega$ 'nі ontrol any countered حہ  $\Omega$ MO and  $\alpha$ 0 en 4-1 uthor eam ----Q ailure dr the can writing and occasional 9 extent  $\Omega$ thi. OF 4 grea CH time OWev  $\alpha$ D, D D 0 - ~ J re  $\vdash$ 50 1

NQ 0 E 7-4 2 0 0 0 the \_ 4 tha 9 M M ON ans usi concl 2 D. the ate formul 0 4 е ф  $\vdash$ Will Wake ibly, irresis when ma when them come 0 cut Ū

0 0 bu Ъ. --- $\Omega$ ed  $\Omega$ od ait † 4-1 n l 0 uni  $\bigcirc$ an H 0 pea th 2  $\alpha$ 4  $\Box$ ry a  $\omega$ OUO  $\vdash$ Visi 0 H he 4 8-1 ppea H 0 d  $\alpha$ may ought H H H  $\alpha$ th 0

COU thi 0 ete T 0 +  $\alpha$ compl W ಹು en دہ  $\Omega$  $\Omega$ inve cho ain atti any should red ble Of possi 0 dreaming d -Heal when 4 > sleep shoul ₩ 1 onl gne د 1 NO. and 4 reaml . ~ eams دہ 1 tuden  $\Omega$ pha dr d  $\alpha$  $\Omega$ an 'ni N cul 7 4-1 EVe 0 4 Q trol 4 DII

0 口 W) 70 듸 and given mpl en S De CL eady > W H 1  $\cdot \sqsubset \mid$ dure H 口 Pi -ON  $\vdash$ 7 4 рo xplana 1 0 P P

(1) (A 40 tha ned 40 tai  $\circ$ subje 4  $\alpha$ been 80 Sing choo ha succes avoid chosen 0 some 0  $\Omega$ taken may After subjects pe  $\Box$ houl cult **ب** ffi difficul RO QJ. t00

0 17 2 Vari 43 1 and  $\vdash$ ad bring Gr Howev t, perseverance an firs him Will UO -4 give 4 monotonous Vocal  $\alpha$ ب --slowly cost; Will 0  $\Omega$ th hi 4 that come and the NO are tters times ways, find results gree Ha 0 班111 many で thousand د+ certain -1  $\alpha$ person 0% in  $\Omega$ utmost, MO W fell success time a  $\alpha$ Worth verage 0 his 0 th riments PI ctor  $\Omega$ over 0 gives -R R Vï ed age ewa he 2 <del>را</del> 0

0 d 173 shoul + and Ph ing 69 studi Heal teaching carefully Magneric their practice be should follow to following facts 40 intends patients 17,0  $\Omega$ D. The eader 3 VI U 4 a

13 Q 0 4-1 4 body the nto ٠, bringing JO trength methods three and growth are There Ith, 0 ,21

(A) th 8 brea.  $\Omega$ Word the Every OF er oth( part in 50 thing energy; 0 atmospher brea dn- $\Omega$ 4 ed greatest means the US Of replaces out body ب tha and the first substance into gneti The ings いにい

form liquid magneti  $\Box$  $\cdot \vdash \vdash$ contains Of amount body <u>د</u> the tesi grea into the taken ir water Q the Pure C+ C+ ب  $\approx$ 

1 +1 0 W (I)  $\vdash$ H more Z contai form solid principle in 0 to 0 life-civing We 00g The ₩ ₩ 0 H ಟ

1 more and 01% th r9  $\square$ 0 OF 0 4-1  $\cdot [ \cdot ]$  $\vdash$ 0 8 our lives intention into bring by th eng 0 H  $U_2$ 

10 - $\neg$ MI 4 --pac 0 ne thi 63 Lr hi increa days nis Will 44 Who C C eng man The the 0 40

himthink 0 without health him and life before Ø नव्व دب  $U_{\lambda}$ him .H. whatever hur to going Meal eats ery Who ٠ ا 20 man -1-1 **ر** tha MI The ing SOL



The hand of the operator is covering both sides of the Plexus, which is the position to be assumed in treating. THE BRACHIAL PLEXUS.



#### LESSON VI.

### ABSENT PREATMENT.

nt H 01 43 ----1 40 12 ran W +2 7) 40 NSI ery ٠,--| d OL a  $\alpha$ 4 FO (1) >Ω, -けなり 40 --- $\overline{\phantom{a}}$ -Will 1) 5 ----2 ; K 4 (A) P Y EH Z S C C 4 0 1 DO H 10  $\overline{\phantom{a}}$ 1 1 1 1 1 0 4 ب ----De NO NY 20 + H +usi write will 4...1 4 ---7 0 \( \sqrt{} 4 4 -り (1)  $\cdot_{\mid -\mid}$ (F) E  $\Box$ にいって (1) T T ب 4 tere Cal  $\Box$  $\bigcirc$ AUK in 4 -[-] 42 1) 1) 디 دب Q Wri prac  $\subseteq$ H 1 ---0 0 ----22  $\Box$ (1) OF C 4-1  $\Box$ anl C 4 V J) دب The ence 1 4  $\Omega$ 0  $\vdash$ 

ny ľΩ 0  $\alpha$ han ----4 -[-] -4 40 70 M 12  $\cdot [ \cdot ]$ a (P) 0 4 -[-] thi U U ---(1) UC C ·H -OF OWN d 40 4-4  $\alpha$ nd  $\nabla$  $\alpha$ man aid 4 1 (1) (1) (1)  $\sim$ D D  $\vdash$  $\bigcirc$ peen <u>٦</u>. ب (1) 4  $\vdash$ (1) (1) pply Value IL S thol 7 T more ave and t O II & C The gnetism 4 Whi D D . ----(D) τΩ Φ --EN  $\vdash$ (1) H H Pe دہ Cune Д П  $\vdash$ Vita

0 (1) 1) m 0 A  $\bigcirc$ 50 Q 口 40 0 -[-]  $\bigcirc$ 03 amme 93 pa 3  $\leftarrow$ ()4 -111 0 707 1 W 5  $\bigcirc$ 9  $\bowtie$ -0 1) . . Z Q 0 T  $\neg$ ---- $\Omega$ 0 -\_\_ 40 9 ----(C) (1)  $\Box$ H t m 4 > rrh 40 MUS  $\omega$ で の の  $\nabla$ N H H I'C 4.3 7/2 a 4 > ب 0) 0 3 0  $\bigcirc$ 0 (1) 作品 by -1τΩ τΩ 4  $\square$ (U) C 4 p-£ H He governed tr 0  $\alpha$  $\alpha$ + 9 5 \$ O any  $\bigcirc$  $\nabla$ H Ch د٠  $\Omega$ redmu  $\alpha$ uch ona Z m FI (1)  $\vdash$ 0 0  $\Omega$ H --- $\Box$ 2  $\alpha$ 70

 $\alpha$ 1 U 4 4  $\Box$ 0 E ---4 a 4 0 ಗಿಸಿ H 4 K 4 4 C (1) 4  $\alpha$  $\cdot$ (1) 50 FI + 40 Z 0 4 tmen Ω,  $\alpha$ M H C (1) 14 H دب ದ O. 4 4 ----0 4-2 Wh en 다 나 40 口 M (1) 2 50 (1) pre (1) (1) Ω not

づ  $\overline{\phantom{a}}$ ucus th (1) and ا\_\_ا \_ 4 07 ful our ナゴ・ 0 4 pa 1 FI >M  $\alpha$ and p.e. ri  $\Box$ 1 J 4 0 oul OF O. 4 حب 7 Ω. era  $\Box$ FI 7 ent  $\alpha$ 00 50 0 the <del>ب</del> H 口  $\Omega$ in pa 0 Z. The nding ent 40 ---2 4 () tm  $\alpha$ M 4 4 42 (1) 口 W 4 FI CH (1) 4 tm ひ unde absent rea 5 1) 50 + 42 ni 0 +> 17 H. JO On (1) 70  $\mathbb{Q}$ -[-] gth uct H  $\vdash$ 

---- $\leftarrow$ ---(1) 50 4 4 FI

5 ----1 H دب 7/2 ---0 E + 150 4  $\vdash$  $\overline{\phantom{a}}$  $\square$ حہ DO en 0  $\cdot \vdash \mid$  $\overline{\phantom{a}}$ -Q  $\Box$ -0 2 60

U

W 3 5  $\cdot {\models} \mid$ 4 0 0 0 H 0 .H. 5-1 0 ----J a  $\vdash$ 4 びつ + ٠----0 2  $\vdash$ -0 W UO 0 ural  $\overline{\phantom{a}}$ H 7 4 a Ø ≥ C -(1) 4 2 C 1 1 1 0  $\vdash$ a Z H  $\vdash$ 田の田 7 ---9 8 4 Νİ N N  $\alpha$ TIME T 3 4 000 Z g UO mu > 4 hi  $\cdot {\mathrel{\longmapsto}}$ Z 0 - |--| 8 rr 4-1 > 0 7 -<del>ل</del> ا NY a Q 4 13 4 디 0 errup J pa 4 re ther 4 4 a + H + J a 0 4 0 4 J 4 1 ---tmen JO 7  $\alpha$  $\vdash$ 4 -H T T in r g (1) ೧೧ + I 50 Z FI nt 4 --ty T --- $\alpha$ 1 g-v  $\alpha$ mu hen 40 9 ---40 60 -----NO pn (1) en. our nd the 4 UL drink Ω 4-1  $\vdash$ 4 ---8 4 2 + ----٠-----C ---H TD 4 ロロ ---N 0  $\vdash$ H qu the Ull. 0 - |---H ~ 9 4 77 ب hou our 7 W hì Ngu 4 40 H no 4 7 nk wha + (1) -----nki eep  $\vdash$ ----4 0.00 4-1 ---0 Oli thi hal epy 0 + > H IHL I'I  $\triangleright$ 4 Kras H a 0 성  $\Box$  $\vdash$ 8 4 4 40 0 DI  $\vdash$ 2 an OL th by J 0 d --4-4 ndi + 0 + W ---4 ayi 4 a 0 1) 9 4 р 0 nd th  $\vdash$ ---- $\alpha$ H 다. 다. 7 K 4 5-1  $\overline{\Box}$ NO CI 8 40 (1) 日 - |--| . 0 7 9 DO  $\vdash$ Ø  $\vdash$ 12 OL  $\;\; \; \mapsto \;\;$ +  $\overline{\phantom{a}}$  $\vdash$  $\cdot | \cdot |$ Whi hì ---4 9 + ng a +> br 40 am 7.4 F 0 ---0 1  $\bigcirc$ 3 5-1 Con d 0 00 4 no 2  $\vdash$  $\Box$ t, 0.0% DO  $\vdash$ ಥ  $\alpha$ nd ひい 0 - $\vdash$ 4 H 0  $\vdash$ 84 4  $\vdash$ 0 + 4 9 4 7 4 4 + - |--| 50 nen 5-1 ---D 1 --- $\Omega$ ugh. حب Q pi 4-1 + Ω T<sub>D</sub> T d -2 a 0 0 mi 1 + 70 0 50  $\vdash$ 0 a OUR 0 4 60 2 20 0 2 99 -4 Z 0 0 1 ---7 4 a \_\_\_ 7 Me H  $\vdash$ 8 4 4  $\vdash$ N  $\vdash$ ---12,  $\vdash$ 1 디 000 ---- $\vdash$ D, 0  $\square$ 40 --py 4 K EB + 0 ----> a 7 d 1 -السأد

---- $\leftarrow$ 5 -0  $\cdot \square$  $\triangleright$ 2 4 ---4 Wh. Ħ  $\triangleright$ H 4-1 0 00 0 0 > 0 0  $\vdash$ 0 W 4 you your 4 4 I 8 0 C  $\vdash$ 0 and DO د 4 Ve ---5  $\triangleright$ 0 0 H  $\vdash\vdash$ د  $\mathcal{Q}$ whene 0 -Thi حب THAT 0 0 0-Kno  $\geq$ C. er  $\alpha$ ter . +> pa W 0 0 ت. 40 OU 0 K 4 حہ . .  $\alpha$ NKING 0 nt 0 0 9 0 Q ---حہ H  $\square$ jus 40 ore 4 40 -140 the ing  $\Omega$ ťΩ 40  $\vdash$ H  $\cdot {\textstyle \rule{0.8ex}{3.8ex}}$ H ب 7 12 40 4 حب 40 N S 0 60 -Ω H  $\vdash$  $\geq$ J ON 0 Am 4 0 3 ---4 40 4 H 4 truc 4-1 0 (1)  $\cdot \, | \, |$ 43 5 다 다 2 ----4 2  $\overline{\phantom{a}}$ 4 4  $\Omega$ 4  $\vdash$  $\vdash$ S 8 (I)  $\alpha$ 0 U L L C  $\vdash$ තා very  $\Box$ H Ø 01. 0 OUL 0 C ب 5 0  $\Box$ ough 디 0  $\Xi$ W  $\bigcirc$ 4 -4 口 1-1 ٠ د () 4 ---

1 H ul ЙO OU 70 Ø 0 H - $\Omega$ t (c) 0 ry D, N S  $\alpha$ H 0 ヷ تہ 0 On Z 口  $\square$ 0  $\cdot { \begin{array}{c} \\ \end{array}}$ 0 the E CO H M  $\cdot {\displaystyle \bigsqcup}$ ---F  $\Omega$ 40 -H  $\alpha$ 4 Wri 디이 ------40 12 ب unl 4  $\overline{\phantom{a}}$  $\Omega$  $\Omega$  $\alpha$ fir owel 5  $\circ$ Ω rni whi 0 0 حب S 4 Д Д Ch 0  $\alpha$ a

0 0 0  $\circ$ MI 0 42 0000 5 H ful Q 0 ec . car 0 0 ONC 口 0 - 02 'n. 5  $\cdot \, [ - ]$ H ب Q Z ruc gul -تہ H  $\cdot {\sqsubset} \cdot$ 0  $\bigcirc$ U O  $\rightarrow$ S 7 Wrl rea  $\vdash$ a oul 0 70 C  $\alpha$ thi a d. 0 

40 W دب 0 ---(1) Q 0 4 ej.  $\alpha$ ته  $\cdot {\textstyle \vdash} {\mid}$ ha 0 P, 2  $\alpha$ 口 ---تہ 7 ۱----exp by ت 디 ---0 H 4 ---> 0 which 0 the:  $\circ$ hol ope Aq ---4 口 0 13 d -2 디 Q (1) 5 --~ emov 40 P. he  $\Omega$ C  $\vdash$ NO hus -[-] 1 40 4 تہ حہ jud H en 42 4 0 7  $\cdot \, \, \square$ 9 Ω 0 (1)  $\cdot {\color{red} { }} {\color{red} { }} {\color{red} { }}$ DI ry 7 >  $\vdash$ 0 - $\vdash$ 40 0 0  $\cdot \sqsubset \mid$  $\cdot \Box$ 0 ,= Ha ----4 0 45 0 0 OIJO  $\vdash$ H  $\Omega$ 0.00 U 12, may (1) -이기 ب 77 口 40 40 0  $\cdot \square$ men.  $\cdot {\sqsubset} |$ 4-1 0 --th 디  $\Omega$ 0 . . 1-3 ON + . 0 (1) (1) Q E G ----Z,  $\vdash$ تب. 4 a -700 H H 4 gno 4 40 0 C L (1)  $\alpha$ د.... 4  $\Omega$ -Ω Ha 0  $\alpha$ 0 ON H 4 4 0 0 00 <del>د</del>ړ 口  $I\Omega$ 

TI) 다 나 tmc 801  $\Omega$  $\alpha$ ---0 en en 0 د  $\Omega$ 4 2 Q 0 pe pe دب 0 0 40 ne ren  $\vdash$ 40  $\cdot {\sqsubset} \mid$ Da  $\eta_{\Omega}$ ON 9 4 0 4 H 0 ru 0  $\cdot \Box$ W 40 W  $\cdot \Box$ th OIJ 口  $\overline{\phantom{a}}$ -----0 0 0  $\square$ > حب  $\overline{\phantom{a}}$ 4  $\alpha$ Tn. 9-1 4-0 4 7 0  $\sim$ 口 H > Q  $\cdot {\textstyle \vdash} {\mid}$ In the ---0 --> H Q 2 > 디이 0 0 Ö ر لا 0 DI 0

(1) H 7 70 0 0 0 Z a 0 C 0 ----口 + a 40 OHIO 0 0 Sq 22 -H 4-1 4  $\Box$  $\alpha$ 0 2  $\Box$ 4 0 en ---f L 0 th -+ a -[-] 0 4 0 pon a 4 H 2 ugh 0 + will 0 W  $\square$ Z, hо --ind 4 4 0 nd D, H  $\vdash$  $\alpha$  $\square$ 4-1 Ch Ch 4 · [-] 0 --whi 口 Ω, حد  $\vdash$ 0 0  $\alpha$ E د 4 0 H B 더 ·H C  $\alpha$ 4 -H -7 OMO cen U آج H (1) 0 F  $\square$ a  $\alpha$ 0 -H0 0 7 Q 70  $\hookrightarrow$ oul 0 D, I Ħ  $\bigcirc$ H rd D. 0 Z -- $\Omega$ E C W 4 0 a 0 12 70 H て oul 0.0% 디 1 0 S 2 -E

-4-en (1) 40 Z  $\Omega$ H Who -[-] 0 4 Ø 0 Ork 40 0 Z 0 +nu E حہ I 4 -[-] اًa د+  $\vdash$ ON ---8 0  $\Box$ حہ  $\circ$ 60 田田 UO 口 4  $\overline{\phantom{a}}$ ا\_ا 0 d'u  $\vdash \vdash$  $\vdash$  $\vdash$ 9 75  $\vdash$ 100 0 •— (a) ,C P E30 d 4 듸 4 0 0 + ra a H th -د en 0 70  $\cdot {\vdash} \vdash$ >en Q. 0 HC -H 0 4  $\Omega$ H  $\circ$ 0  $\Omega$ 0 0  $\vdash$ CT. ---0  $\Omega$  $\Omega$  $\Omega$ ----SU ens + ----1-30 2-31 3-31 W M 7 77 90g  $\Omega$ a 口 Si mi ----3 a H 9  $\Omega$ 70 0 Ï 0 4 4 4-1 , [ 0 - $\alpha$ 日  $\vdash$ H 4-4 . .  $\Omega$ 0 9  $\cdot {\vdash} \vdash$ 0 a 2 > 0 Ū ---ful 0  $\vdash$ •[-] 4 0 0  $\circ$  $\Omega$  $\square$ . 0 口 0 40 0 0 C  $\Omega$ Ω, 4  $\Omega$ 0 0 0 0 M  $\overline{\phantom{a}}$ 0 ·H 50

1.05 C 9 61 W -1--OL 0 1  $\alpha$ 7  $\Omega$  $\leftarrow$ 0 mu ong  $\Omega$ en  $\subsetneq$ 0 0  $\bigcirc$ C t m H 4  $\circ$ 0  $\Omega$  $\Box$ - $\alpha$ Q  $\Omega$ 0 0  $\alpha$ 0 er 0 4 40 tr inu 7 40 ρΩ 2 W 0 H 0 4 0  $\Omega$ ona 70 the me > Qr 0 C 0 C 3 Ø H trea  $\Box$ 0 4 0 but 4 Q H > 0 4 0  $\Omega_{\rm I}$ ---60 0 d  $\alpha$ ľΩ 4 a 0 rom hi Д H  $\Omega_{\gamma}$ 0 nut W th 4 50 4-1 60  $\alpha$ U Kin Z ·H mil 4  $\circ$ S 0 H C  $\Omega$ 1 0 Ma a t Of 40  $\vdash$ C 50 0 0 H OLLO 1 oid H th 日 thi H.B Z + H 40 50 U > a en 0 em 4  $\alpha$ 口 Ω H en  $\vdash$ 1 <del>ر</del> 0 th - $\Omega$ tm 40 H 4-1 دب -[-]  $\alpha$ en 0 a ful I ద 0 H 12, C+  $\Omega$ tm H  $\alpha$ Z 0 E 40 eng  $\alpha$ 0 0 0 0 0 Hona H  $\omega$ 0 W 0 4 Ω,  $\alpha$  $\vdash$ en  $\Omega$ H m H 4 4 Z  $\Omega$ Ω, Ħ +2 1 a

01 1  $\vdash$ H 4  $\square$  $\Omega$ 77  $\Omega$ W 0 0 H C Z 2 --- $\alpha$ H 0 Ω, 0 3 4 ---4-1 て 0 HO 口 hou 디 m 0 use onc --a ~ 4 O 4 K en  $\alpha$ ho 0 tm th 0 Ø rea  $\alpha$ 디 0 40 <u>.</u> 0 +  $\Omega$ 4 4 디 cer 0 begi t L L e n tme  $\Omega$  $\square$ Ø  $\vdash$ 9 ent ely حہ H  $\Omega$ 4 اً: 0 4 1 inter  $\alpha$ 0  $\alpha$ ---2 d imme the 0 0 t P ~ 4 Sw en C 0

On 4 -[-] 1-1-4 ------ $\cdot {\mid} \dashv$ US S Thi + 0 one  $\circ$ en G 2 0 ---0 7 0 4 17 H 0 Ω a  $\circ$ 0 UO 4  $Q_i$ 40 Q  $\alpha$ a --- $\square$  $\vdash$ H the  $\bigcirc$ 0 4 2 0 >  $\Box$ + ше ----75 4 ond 0 2 -M ·H Ō ·H 40  $\overline{\phantom{a}}$ 0 Cri 4  $\Box$  $\cdot | \! \! - \! \! \! |$ -H اًer uut ---Ø -1C 口 ort od  $\vdash$ ----۲ 0 6 2  $\vdash$ iv 0 4 0 4 Z 0 J + 0 U)  $\Omega$ W tmen. from H er H  $\Omega$ 0 mo ---a  $\alpha$ 2 > 40 4-1 Q, for 0 - $\alpha$ he OL the  $\vdash$ 0 -1 ٠,  $\vdash$ ت 口 حہ 口 3 د+ 4  $\alpha$ and V C i-len. 0.00 t 4 4 H 0 -4  $\Omega$ ---0  $\geq$ a en --------40 0 4-1 ---H 4 0 4 t T T ~ 4 0  $\geq$ tm A Ħ -----en 4 ---0  $\vdash$ W  $\alpha$ en  $\Omega$  $\alpha$ F CU 00 0 he  $\Omega$ 0  $\Omega$ H  $\cdot {\vdash\!\!\!\vdash}$ H a ough  $\alpha$ ------40 4 4 + ON 4 a  $\sqsubseteq$ 4 40 Ħ  $\alpha$ 2 a d. ---- $\circ$ ---0 th 0 er Pe H 口 ಶು 40 · [ دب en ery Ω  $\square$  $\Box$ +2 ---I 0 Ps 4 ----٠, Ø Q - 6 0 4 > 40 a  $\vdash$ > pa Ø 0 a 口 a 0 W  $\Box$ 0 0 0 4 M --Q 吕 Han 0 0 W +2 9-1 0 ---0 50 O S 40 0 2 0 디 C 4 ם. 0 0 + Ę mu 디 口 (1)

 $\vdash$ 口 7  $\bigcirc$ Φ Ω ı, الس 0 7  $\alpha$ 7 d erci OL DO  $\overline{\phantom{a}}$ roubl 1 omf. H a  $\not \sim$ 0 D 0  $\circ$  $\omega$ 4 4 0 0 口 rop W W OWI 0  $\circ$ 'nί ---U.S J \_\_\_  $\vdash$  $\bigcirc$ \_\_\_  $\vdash$ 50 0 0 MI L'I th - $\vdash$ 4 allow ome Aha 0 0 L th th > <Q W 0 건 口  $\vdash$ tur O L 0 Wi E . ٠,  $\vdash \vdash \vdash$ 4  $\vdash$ 4 0 im 7  $\alpha$ EEE 70 ra H 4 \_\_\_ D O 2 relaxa  $\square$ 0 6 U 4-1 271 Ha R 40 ent, home це Lif  $\vdash$ ba 0 0 th 4 口 0 -(L) + -[-- $\alpha$ and 7 Q 0 حہ 0 comple Ke 2 4-1 17 9 ----0 -+ C can 0 4 Q حب 0 drop  $\square$ ----OP ghly 0 4 hen Sh 0 Thi > ould no the Ω ery -[--] 13 S M M M OL 0 ben 0

711G 다 다 대 tre two. COL  $\bigcirc$ 0 S from rom ----Can th 0  $\nabla$ 口 \_\_\_ 0 houl †  $\bigcirc$ 0 thing nh 13 th Cti 50 11 they 7 1 13 13 Un  $\cdot \square$ 0 >  $\cdot [ \cdot ]$  $\alpha$ 1  $\alpha$ Q U O the mu 7 0 (C) 文 air .Π Ω (U) hould 2 0 inhal  $\Box$ 0 90  $\Omega$ bre a I 0 ----Z P 4 Н ar 0 Q  $\omega$  $\bigcirc$ th  $\square$ WŢ  $\alpha$ H eep W -4 J.L 4 4-1 ī  $\Box$ 0 J a 40 4 ent 0 ON shoul en 4 Hq X Z a d 7  $\supset$ J 0  $\alpha$  $\circ$  $\vdash$ ticed rl The an 디 ene all 70 en d Z Z ---t 」 ted W 9 4 口 Z, 0 8  $\Omega$ ب. د  $\Box$ H + and 00 praci  $\alpha$ expe  $\vdash$ て 9% 0 9 nd Wil  $\alpha$ back head 0 th lun H 0  $\cdot \sqsubset \mid$ ortabl Q 0  $\omega$ owly Of 9 0 0 0 ength Q 40 the H 0  $\Omega$ ---0 be  $\vdash\vdash\vdash$ he 4 th 4 CJ. thod d 4  $\vdash$ reful shoul 4 --uncomf er W but should me ON  $\vdash$ 0 دب He in. 7 1  $\Omega$ 0 ٠,  $\overline{}$ a ful -3 OOL 4 9 0 3 Ch たいい H  ${\mathbb O}$  $\vdash$  $\Omega$ them  $\cdot \sqsubset \!\!\! \vdash$  $\vdash$ eing Z හ භ ග C 7.  ${\it \Omega}$ # # # nt  $\alpha$ 0 be  $\Omega$ B I  $\vdash$ 口  $\Omega$ 0 xer I Z PO 0 the 0 \_\_\_ a 0  $\mathbb{O}$ 0 7 Q  $\nabla$ Ď exh t L DI DI ed 口 houl  $\vdash$ oul The 0 dur 4 د  $\Box$ maki houl ced nu nodn ndgno. NO 口 хра he ·H -W N Si  $\Xi$ and ungs . -arms body  $\Omega$ 4 care five h T د  $\alpha$  $\circ$ 0 U U th H >  $\alpha$  $\vdash$ 2  $\Omega$ H ungi  $\alpha$ \_\_ (1) 0  $\Box$  $\vdash$ 0 디 口 4-1  $\vdash$ 

1) MU 0 1 +  $\vdash$ حہ 4-4  $\vdash$ 40 C O >  $\vdash$ 4 975 4 atmen  $\Omega$ 0 CJ 0  $\succeq_{i}$ MU 1  $\Box$ H augnt 4 the i,d i,d the du <u>ب</u>  $\bowtie$  $\alpha$ for 0 take Z B H wea  $\subseteq$ 4 40 allov houl pera DO د. 0 im en Pe P 4 pa 0  $\supset$ H 0

01  $\alpha$ 177 but 0 0 I I 0 0 18 mu quir ۷.,  $\vdash$ د. 1  $\vdash$ 0 Н H Ī U \_\_\_ 875 WŢ ous  $\hookrightarrow$ U) Пе 4 20 21 thi 8% hed C Ф В  $\bigcirc$ br >  $\vdash$  $\vdash$ ary accomp 4 +-) ul 4 0 0 Q H 0 B 0 0 Z Z C ---0 C t h 0 9 WŢ 디 br 4 0 54 口 0 th Ch 4 0 G L DO 0

W 17 -[-] U) m 4 U0 a ٠—  $\cdot \vdash \vdash$ تـ ---Q  $\geq$ H 口 C 0 3 H  $\vdash$ a ت J  $\overline{\phantom{a}}$ 4-1 2 0 Sua 口 tmen 0 7 0 4  $\alpha$  $\vdash$ D,  $\Box$  $\vdash$ ou. 0 Z ---0 9 ound  $\triangleright$ 4-1 -Z  $\vdash$ ------H H -4 7 a tur  $\alpha$ Si 0 Н Ch W 4 he ur Z a 4 15 -Q, a  $\alpha$ OP  $\Box$ 60 (C) Q S 0 4 a  $\cdot {\textstyle \vdash} {\mid}$ the N -[-] nd OL tmen 2 Ţ 0 Z 0 10 4 00k --0 4-1 uncom Z 0 662 Z cur 9 4 7 Th  $\vdash$ ime - $\alpha$ 0  $\overline{\phantom{a}}$ brea I O SI SI E C emov  $\vdash$ Ö 4 حہ  $|\!\!-\!\!\!-|$ an C حب a -hi 4 H 0 0 NO Z W 4 H 0 60 نه  $\vdash$  $\cdot \bigsqcup$  $\vdash$ ny 口  $\hookrightarrow$ 0 E S Q دب 60 a 4 ~  $\alpha$ 0 Z 0 4 0 > ---4 W mus  $\alpha$  $\vdash$ 7 4 . -口  $\square$ ------ $\omega$ ب. 7 60 40 Ħ ---W d 0 ロロ 4 口 1 em 40 H  ${\mathbb P}^n$ d 54 -.\_ 0 4 ---OF 0 8 0 en  $\vdash$ 口 th 4 4  $\square$ ---40 4 ٠, 口 9-1 OL a + en 9  $\alpha$ 4 L L ---0  $\alpha$ Z  $\mathbb{Q}$ omf 0 9 4 C C ---0  $\bowtie$ -دے 4  $\alpha$ 0 bu 0 0 + 口  $\cdot {\textstyle \longmapsto}$ H 0) 0 0.0%  $\vdash$ 7 T M 0 a ---0 7 4

T(1)4 -----(1) 0 , 🗖 th 口 7 OL 0 42 4 4 0 en ON en 0  $\square$ 4-1 --0 ته 4 4 OM ON en ಥ ದಿದ Z Z --- $\bigcirc$  $\cdot \vdash \mid$ H  $\vdash$ a 4 4 Ch > 0 0 no 9 Z d Ω 4 ---70 Z,  $\Omega$ 7  $\alpha$ 1 \_\_ 40 Ŋ \_---- $\cdot {\textstyle \vdash} {\vdash}$ ت Z hou 4 py un -1Z PO 0 4 Q en 0 0  $\vdash$ > 0 حب 7 wha 4 -0  $\overline{\phantom{a}}$ + >I  $\alpha$ C 0 0 4  $\square$ 0 0 •— ful 4 H 4 ---4  $\alpha$ 0 -O D ದ್ದ  $\vdash$ ---0 7 H ಗರಗ (1)  $\vdash$  $\circ$ H 60 ---H hе hi 0 0 0  $\alpha$ Ω Z Q  $\sqsubseteq$ -H 0 Z 4 \_\_ --7 4 ----أساء  $\overline{\phantom{a}}$ 4  $\Omega$ 07 4 7 4  $\overline{\phantom{a}}$ 口 Ø dd oul 口  $\alpha$  $\square$ 0 >  $\cdot {\textstyle \vdash} {\vdash}$ 0  $\mathcal{G}_{++}$  $\Omega$ emo ha.  $\nabla$ OL 0 4 ---01 en  $\overline{\phantom{a}}$ 0 hi 0 H  $\bigcirc$ d H 4 ديا. 7  $\vdash$ to 00 0 H 口 4 Z UŢ 15 a 口 4  $\vdash$ ON MD 4 ---2 0 en 40 4 2 5 --口 ---0 4 4 W t m 0 -- $\alpha$  $\square$  $\Box$ 0 a 0 1

\_\_\_ H  $\bigcirc$ a 0 50 도 80 ----0 口 0  $\square$ 0 MI H  $\vdash$ >  $\overline{\phantom{a}}$ 0 ---حب  $\alpha$  $\Box$ 4 -4  $\Box$ -OUL 2  $\vdash$ OUO 400 Z. mono 7 0. oul دب P ZI Zij 51 4 a a 0 H ---0 ---2 a 0 0 a

11-1 1 Ħ  $\Omega$ 0 4 en Q  $\cdot {\mid \hspace{-0.07cm} \mid}$ 8 -4-1 Q ---H > H 0 4-1 4 C  $\Box$ 4 4 --- $\alpha$ 4 D D U S On ---- $\circ$ E ---I 0 ---حب  $\Omega$ 3 Z Z 0 ---0 H H M M ---6 4  $\vdash$ 7  $\alpha$ > 2 ---口 The 4 4 + 4 Ω my 40 4 ---Z a C 70  $\bigcirc$ tm and ma J 0 > + full 95 H --cul خنہ 4-1 4 <u>\_</u> Z  $\leftarrow$ L ---H 70 Z 8  $\alpha$ 4 0 1 Z Ħ d 40 U. >  $\vdash$ 70 C --0 60 0 J W

## ENE AL TREAFMENT.

 $\alpha$ 0 ON (1) ha a -W DY (1) (1) ·H Di U $\bigcirc$ e II and (1) nd ha 4  $\langle i \rangle$ ---5 mn 4 ಗಿತ್ತ FI the ompl the 1. Q Z Olora  $\vdash$  $\vdash$ th a nd 0  $\vdash$ 0 ナゴ  $\bigcirc$ a  $\Box$ 4 (1) palms Ö ದ twe. real () this 4  $\alpha$ 8 7  $\nabla$ ued (1) Inc  $\cdot {\sqsubseteq} \vdash$ oul  $\vdash$ =· 4  $Q_{\lambda}$ abla5 LI J d 4  $\Box$ Mar  $\square$ J J th OL tea - $\cdot \vdash \vdash$ 4 time rand cont arm ವ もないばい ers movement 77 t P mul ny 0 60 F pe ozen mus uris OWN th 4 ---th 4 77 On  $\Box$ 1 J  $\mathbb{H}$ 4 00 the vard he padd H 4 by Ork 4  $\square$ E 'n. 4-1 ral 0 (+ the tor 0 -40 hi  $\vdash$ 4 70 pul. 디  $\vdash$ 4 377 4 Si  $\vdash$ 0.00  $\vdash$ ---70 J 7 0.00 he Ö • 73  $\nabla$  $\vdash \vdash \mid$ 0 E pr (I) t t 0 **ب** Q 60 ロロ Ma 0 ත 7 J -H 70 H 4 8

17 H 1) 4 0 the ಗ್ರಗ 4  $\alpha$ ven  $\Omega$ - $\vdash$ ಶ τΩ 二 50 hi shoul 4 he 40 en 40 4 OUC  $\vdash$ H 4 am W  $\Box$ 12 ---S

77 1 (1)11) cus Q, pul (1) 9 OWN C Z hel J Ω Ω 0 t i -7 eqq 40 in 4  $\vdash$ I Z, 84 دب 4 Wi  $\Omega$ reques 0 he. > ದ  $\vdash$ be et  $\nabla$ piq pe 13 13 d  $\nabla$ shoul 4 then he very  $\Omega$ thumb being 40 hould and 9 67 his  $\geq$ 40 ghtl the nd دب  $\Box$ nd 0 n - gr-s  $\vdash \sqsubseteq \vdash$ --- $\vdash$ 4 FI 01 pa 0 65 7 q Mar QQ. D.C. £ ; fj.

12 H rem 77  $\vdash$ H 0.5  $\bigcirc$  $\stackrel{\leftarrow}{>}$  $r\Omega$  $\vdash$ ---2 en 4-1 دہ tien ---take 0 4 203 H ದಿ て H מו  $\bigcirc$ (1) 69 th H 0 40 \( \sqrt{} 2 \( \sqrt{}  $\Box$ 0  $\overline{\phantom{a}}$ --- $\circ$ 0 a t 1. 0 0 Q  $\Omega$ he ( L onver  $\overline{\phantom{a}}$ 42 houl int by  $\bigcirc$ 4  $\Omega$ hì the ent Z 4 ţ. ing 0 one  $\Box$ --qu J d  $\nabla$ > th pe 1 (7) 4 00 0 7 50 H pe.

ľΩ 4 a ťΩ 001  $\bigcirc$ 112 clini ch 0 0 口 4 H 0  $\Omega$  $\langle f \rangle$ 50  $\bigcirc$ Z 9 -4 ب  $\cdot {\models} \vdash$ NU ø نہ Φ Ω may hould د+ en  $\cdot {\sqsubset} \mid$ 42 口 ಥರ್ NB 0 ---

m 1 1 Wh 4 دب 0  $\alpha$ ---4 0 H ----0 40 (1) a D, 0 4 W 40 4 ---0 4 D th 4 40 4-1 Q 4 0 d  $\Omega$  $\vdash$ Ī --E  $\alpha$ (1) 0 2 - $\circ$ C 4 Z a 40 Q H Ω, ry  $\mathbb{H}$ 0 4-1 0 0 -40 0 4 0 50 D  $\Box$ thi UO . . S 4 -----SI 0 -(1) 0 4 4 W) > 0 口 -C 0 rv - $\Omega$ > 0 0 0  $\alpha$ ---0 CH 2 50 4 Z 0 -45 4 en 4 Z. 0 70 W 0 N ದ 0 81 00 th 5 4-1 70 S  $\vdash$ d  $\vdash$ 0 --Z 7 4  $\Box$ a 0 SI 12 F 40 (1) W T 0 × C 7 4 1 W 40 0 m SI Q 0 4 4 50 ب 0 W Z  $\alpha$ en 7 4 + oul H Z, a 1 00 E Ç  $\mathcal{L}$ a C

The 7 d 1 77 m 77 a 57 0 Z 1 7 a Z Z, (1) ha (1) 0 <del>ر</del> ا 4 0 8 0 N 4 H H  $\Omega$ Z (1)  $\vdash$ Q 1 Z  $Q_{i}$ H ---0 4 -1 0 > C 0  $\nabla$  $\nabla$ ON 4 houl 0 and 0 50 5-10 4 50 Z 4 S C 0 Ę -0  $\Omega$ Q 5 a 0 pla S 0 >Z d ---4 a ٠٢-0 60 Q 0 M M 10 W H  $\nabla$ 0 1 n. Q an × Z 40 0 (1) -0 디  $\vdash$ W 4 7  $\bigcirc$  $\Omega$  $\vdash$ 8 OU D, --to C 50 I D,  $\vdash$  $\Omega$  $\alpha$ 40  $\vdash$ - $\alpha$ 5 0 0 7 C 4 Z C 40  $\Omega$ d a 7 4 he ·H SI d ul 4.0 1 0 4  $\Omega$ SI cur D, 4-1 0 m (1) SI 0) 7 0  $\Omega$ Z 0 ba th 0 % 4 a 4-1  $\alpha$ 1 4. Z. C 5

1 S a Z -H 11) 4 40 nd ---0 M  $\Omega$ 1 Z - $\alpha$ f,O 23  $\Box$ P () 50 d 1 th th -0 4 50 CJ oth Z a ----(1)  $\vdash$  $\circ$ 3 0 ,C OU 0 Ha О.  $\subseteq$ 2 て 0 I  $\Omega$ a Q H 7 Z て m Z houl 4 a ದ  $\Box$ d 0  $\mathbb{K}_{i}$ 0 ರ 0 <del>,</del> 그  $\Omega$ (1) 20  $\Omega$ a 4 d  $\alpha$ 2 0 a a H 2 D 0 0  $\Omega$ + 0 Z د (1) 0 ra 70 D 4 Z +  $\vdash$ 0 0  $\alpha$ 2 4-1 2 1) ಹ 0 0  $\Omega$  $\rho$  $\alpha$ 12. 0 Z 2 a > ğ () ha 5 8 mak. 0 ಹ th 50 Ø W 0 Z nd 0 口 ب nd rryi  $\Xi$ 4 a + a --- $\alpha$ Z 0 H 40  $\vdash$ 0 4 9% a (1) 0 3 7 0  $\bigcirc$ 0 50 4 0 + SH 4-1 2 DI  $\Box$ 50 0 40 1 8-1 CC H 0 0 42 4-1 -W (1) he 0 by 3  $\omega$ 

7 Z  $\alpha$ 7 (1) N H hi C --a 50 C - [---] qua 0 0 1 Z. NU 1 dd > > (1) ---(1) 0 0 -4 Z 0 H -7 40 0 a  $\Omega$ 1 4 Z 0 0 口  $\alpha$ J 97 am SI 4 0 ب  $\Box$ 00 0 XUX 50 nn 4-1 W 1 5 4 F  $\circ$ 0 Q N Z 0 1 ---0 0 Д d 4 pl 4 W D 0 0 a W 4 0 0 a  $\nabla$ W 0 ğ mu 0 han Z -H ಹ  $\square$ 4 7 Z ----0 DI نب -4 40  $\bigcirc$  $\Omega$ en 4 (1)  $\Omega$ 4 H Z Z 0 ಗಿರ್ಗ -0 × - $\geq$  $\cdot \square$ 0 Sod W  $\geq$ 4 0 4 a 0  $\square$ 4  $\vdash$ 4  $\alpha$ 0 Ω, a ha  $\alpha$ 5  $\Omega$ On 2  $\nabla$ 0 0 50 7 ДZ 0 H SI 0 4 0 be umba <del>ب</del> اب 7 d + Z D a 0 C H N D en (1) て 0 0 0 0 th oul 4 て > C U2 > hould D, + 0 +0 C  $\cdot \vdash \vdash$ -Z W Z د 0 -Z, d nd th احاء Z  $\Omega$  $\Omega$ دب 4 0  $\Omega$ XUX a W  $\alpha$ P a 0 Z 0 0) 0 4 工 40 0 chi 7 d hì ದ pl 0 NE UO he 0 > C EH H 다 다 (D) ----- $\vdash$ -40 4 -40 る る 3 Ø Ø 42 ---4 40 0 0 50 a 0  $\alpha$ chi < 1. cul  $\Box$ houl m H 2 (1)  $\nabla$ 0 oul (1) × 8 (1) a 0.7 1) pla  $\circ$ 0 -0  $U_2$ D, (1) 40  $\square$ 0 دد 4-1 L Ng D,  $\alpha$ I 40 0  $\square$ 0 4 口 4 nu H 4 0 40 H 0 SI 0 × > -----1 4



THE LUMBAR PLEXUS.

•					
				,	
					*
·					
				,	
1				•	
				4	
					4
			•		
	•				

してが

de 0 0 0 00 XUX 0 1 C  $\vdash$  $\vdash$ 0 H 9 0 0 -حب ---H 0  $Q_{i}$ 0 U Ė D > 0  $\vdash$ > 4 --32 디 12 D 1 0 0 للا 1 0) (4 H tre

0) -4 han J Z, na  $\vdash$ ņ  $\vdash$ Spi (X) 0 H 0 1 Ci hi. th thr  $\vdash$ the 60 th . 1  $\alpha$ H 2 ب 4 Ngu down (A) cut 0  $\cdot \Box$ ways T D 0 ncr GF 00 00 00 ner C1 Than I 0 cent -1-1  $\cdot \vdash \mid$ 0  $\alpha$ ,二 shoul F the ter each 1 1 tion ecrei F T H De шаке  $\dashv$ 1 en en 1 ~ 13 ody OXUE nt 70 0 H the shoul ---+-0 th ing 0 H C. 0  $\hookrightarrow$ 2 ada ha ing د+ 1 F mul ---+-0 t D D D Ci Z e r 0  $\cdot \! \! \vdash \! \! \! \vdash$ UU  $\vdash$ 4  $\vdash$ 0 口 0 54 0 1 Vnene T T T T 口 ---H H +0 口 -

a H f.le 1 thumbs (1) -In the exus ď  $\Omega$ nd 0 when the Ę, lexing DI OUO  $\Omega$ Thi <del>ب</del> th 1 the 1 D, Iq reula WI valua 0110 exus In نہ He H •— - $\geq$  $\bigcirc$ irml DJ 1111 1 prove the аше ψ the 4 0 0 Sing the N Z nbon  $\vdash$ --cut  $\vdash$ edua1 1 0 0 X a pr  $\Box$ (see ಚಗ್ಗ press ackward and the  $\triangleright$ On  $\bigcap_{i}$ exus, inger ナナ 0 th 0 mulat onges ---4 XUX 13 dy and 1  $\vdash$ 4 U) FL  $\cdot | -|$ 2 0 0 4 တ cal th H D, D, 3 0 1 Z, 4 ervi + a 4 1 ~ تہ exuses  $\mathbb{G}_{\bowtie}$ 50 TE eve **e**d NO  $\vdash$ H  $\bigcirc$ ------0 1 Ę, 0 1  $\vdash$ H 70

the shoes 60  $\subseteq$ 4-4 --- ${\it \Omega}$  $\alpha$ bottom 0 the removing • the CIO rubbing ---4 inten LY V body t and feel the the 0 tly Of ing th perfec 4 4 par  $\cdot$ trea exerc ب tha should  $\Omega$ hand ~ >  $\sqsubseteq_i^t$ roughl  $^{\ast} \vdash \vdash$ the OLD U 1 -4 tho 4 E C rula. U2d ---+ 5-1 1 0

1 0 さだ th th th  $\Box$ 0 4  $\vdash$ od eavily . . eadache 30 Of けって he Ω Ω Π 0 anne the d 1 4  $\alpha$ > Vil +  $\Omega$ 1 ery > th  $\bigcirc$ thickne  $\stackrel{\circ}{+}$  $\vdash$ hear  $\leftarrow$ The --che > bu t grea npon 8 22 23 24 spot tha ery ·loth, ( o four lips ery > lati harge 0 der 01 th any charge inha cut place 0 hre and  $\circ$ + eer Ď, uch mad +then 7 7 4 hea 0 dd THICH 4 ir H  $\langle f_{\vec{a}}$  $\vdash$ desi and +-E O re great may 4 th OL F 4 tmen تہ ا. 0  $\vdash$ uce zen 201 thod ELT + 9 the rec 7 tr 0 7 hen He C H  $\leftarrow$ بلبر H 0 CH 4  $\vdash$ m  $\vdash$ 1-1

11 ... 167

### LESSON VII.

tai amount 'A t  $\cdot {\sqsubset} \!\!\!\!\! \vdash$ certai sacces achievement that that gines successful and chance, i ma rersor every Of matter verage racterizes TILE ent K

preva rignt *Ω* :⊢ .⊢ Ω ٦. د at large is no sign that it because and idea, erroneous the reople This i

to fai the luck chance With npon almost certain his S Ω U Of enterpri depends element beyond .⊢ Ω success many believe in this begins an success part, is of his his upon luck for this part of certain amount ; the ω 0 certain many fail is terause a relies that that

1 2 0 that nothing success to success, if his reward i have nis destiny is part of his Will labor a 7 1 S entitled; if not from his labor and sure of beyond his control, with it. .∐ Ω pe ) 73 luck and to which 4 man whitever

due رن اسا = the question .onsideration. OT, out the manifestly and worthy cf lottery, . Ω affairs would be  $\alpha$ pe would indeed condition of living?" Worth life Such

MORE, NO DESERVES-NO 出 WHICH RECEIVES THAT

there t 0 , Inc Willing reader, 9 + h e doubted World the 0 may il. reople statement its f. 1sity. Of illicns ILLIS

ALLreate J.I. .cul. be more absurd than the belief that earth would tnen'r govern and the without laws to heavens the corditions Creatur What trese Datw

by and life mathematics nothing laws WOrk, Of but the of this principles supernatural, the first part the exact Ω ⊢• nothing steted are nce, Ω + 2

+1د+ the 0 discussed  $\vdash$ essentia 0 things will many which here are Of tant

succeed 0 desire tre 4 ti(..., ar.bl comes Irs

40 ന 0 (1) Z pa 7 S S S 5 7 0 4.0 0 nexpe 1 uccess  $\mathbb{H}$ . . -----(D) 7 77 ne Who (1) tut then C upol 4 W COU 4.0 40 thru W an 0 ny 1 th 3 J

(1) eff D, end 4 ent 80 ---0 8 0 -ت i. 0 7 and  $\alpha$ Of d 4 ect shmen H -7 .\_\_ compl  $\vdash$ 01 3 O ď 9-1 0 0 th On 4  $\Omega$ 3 -Z mi 000  $\circ$ 

+ . 42 DO 40 -40 2 4 4 C UC any  $\alpha$ 4 mus **p**1 esire S  $\vdash$ 9

sibl • ... J. T. cd ---hope 45 thout ear OP 11. 4 7 ble, fort D tion; ω. - Η hing O ever not ry 40 50 mus

oul (1) 011 1 3 ٠ط Tre  $r\Omega$ ---40 9 Zq 0 th Ch for rabl 0 I O mise 1 010 --t ---Di  $\vdash$ more ---------hope --t) 000 4 --- $\nabla$ no T O CUC + ---0 U 13

a 50 40  $\vdash$ どって ogress mpor 0 2 د ـ musi play •-4 everything he (1) N not and 9 () ,Q hope 000  $\Box$ J hope have 2 (1) hopeful Me 40 (1) nus もごう man  $\sigma$ thi be 9 ful t 0 ل ئ but not 4 rably, troy S (1)

Q, 0 re ry. il E 031 M T C -(1) 70  $\alpha$ 0 4 She 0 Z H cheri 0  $\vdash$  $\vdash$ a en 40 --mom( and  $\vdash$ edcu through a Wrong 2 ha t 40 NE Oi exerti man the SI reve emingl the in 9-4 hi ed ime Way  $\Omega$ (1)  $\Omega$ + (1) hing ---TOL تہ ĪΩ ال: 40

1 ing another than than Sary ary  $\Omega$ 0 0 더 more  $\bigcirc$ Ç. more ---O unfid 4 . (1)

them 0 Cam ucd ction ely 8 a nd tive a posi H 0 CU MM () en hi J onfi i n () 0 > 0 out 1 0 41

temen The  $\alpha$ Dem (1) rot the + for imita makes NK are thi. t, onomis amily CHM Q, 0 Z uma 0 erman Q tor he J 4 nven 4 grea Of ent ·H the are 0 per ~ ent 50 bi 0 per

4 cent red j Z H H 4 cums t tynine Cir 0~ Of 0  $\alpha$ 0 he دب  $\langle i \rangle$ 8 ---0 h j H  $\alpha$  $\vdash$ 

thinking think 0 d always their t O (1) 1:4 -[--] other fellow cr c1 ---10 071 other fellow 000 they the lazy; د tha Some mentally and they find want they 216 themselves; them, 10 0 L for

thinking other afford the benefit of cannot t o majority plan the the ge ts the Of 0 e13e success expensive; one NO the s very He, and takes This fellow.

every himself; for think 0 taught own master can 디디 Ran become Every

whl Simonic 4110 govern ಂತಗ man

Every man cun be free.

parti 7) . \_\_\_ C 54 ا\_\_\_ا · 4--1 حب himsel -- $\vdash$ the JC. for 73 heal think the t 0 at dare (1) Q can would man Every <u>-</u>

W hundred ( ) (1) Ω 5 and gladl thinking, try truths, t0 how these JC Knew Kind learn only this they 4 for glad 4-1 ripe ~ () () ters i S would mas. World OWN eldoed The 11 the JO

FI 1 ťΩ a  $\Xi$  $\alpha$ OL circumstances, J C 0 creatur  $\alpha$ either tances .∐ .⊟ .ums ::an 84

0 E: 40 N  $\vdash$  $\vdash$ a (1)  $\square$ 7  $\bigcirc$ - $\hookrightarrow$ environmen 7/2 17 (D) crea unchanged either Kan Kan ain

masterful 1 L'd ומ isscd by. but T Way --confronte FI 0 CU memorabl 40 Wass 0 i l l when there his  $\vdash \vdash$ . . Alps that himself by .. اگرا  $\alpha$ them of the n O by ns, immortalized 40 told summi mountai and the these neers ばの Napoleon دب C D engil ros e m OF

FI 3 () ha 40 Will . د د knew 9 inlomitabl but they same 4-1 the eneral, (7) (0) (3) 50 possed great veryone the 269 0

4 emen bou 0 4 a NO U 0 the jostled anj able him O L him thin mast weak, make Wi ៣ 010 creation, one has can Sick, that every OF J O force poor, ord · Ω but roums tance  $\vdash$ دب 0,0 crowd; laten a to nhood needs the ging  $\vdash$ Ha () ~ true ry one t ture the MAS  $\Box$ crea JC ap

Ve 661 ha, 0 ()دب اب الج الج ----(1) C 7 eq-of Woul 0 H 0 (f) end Ç-1 d ry  $\alpha$ 0 fri 1) -40 ർ 0 m É.T 77. Ď, -0 Aq 1) ike fter 0 r 1. Om S 1 ree. 7 a 53 1) H 5 1 C 0 4 (1) () peri ಗ oul 7

Then cheer up.

hlm Or (1) FI t 0 r L L 2 to  $r_{\Omega}$ FO CI thil ω Φ he 4 All

O himself eari Kness thi tain 0 FI (1) 5 KUUX when in د N 10  $\cap$ OWil +2 OW ÷) hi. able earns 0  $\leftarrow$ 31 H O 40 U 0 a (H) without things he may PC nee 4-1 him -"All that 3015 177 4-4  $\vdash$ himse truth, that hi m Saured --ha t H 0 t 0 44 42 M ع د د د د د 다 him." Known 4 0 प्रदेश D ching and th (1) (2) Tuence (E) Mi Fi (I) 0 h i C Ed 4

S C M. (1) a 4 tem ---a تـــ 12 achina 84 and far-re N KEN • (1) 1071y ossibl comprehensive Ď, the arc OI n Sa 40 tha もかず all **ر**ــ made .eth The

τΩ  $\vdash \vdash$ 出 1 3 国 -7/2 MAN XI HUMANI G 区 区  $\bigcirc$ TNI CHOMN XNESS SANA HHH 工

(1) C m (1) --- $\overline{\phantom{a}}$ 1) ب M th.  $\cap$ 7 0 4 چپ. 40 + 0 canno Han not

ťΩ 0) centrati 54 0 1) (1) a ement 50 thing Of T such H H +-) |-- $\mathbb{H}$ 070 the 10 (11) ---W H there ----1 orm, Z, دړ an concentration 4-1 12 ٠. -Cn whatever oncentrati hout e r +-1 ----

ťΩ but ,Cl 40 40 support gth, 0 C on o M t H m 0.0 0 UΩ t L L حه 1) tra littl 773 G G ೦ಭ೦ bu t 77 0 a Ø has p-70 ther 40 tself oget 40  $\cdot \! \! \mid \! \! \mid$ ب -드 ted Of 1 Wist wire (1) 50 40 7 --- $\Omega$ SI small MN WI 20 12 14 O KI ------田田

W (1) 51 (1) Ū, 3 40 W bu ζŊ Q ungle 47 ភា (1) ·Ω a (1) -**د**ب د 0 ans r = 140 1 pn  $\Xi$ the elf. by آب ---7 JO D ب ntra sult. ĺΩ рa conce 3 m 1 H unbei the 0  $\Omega$ H W ಹ One ams ٦- $\alpha$ 1)

(1) ľΩ C Cu 4  $\vdash$ Q tha. W) 4 0 point rmy ದ (1) Onf *(/)* -D. なっ t Q oncentra  $\vdash$  $\vdash$ a \_ 0  $\vdash$ Wi 0 ಇಗ who a 4 a eneral  $\Omega$ ncces *ξΩ* C O F W 60) Of p p ght - $\alpha$ 

are 1) 4.0 M FI حب () ( ۴ 1/)  $\vdash$ دب  $\vdash$ 77 C mi 디 umal 1 C 4 4-1 (1) DCW The

4 0 W --اسيه 8 ---- $\overline{\phantom{a}}$ (1) C + 0 + a 4 (1) 0 4 0 2  $\omega$ C 0 (1) D 4 0 5 W a Ø a Ż. main  ${\mathbb O}_{\Omega}$ 4 0 . |d bi 4 67 S T Ø  $\Omega$ 0  $\Omega$ od boundl 4

4 H 4 C (1) hme  $\bigcirc$ W. 0 ----CD 4-1  $\vdash$ comp Whi 8  $\vdash$ 0 Z C 4 (°) ra 030  $\alpha$ H 0.12 B (1) 7 + 다 다 (1) SI 4-) 되 .\_\_  $\Box$ 4.0 towar WOrki oin 1 7 2 4 디 τΩ --ay ned certa ·H0 8 ----a 0 en 4 +> a - $\alpha$ W man chooses h.i. has 1 ful he  $\vdash$ Q  $\Omega$ 0 bends  $\vdash$ (D) unti. 二 Ö -0  $\supset$  $\vdash$ hen 0 WOrk 0 50 디 0 nj. hì

a H 0 4-0 Q 4 rth SOL ----0 gives prede ابر د 4 --idmi 0 a advance one JO ying in 9 -+2  $\alpha$ The (11)

디 0 N - $\overline{\phantom{a}}$ a 0  $\alpha$  $\vdash$ cul (1) 40  $Q_{i}$ migh, رب ب par a ٠, 50 firs S one Willin 0 10 ucd. a Z 0,0 tention 40 90 mus 4 man ب  $\alpha$ and +  $\alpha$ 0 averag 8 も上 0 4 her NO the hi 4 D trate aus ceed  $\Omega$ 90 concen 7 Q S WOPK. +-> • ined  $\alpha$ 

5  $\alpha$ 54 th SI 51 1) 11 1 1 Q ಇಬ್ಬ Will + O + verythi De Off Cid ge H KNOW bette nd d U O U this the 3 *p*\ 20 0 ----Q

:: 77 enan J ----- $\alpha$ 4 chooses thi 7 can price man the LID and

C (I) 口 + 0 mind r g 40 oncen  $\Box$ 12 نہ mi 010 concentra q4 ---01 ther he 40 tha.t a  $\bigcirc$ いると r---| --a trial a believes Jusion an upon no  $\bowtie$ find, eader pr the babiy 40 ---t 10 0 ide

4 a ----4-0 ----012 4 SHE につ concentrati re3  $\alpha$ with ons 4 ar **⊢** truc 0 H

0 4 -7 X 40 ocedure given pr 5 (1) OF Ä course ---ellent

口 g ately nci 7 40 pri mmedi 5 Ω + gul HUH (1) د th or i best 0 H but day 0 + breakfast Z pra 4 time € F دــ thou, the ime +2 Wi е П ty: 7 + after 0 7 tre gulari 0 5 a M  $\bowtie$  $\nabla$ 0 7 5 C D -1 C D. 67 S P d a + 0  ${\mathcal Q}_{i}$ a 0 Ω W --mmedi our  $\vdash$ 4 ---() oul unch 9 a Z CI CO  $\vdash$ a 口  $\vdash$ AH ب -1 tudent ment. noon 4 a (I) (Q) 口 he Xper t 0 emp 4 +-> Q 0 thing 9 0 (0) + > pla a

COLL thoroughi 0 0 mos H <del>ا</del> ، --ре H CIO + hould interrupti C ssume mus he hi should lax <del>4</del> 0 tudent H chance Ŋ and day; 4 0 ble the CY (C) 0 00 E ere osen 0 80 tion cho ci 0 Ō cur --pos 0 Q, 12 4 9 0 0 1 qui G L L D ,51 +a 0 8 4

practic houl 40 consi shoul Ha 'n trials 0 more four ncthing JC hree 72 7 +2 にに 8 The Wenty

1 > ration Da +1 relai ر د learned thoughts has 더 t. i +5 CI. E D tt 쎀 C 47 40

Chuser snoul no t interest --the that Incentrate b ect of sperial npon <u>ر</u> easier resting ST Φ OEC t is inte 40 At

İ U H should Ö () () 0 +3 rnt of a --whatever student 90 inea to the nodn ' until time the increased Of difficulties ∪ + mind, 17 anal e hi EJ W

HH 디디 mind his contentrate WLO + LOSO who person 3 a van Ine >

+ 100 40 ال ال for made in  $\alpha$ rough erially G F 0 never ecple 田江田 H GH 11 4 田口口 alore WOrking that Will INI labor and Φ Ω, Effort دـ hardes. 40 success, But H. د 4 the LABOR. successful but S road called 840008 one 40 leas 8400088 88000 ining P DO 450 ----Ω. ..... 面もため Che . re ere Crld TL one

 $\Omega$ 0 I T T me 000 perseveran With effort igent nd SI  $\vdash$ 11. ---"The sayin .. passed truer 07 حب tha a --ter nere 1 0

1 W ٠, حب `₽ `Д and act, Ofo +hink man when you first  $\alpha$ that time ~ but 17° t T D D ω H nere ب CZ U 8

D KS اب. zed pecause th noti p p time own su gestion, the arcth-r ل ئ act Of safely surrestions Can 000 the person nodn only cting i acting D.C.

Opportunities exist for all mankind.

010 Ω H ---H H W fortun the tide in 0 ON (a)  $\vdash$ "There flood, the حہ kespeare ಹ E LI ha

ng and NO 9 0 = H flood, they  $\alpha$ they 0 snesaq 010 the them, 0 N gni  $\Omega$ ا\_ر، 9 0 د+  $\circ$ 4 0 nking H unlucky t 0  $\vdash$ もにに .-thought Fa  $\Omega$ 0  $\bigcirc$ --people  $\Omega$ else 0 man's BH JO they 0 000 W another some. Thousand Why think, wonder over

THINK THEY THINK ONLY THEY nk. thi don' They

ته en 4 tha a  $\Omega$ H upol 0 and  $\Omega$ Dr 4 ---0 0 belie the O.W. -14 口 an indomitable wi Wha Wha د+ the decide,  $\alpha$ W with --- $\Omega$ accompli P P and where unceasingly 0 to think 60 to then with power success.  $\Omega$ ಇಗಿಡ desire the labor top and himself (P. means 97 ntegrity mus where ction;  $\Omega$ eader thin もたり ಗರಗ  $\alpha$  $\cdot {\sqsubset} \mid$ 4-1 WI ptingerling +> The ourse Ø 67 ri m he  $\circ$ W

口 ake have  $\Omega$ 0 C 47 principl 4 دہ I people reader OL fai Ξ that, JO these the not Thousands recognize 0 but implicitly, will J can't --fai. = III success. nct probably say, would not win directions they Will must <del>ر</del> 0 because that more Ger rea המת housands tres The led 0 . L 8 0

0 C ry evel and 1 SP each 0 OUL another; D0 and for himself succeed upon Can depends man 1) 0

Knows pe UC he bject, and ъ. Д t, SC  $r \rightarrow l$ tandpoin this r50 <del>د</del> 7. thought just conceivable . U rules practi much たいの given every are faithfully that has s t from experience ٤٦ Write H +  $\omega$ trey The rom 4-1

II. 1 other thi done L, 9 77 nave H tre men NC +3

### LESSON VIII.


# HOW TO DIAGNOSE BY IMPRESSION.

215

4-1 omething par thi (P) 4 ゴコ  $\Omega$ given in essa but gnese  $\circ$ 0 Z Gia tments times 0 ar 100 Ø rea ome ب S tuden Sea H  $\vdash$ d, Specia H the the ymptom Of 4 J. SS 4 00 00 MOS signed cal cften Of .L.  $\Omega$ symptom 14 Will course han 4 0 The the mor



THE SACRÁL PLENUS.



حب 0 m. (1) C -= \_ TI 2 0 ---\_ H. 40 (1) 0 -----10  $\Box$ 口 nut M 7 N mi 0 اب. دب a 1) 0 cud دب 0 0 (U) 50 pr 4-1 10 113 口 0 OL M ---m ĪΩ (1) hA r -1 2 () --- $Q_{i}$  $\cdot {\longleftarrow}$  $\beth$ 40 r--- $\Omega$ by FI ----1 1) W H. 0 a  $\Box$ نـــ > 55 M  $\Box$ C  $\vdash$ 50 ا۔ M en C S.F. 口 H

0 > 0 th He Ci. . .... hat 7.7 5-1 na na 7 C 4  $\overline{}$ ೨ಬರ 0  $\overline{\phantom{a}}$ O.K. حب nu 2 na 4 54 د ب a . . the OUL Inc making branch (F) CU  $_{l}-|$ 다. 1 5-1 077 3108 अग्रम tho 4 S ~ FI an. + > ~ 4-1 73 5 73 0 되 mi -() 0~  $\vdash$ Vour C H. H. د+ 54 0 5 50 0 ang ----ci 8-1 - |-----| OIN +> H H H 54 J  $\varsigma_{\dashv}$ () 4 0 +0 دب 4 ťΩ إ----ا  $\alpha$ ٢ 0 C  $\Box$ --d ---Q d 1 口  $\Omega$  $\bigcirc$ SI -[--C 1

FI tive y fr 1) TWC 0 d H 4-1 you 4 d curren ourh دب 2 thr ىد 4-1 HE  $\cdot _{[-]}$ +-> -7) (]) H FI a ;; O 40 0 3 -14 W

-دب (1) ------1) 1 M 4 ال. 디 + 0 012 4 +-> 54  $\alpha$ (1) 4 2 0 +-> 다. H 4 8-1 Ci E 51 0 n n 40 C . . . p. . . ----U) 54 (1) 84 C 40  $\cdot {\sqsubset} \mid$ 40 دب ----12 a 1 1 7 51 5 ·H 40 our 0 --ťΩ 4 1 -5 H LI 0 5 4 ひい 2 4  $\alpha$ i m  $\vdash \vdash$ ng MO 1) th KZ 0 U 00 0 5 -

40 4 a 50 C  $\vdash$ C 口 () + >  $\Box$ 4 73 > 11 0  $\overline{\phantom{a}}$ 0.0 1 5 1 40 7 e proof 0 S 50 ന്  $\cdot {\sqsubset} \cdot$ -4 1  $\sim$ 0 2 > -[--] -دب  $\circ$ 0  $\Omega_{4}$ 5 (D)  $\supset$  $\vdash \vdash$ The 07 ---

Ø دب Can C 0 JIC C -دب (1)  $\alpha$ M 1 (1) اص، OF (1) 40 d 40 I 1) 7 7 0 ----FI 4-1 a ಗರ್ಷ 디 ---(1) دب  $\alpha$ ير ()  $\odot$ 2 Si 0 Q  $\square$ - |-----دب H  $\vdash$ ON 50 \_\_ 0 S Z × ---40 40 7 C pr 0 H 7 (]) 40 -12 ----1 0 73 0 (1) 1 th --Ä 0 0 4-1 1  $\alpha$  $\vdash$ H  $\Omega$ 0  $\overline{\phantom{a}}$  $\alpha$ poken, Wil NOG 口 8 0 P G  $\alpha$ 40 40 a D OUL  $\alpha$ 디 <del>ب</del> ا 0  $\omega$ +2 (1) en 건건 0 어 년 13 ابر-( 1

Sume 0 Z H نب 0 W --S a D ----5 a 4. den N E E 0 1) دب Z  $\Omega$ Q دب h.i. ed. (1) Ú  $\omega$ ľΩ  $\alpha$ d 0 1 اح. the 0 اا W دب ---W 4 W d 0 0 4-1 SI  $\omega$ --- $\vdash$ FI a 0 m 50 the 0 50 4  $\bigcirc$ a  $\bigcirc$ en 7 7 ----で 1 any 4 F C (1) Z, ದರ D, a 5 hen FI ---60 0 (1) 50 딨 rh S M 40 - ----22 4 Of +> a C 0 4 0 0 O II ---دب 4 4 51 ದಿವ +) H poi Ç ondi + إسماه WI 1 D. 0 . . دب d. d Ö 0 O (1) 4  $\Omega$ 0 t D 40 54 CTS  $\vdash$ 4 0  $\vdash$ (1) 50  $\mathbb{C}_{-p_{\ell}}$ 4-1 H 口 -1 --- $\sim$ ,Cl ---0 W 4

+ Z 7 <del>`</del>⊢ ದ್ದ 0 ever omp1 0 Z 그 + 0 4-1 0> -----Z 108j -[-] ---Ω ()  $\cdot {\mathrel{\textstyle \,\,\square}}$ 디 7 50 OUC 9 a ---0 7 the the lways ume  $\alpha$  $\alpha$ മ വ ON  $\Omega$ mu - $\Omega$ ent Wi  $\Omega$  $\alpha$ tud he O U  $\Omega$  $\cdot \vdash \mid$ 0  $\Omega$ the ondi otherwi 口 > ٠, •— حہ 0.05 rea 0 40  $\cdot$ S

ζΩ 1) ent C+ her ದಿವ 1 tice ince W  $\cdot {\sqsubset} \mid$  $\Box$ +-> prac  $\vdash$  $\alpha$ ine 2 ot ti  $\Omega$ ---口 Z gan もわり d tr <u>م</u> ال the ロ who top 2 -----0 OUO 7 Z G L to edge cul King  $\vdash$ a 0 (1)  $\cdot \, [ \, ]$  $\Box$ 4  $\neg$ 40 9-4  $\vdash$ Know • compe  $\Box$ E (1) tantly no Kn( this experienced once N ven --t 60 S S  $\nabla$ أحاء be  $\Omega$ 0 4 T B Z re.  $\vdash$ CUO Z

0 > tha  $\vdash$  $\vdash$ ear OU you 口 1 ----5 OON and er. 0 times + ---4-1 ent, Some 90 F Will دہ D D  $\dashv$  $\vdash$ 4 you MI pa him mental U O 1) but th S 1. 4 a מיום go. 4  $\alpha$ P P mpr( Wrong . . what same Q 60  $\Omega$ sions the are H the 40 jus 0 0 think you impre feel > KNOW you erabl n you. that > 000 he id ctuall 4 cour upo sure times  $\vdash$ Will  $\alpha$ ced ffect JO H ome 4 Z WŢ ~ 1.6 W  $\vdash$  $\Box$ 

th Th WŢ FI 0 H دــ 田田  $\cdot {\textstyle \bigsqcup}$ the rd  $\vdash \vdash$ H thing 4 thing think ome ب tha. Will trouble find ent pati will UΩ hi the you Of ften caus 4-2 pn

She( Z --oni nos  $\alpha$ ā 4 300n hod Will 4 You 40 0 and 4  $\bigcirc$ 4 0 40  $\Omega$ 0 perf -IN  $\Omega$ maj 4-1 1 H Pra our

# SOME POINTS FOR THE STUDENT.

- 4 rear 3 ntl ndi ---101 d  $\alpha$ 4-1 t, Suf ·H 01 0 0 H H もは 4-> 07.0  $\omega$  $\vdash$ HU ----4 4 en  $\vdash$ 4  $\alpha$  $\alpha$ 2 has m ontinue th rculation 4-1 hands CJ. 4 Д О Ц the Z 7 40 oul 40  $\alpha$ Z +0 Ç.
- H  $\Box$ ---the 口 حب ing 01q Q ರಭ حہ mus H 1  $\alpha$ 0 d •— 000 the the timulating mind 0 evers in 4 have ing JO 4 020  $\alpha$ 8  $\vdash$ 40 ins 4 In R R ON ---- $\vdash$
- rink Q  $\Box$ Z  $\alpha$ 7 50 7 oul tme 0 Z,  $\alpha$ intenti tor H 4 opera 0 the during the t D 0 MI out  $\Omega$ ents pati  $\Box$ tmen > رار الم E E 9 many has emberi tr ting S fter ದ H neti PO ب H Whe FI a  $\Omega$ Q ----5 th د ب 口 01  $\Omega$

- 77 H (1) (1) حب a H ons very ti 0 Ã bra 70  $\overline{\phantom{a}}$  $\leftarrow$  $\vdash$ VÌ oul Wi 0 th h. L. حہ  $\Omega$  $\overline{}$ ---0 H fee 0  $\sigma$ 0 ma C + 4 On 4 en -S ----40 0 --- $\boxminus$ 4 a 5J) br ij VŢ  $\Box$ 0 em em 50 50 11 tr usi --0 a 0 J 2 S Z --- $\alpha$ F
  - 73 d Z ·H  $\overline{\phantom{a}}$ OLL  $\vdash$ Wi  $\alpha$ 4 :5 tuden Ci  $r\Omega$ rì 4-1 4 1 T CI. حہ H a tion 0 the cul 60 더 H S  $\cdot \Box$ 0 C + 50) 디 (2) the 4  $\frac{\Omega}{\Box}$  $\circ$ a re H ----0 口 ---- $\cdot {\textstyle \vdash} \vdash$ ---+2  $\vdash$ DOY +0 C (1)
- m (1) () 1 더 --ರ rec 40 the  $\Omega$ ---Of 73 田田 houl ťΩ OH (1) (1) PPOSI t i rcula 2 ent th L'O 73 tu C1: 4 OIL S L C th ا.  $\cdot | -|$ <u>--</u>1 tudy H  $\vdash$ 300 0 > 4 C and T M rg u a 12 4 V 20 + eri ಶಾ  $\cdot {\textstyle \vdash} {\vdash}$ Si rt **で** --physic the FI the  $\Pi\Pi$ Ch  $\vdash$ a ---
  - HOL CUO 压  $\cdot$ AEI حہ  $\overline{\phantom{a}}$ You cu + H  $\cdot \! \! \vdash \! \! \mid$ CI NO + }-----| the ENE en NTI 0 40 U)  $\vdash \vdash$ ಹ 田田田 H حد Z -----ENT  $\overline{\phantom{a}}$ 40 4  $\vdash \vdash$ AI end 2 ت 40 ق -FI 00 +0 (1) 4-1  $\sqsubseteq$ --- $\Box$ 4 0 ED d \( \text{\text{G}} \) 54 -50 a H a

--J H ---1 I +) + H +2 r

国 J  $\sqsubseteq \vdash$ り四 LA 园  $\vdash \vdash$ AT A 压 20  $\vdash \vdash$ [-] $\vdash \vdash$  $\Omega$  -- $\bigcirc$ ----حَد حب C OL tuí --حب -the 12 حب Ω H + tmel ----4 H 0 0 th Zi.  $\vdash$  $\cdot \vdash \mid$ H 40 ere en <del>ر</del> ا J **は** の 0 th( 17 L 40 ugnor 0 [-1 0 W

E iven 0 40 حب pe pg ، د nno. --a Д Ö حب -sed Cas 9  $\square$ ach 0 + > erall  $\overline{\phantom{a}}$ 0 0 0 0 OL 4-1 디 OU 9 තා  $\cdot | -|$ re +2 ω .щ  $\alpha$  $\alpha$ 00 ch 0 nhi 4 1 () OU ---

 $\alpha$  $\vdash$ D, ---(1)  $\vdash$ 4 54 12 40 0 the Q On the tì posi  $\cdot \square$ 디디 (\*) حہ <del>را</del> ۵ hi EN H F. OL the may OL IN 4 and  $\alpha$ 0 2 NO  $\, \, \longmapsto \, \,$  $\bigcirc$ 中山 4 -0  $U_2$ S ---Ω -

더 ---(1)  $\cdot$ ---40 \( \square\) 8  $\cdot \vdash \mid$ 4 D 04 50 ---0 ټ 0 UO ď حد -[-] 40 On 081 2 H ond d 4 - $\bigcirc$ 0) 0 10 12 the >  $\overline{\phantom{a}}$ Z  $\vdash$ OUO . . CN د+ --- $\vdash$ W 1 1 1 Д -----0 W 7 a

ng  $\overline{\phantom{a}}$ W ---40 en  $\cdot \vdash \mid$ 40  $\alpha$ 2 0 Z, 4 O U -حب ---Ø 0 2 abla $\exists$ ----口 حہ 0 Z, 4 Z  $\vdash$ . . NO  $\vdash$ H S a RD  $\vdash$ dn

W  $\cdot \vdash$ Z 0 ----40 a 124 0 디 -口 0 ----40 -0 なれ 2 ownwa fourth 7 0 fac 0 th 디 0 tomach -PUSITION  $\Omega$ he 40 upon FOURTH 50 Vi 

du 77 -7 H ----1 Д نب +2 sui 0 0 0 ma  $\Omega$ On ------ $\Omega$ 12 0 Th 0 a

#### LESSON IX

### SFECIAL TREATMENTS.

0 th  $\vdash$ ---U .73 0 Chi 4 nd 디  $\alpha$ 0 0 0  $\Omega$  $\square$ ach - $\bigcirc$ 五岁 the 0 0 CF U) 다 다 our 4-1 MI treatment  $\Box$ the man 4-4 Of 0 ection the ailments and  $\Omega$ thi essary  $\vdash$ neipa  $\bigcirc$ 0 口

H S 1 0 ·H thod  $\Im$ 0 ence tha Me Ĺ,  $\vdash$ CH peri  $\Omega$ de feel L B 0 here 4 iving) much Cid had  $\vdash$ 0 sease 3 H 0 having  $\vdash$ + Неа d. L ch 0  $\overline{\phantom{a}}$ t L р. Г 9 9 gne 4 ing Wri 0 Ma ,CI 4 4 trea the any but  $\alpha$ 0 JO C much 4 thod CI O 0 me 0 0 in GU The  $\mathcal{L}$  $\vdash$  $\alpha$ Si  $\circ$ ---0 0 H Q

0 ---W 2 -7  $\vdash$ 0 OF L 27 07 rra 4 B are -----0 디 convenienc givel O. P. Ü  $\mathbb{O}$ 4-1 (1)  $\mathcal{D}$ ----7 0 口

#### AESCESSES.

 $U_{\lambda}$ VOL 対 who engendered 7 8  $\vdash$ 4 PCIII ulcer  $\Omega$ Son under comfort per  $\vdash$ general 되 pe typhus seased en  $\Omega$ may and in نہ . الح Ch ಗಡ H -0 ---of. 2 S  $\Omega$ 40 ery ari t t p  $\alpha$ ome H 000 0 8 - [--] scra vent: ent numbe 0 in 67 Ø  $\Omega$ びば dy Ver th. 0 g-y **D**  $\dashv$  $\Omega$ M J  $\Box$ putrid  $\langle i \rangle$  $q_{-1}$  $\Omega$ cleanline 0 lar  $\vdash$ mate S confined An lung 0 a  $\Omega$ ther 11 approxi  $\Omega$  $\Omega$  $\alpha$ 0 the DSCe toge with anc t0 \. \. + 4 end 口 cums a crowding - $\alpha$ uch Y U Uجہ حہ 国 ime Cil ha  $\alpha$ AUS th 0 حب 0 口 non n by 00 0 0 0 W

month 4-4 0 0 tion and ome uire **W**  $\Omega$  $\vdash$ en ed -コゴ  $\Omega$ H 4 0 par  $\alpha$ Ø H 0 terward 0 abscess 口 0 4 th 0 口  $\Omega$ af ay 8 7 67 • enced © ₩ in 0 form BH  $\alpha$ experi in 50 FI to throbbi maturity about usually and -0 ter ain 8 0 a  $\Xi$ +-) 50 CI 124 記 - [--0 0)  $\mathcal{O}$ O----0 Z,  $\circ$ 3 Ø

477 th( 0 口 0 Whi tment; ٠,--د ----H the H 12 Trea part د the ťΩ hrough H --eral 4-4 0 (1) th 0 ne C Gene د ــ J 0 حہ d en 4 ---口 H -0 دم UO Cur normal d CLU 75 ntenti be ťΩ H + cri (1)  $\alpha$ D. 40 14 eng . become 0 0  $\leftarrow$ 4 dd  $\Omega$ d the and 0 OU sing 40 W -H 14 ocated 0 nds 1 ercis Cuo en THENT W ナゴ・ ,Cl 0 re. 0  $\vdash$  $\bowtie$ D >  $\bigcirc$ 40 口 97 ·H W 0 디 0  $\cdot$ pl L.

011 ب  $\exists$ H 4 --marne 0 40 CV 4 20 in  $\subsetneq$ er. حب نہ 54 curren oring Ç, patient ->endeav  $\vdash$ a send especi the sible, --7 shoul 6 confidence disea DOS erator *വ* ഡ たいゴ force 00 the M ne ne much  $\Omega$ ent, ರ (A) 0 nor a  $\cdot \Box$ C a +-S W

W +  $\vdash$ to 1 40 1 E CHO aken hould sugge 12,0 tion + LL 12 -H C T E, i t i (  $Q_i$ (1) hin in pos posi the een 13 such OL 0 c the curren د give hypnosi patien second  $\Omega$ operat the alleviating has give in hen en ent 0 j V ( Ü, the the the ing +2 <u>\_</u> 60 will patie てづ VOT pe susceptible t Of oul induc escribed in patient, nus a 9  $\underline{\subseteq}_t^t$ Sh h e the end dend 4 53 that Н د 2 tment 0 After 40 --enters 70 given conf. the BU houl GR 0 J trea 12 26 the 420 ťΩ ion. tient Ü the  $\alpha$ pe  $\leftarrow$ 7 1) nerve third د\_ ypnol ourth 677 6236 hould ب. J 20 00 00 a sleep, ٠ ٢ ٢ ---ナー 12 SUR heal L L C incr The 4-1  $Q_{i}$ 디그 0 0 40 men E E hing D D CIO O F 40 ---+ > 40 +dn +-> 1 H H C

## AGUE (Malarial Fever).

(I) 0 Ti  $\vdash$ 124 تہ  $\square$ 240 an.ro H prod 73 thos other of vegetable are and Ague marshy 4 decomposition wampy W exciting from the coming from The Φ ON ri ナゴ  $\alpha$ 40  $\alpha$ 

ent and D G 4 OOD weal. ದಿ the 0  $\Omega$ one; CH, He 210 C come eft ω ω 0 디  $\vdash$ sin 0 2 1  $\Omega$ unea 0 about to E. ادب OF res res ZI DU ω debility S - $\vdash$ a (C) 1 45 atta 0 H Ü says body Cf ly, the sense  $\vdash$ ten chi the When Of feel JO  $\alpha$ TOMS: and  $\Omega$ 40 0 en د guid, H 디 arr 121 ×

4-1 (1) Si  $\vdash$ 되 ٠, 14  $\Omega$ 0 + W 0 5 0  $\vdash$ 7 FI CO nward  $\vdash$ (C) Ō で つ ĹĹ,

ome 40 4 O  $\vdash$ 0 CC 0 -2 0 Q 4-1 0 4-1 0 Q. 0 W Z, lu pul 4 W PI but 2 + 44 70 The 0 ence and come t 0 J hi 0 0 -[--] 2 hurri er 8 W 123 0 gan 2 shive Z, × 4  $\circ$ 0 OL -----ON 13 0  $\Omega$ t ]. ted nternal  $\overline{\phantom{a}}$ 4  $\Omega$ a H  $\Omega$ 0 0 מן. in Di ar  $\circ$ 口 60 Ø beg CK 4 0 and ba W ear ب th 0 0 ry th and Of けげ  $\nabla$ ips 200 gue 0 70 On eebl (A) 0 -0  $\Box$ The Z, + 4 4 9 9 8 the but . . UO U OU ب ----O L . . د ----٠,--W 70 Z  $\alpha$  $Q_i$ 2 Ch 0 口

1  $\vdash$ and 4 4 0 حہ 4 ро ho ong, ·H kin + the tr en. eded by ナー the and (d) the en; 7 101 succe  $\vdash$ and  $\alpha$  $\overline{\mathbf{H}}$ 0 -111 come 0 0 0 nd dua Q70 Dr ra 4  $\Omega$ 2 W 50 pul 0 conge W 4 ٠--pa he deep 8 t نہ ta SO . DO U  $\Omega$ che 70 ---0 7 C  $\Omega$ --hi ath

urt نہ 8 0 4 4 the 9 Of bre 4 W UO 4 ---tur 4 spira - $\alpha$ H B ur 5  $\alpha$ 4 Z. ---ecovers ous -٠, 2 H 42 Kin 00 the the th engi ear K  $\Omega$ C 24

4... 0 occur 40 a rà  $\langle f \rangle$ hi M 0 0 4 4 ta cur -[--] Q when 4 7 000 evel a ---the Pe sually -4 40 when th tidian; Da J 0 4  $\Omega$ ap When nci Ħ form  $\vdash$ rtian; more 7 ---ont H 0 0  $\Omega_{l}$ 0 an 0 20 0 9 -للك BR † , , the H 70 4  $\triangleleft \Box$ r4 Dr led -This 4 0 ou 4 tidi Cal The 0 Q the a ---P dno evening > 4 an 8 **←**⊃ ------B ous rti 0 tumn H, t 0 七元 the H 0 -1quar • rd ت 84 ニュ a 7 73 r T ime D ong 7 t the +-H. --- $\overline{\phantom{a}}$ 0% 0 0 0 2 . . 010 디 -2 R ----S qua. 8 +--

oul ---70 2 --en, --1 d shoul  $\alpha$ H away حه 40 en tme r. trea Da 0 27 E 田以日 LIT E EA nne 4 되 -

ばの 67 H 40 70  $\overline{}$ rm, L1 4 ---a 1531 8 5 0 -40 suf 0 uffici 4 NO Would ing けが 덖 ----C 0 ----۲: س OH  $\vdash$ Н  $\vdash$ Very 0 Q ا۔

---0 口  $\Omega$ 4 84 0 nn ( 0 4 a and Q such 70 C 4 ---4 FI CI. ----0 COS ----73 0 nd  $\Omega$ 되 ٠, P 0 0 a ----4 2 culd 40 Z tor 12 C 42 3 ing a Ci + S CL' 0 a 0 디 10 81 84 ر  $\overline{\phantom{a}}$ 0

Z Q 0 4 G ---4 a 2 0 D, +2 Q 4 0 P  $\Omega$ a 73 0 1 0 H 0 Q び מח C  $\Omega$ nd a 1

(1) 0. a a 0 a  $\square$ 04 bod Of  $\Box$ (1) ဌ 7 ~ ا ا 4 40 ---B 4-4 7 ہے ب 4 (1) Ci. 40 40 ---0 H H  $\omega$ E FI a 4 (1) 50 口 T C 0 (1) H  $\square$ 4 4 -P T D H +> 4 0 14 54 4-4 0  $\vdash$ 40 ----4 and +-) () 3 2 0 .  $\square$ 0 8 (1)  $\cdot {\mathrel{\longmapsto}}$ oma - [ 40 0 C H DY 4 7 0 2 (1) 0  $\Omega$ حب H  $\alpha$ ---- $\vdash$ 24 0 (1) Ed ,CI C 0 7 ----

 $\square$ 1Jy (1) 0 1 H Pe ---50 5  $\vdash$ \_\_ +5 44 ಹ 73 127 ADO (1) 51 口 حب 0 SI 3 ب 0 hea emp حب +5 r n 4 H hì ----0 8 -Z, 7 4 4 5 a 0.00  $\vdash$ 4 8 i K 2 a ದ 4 4 773 1 1 ٦. Z Z 73 + edu SIL -口 40  $\vdash$ 4 40 H 4 7 -001  $\sigma$ real - $\Box$ 40 (I) Q Z  $\cdot \, \, \square$ 4 --- $\vdash$ + (1) H 二 ದ d 40 --- $\vdash$  $\vdash$ 1 Th 1 H 口 -

#### ALCOHOLISM.

---0 0 Al 0 0 what  $\Omega$ 2 +3 0  $\Xi$ 77 but  $\vdash$ an V  $\vdash$ 4 70 0 UO day 0 eron 8 たけ  $\cdot \sqsubset \cdot$ 7 ques. the Ú S 44 NO U ndı 0 دب ا\_ا• 0 コロ ре 2 4 Vi ---0  $\vdash$ H EE NU  $\vdash$ d 0  $\overline{\phantom{a}}$ 200 -MIN دہ 0 50 X One  $\overline{\phantom{a}}$ ದ K 4 nt nti a 0 40 --me t t 4-1 \( \sqrt{} Ø **(1)** Th 口  $\alpha$ -

m 0 4 SKir eatu. 44 T 010 ted 0 3 nd pl a irium ul  $\Box$ PI d Z 0 <del>ل</del> ا 70 8 40 13 14 Exhi 4 (1) S. . O 0 0 Ĭ

1/2 (1) M ہے (1) 73 un Zhly no hor 4 (1) Ω, Z 4  $\nabla$  $\vdash$ houl 54 50 0 are  $\vdash$ K 9-4  $\bigcirc$ Omo 5 40 N.O. 8 0 70 H 4

17 d 9 50 4  $\dashv$ w 5 1 W H(1) (1) ---(1) dua 0  $\vdash$ Ĭ (1) \_\_ nd 0 Wi ndı  $\omega$  $\alpha$ a H (1) - $\Omega$ ---0 ď 50 ťΩ -Д (1) 0  $\overline{\phantom{a}}$ 0  $\Omega$ Q. (1) 40  $\vdash$  $\alpha$ -1D'A اس 70 3 ಗರ ome  $\overline{\phantom{a}}$ 7 017. 0  $\vdash$ حب Н. 田 an Ŋ 4-1 0 d hil W 1 mul  $\vdash$ 0  $\vdash$ nt cud 0 Wi ---تہ  $\cdot$  $\dashv$ 0 دد Wi tmi given DII ( Ø 0 Z  $\alpha$ Hy 0 口 ho. حہ 5 42 ದ حب Z . . UO H ت+  $\bigcirc$ 54  $\vdash$ 5 nd -4-1  $\alpha$  $\pi$ 4 نب  $\overline{\phantom{a}}$ 0 --ದ 0 FI 60 0 ----5 4 60  $\vdash$ ťΩ --Z  $\vdash$ 0 0 0  $\alpha$ 7 ---دب 0  $\nabla$ 40 0  $\square$ 디 <u>~</u> 4 ----4 1 70 --- $\omega$ C 4 0 0 て uc  $\alpha$ an ,C 8  $\vdash$ 4  $\cdot \bigsqcup$ 40 24 100 1 1) nd (1) I Ω 0  $\Omega$  $\vdash$  $\triangleright$ Q ---口 Ω,  $\Box$  $\vdash$ 4-1  $\cdot \square$ (1) Z ur + > un 3

Ø Z ---xpla cohol in brea hì 0 obtained  $\vdash$ in  $\alpha$  $\bigcirc$ houl 4 thought eavor 0 I I 54 pe 1 end 0  $\overline{\phantom{a}}$ th 9 fore may 口 On accompany the M 4 and +2 L'L  $\Omega$ 0 induced,  $\Omega$ Suzze 2 8 shing 0 40 and tha m 0 0 oni UC Vil SI persuasi 1 1 CUU  $\langle Q \rangle$ 0 0 ocedur 3 healer th nabit. 40 OSi en by Dr ----Ud 1 4 the f the ದ್ದರ shoul hy 0 he Of hod and him Way 0

# AMENORRHOEA (Suppressed Menses)

1 ul the 1) 001 0 may NU -N I menses, Ω, 43  $\Xi$  $\vdash$ 0.04 blood 84 0 40 U 1 M the 4-1 suppre the eto 4-4 tate 0 consumption, Or immersion ~  $\Omega$ ad abnormal Amenorrho stomach, fright, n n (八) JO AUS den the W

m 1 C ---chill といい ---02t DACK NU an N R 0 a  $\vdash$ 1 head, 1) 43 0 th 1.17 -4 M Pain 40 TO pal YMPTOMS: naus bdomer.

57 D 45 677 1)  $\bigcirc$ truci <u>-</u>  $\bigcirc$ XOL 2 pr 5.01 GXG m I 0 2 U (i) amb tment tax Plenty ing 50 Irea ttij 1 M General care exercises SI 97 from ht taken, .L. body Vigorous  $\vdash$ athing be the 77 4 0 f bre Incus Give  $\Box$ ا\_ر. part ake Ken FJ TREATMENT 4 -T any C 1 4 0 C L  $\nabla$ shoul t H g 4

05 ---UC 4 a er H 4 H O U OU tion normal ven PJ -40 shoul 1 077 4 -tmen t cir treal the tin pecial a mul

# ANAEMIA (Defisient Bloou).

0 (1) (1) UC indigesti exce (1) exercis exual fooj, JC sion, いなった。 rccd  $\overline{\phantom{a}}$ a depr from overwork, arise 0 troubl mental naemia may by 0 oned UZ a 0 .H. K W 0 4 国 AUSI ghti Q. Bri

더 M 70 0 han ortn S m 1 04 0.04 12 12 13 -1 bi ---- $\vdash$ エゴ 7  $\alpha$ . . face (P) 4 JO OL FJ  $\alpha$ alla A ---TOMS TH. TT, th; د+ 0 0 br

abund an  $\alpha$ . . USe () [] 4  $\mathbb{O}$  $\overset{\times}{\sigma}$ 40 1  $r \rightarrow$ 40 --avo r r 0 d MO M nt 0 -----+ H. Ed 0 1 pre Z +2 40 tha 4 mulan (T)  $\Omega$ † 1 TMENT TU a TRE  $\Omega$ 0



HEATING THE HANDS.

PLATE No. 11.



HEATING THE HANDS.



HEATING THE HANDS.

PLATE No. 10.



HEATING THE HANDS.



50 50 ong + en W  $\alpha$ ا\_. 7 O pat morbi 1 U once he ---4 give 0 حب en remov enty tm a 2 -0 24 0 H 7 4  $\vdash$ a CV 4...  $\vdash$ a once H  $\vdash$ 0 end 0 5 er er crough  $\vdash$ 4  $\alpha$  $\alpha$  $\vdash$ 0 H > 4  $\nabla$ a Z epi( Ę, ğ  $\vdash$ 2 +  $\vdash$ H Wi H th th  $\cdot \sqsubset \mid$ ----C T B E 0 en انسغ H M W Q UO 70 40 F 0 0 U2 0  $\alpha$ (1) Jo 0 ಶಾ

# ANCHYLUSIS (Stiff Joint)

0 ri gament That ,CI 0 Truck becom oducing 1-1 ·H producing tre the joint 5 oint, Dr case the 0 0 brown, 110 other 3 with 0 the connected recome 0 lammation 8 للط i.H ω Ξ . Ω d 0 nchylosi ir.i. 4 nchylcsi endons Z affli  $\cdot \sqsubset \mid$ Пg 111 1 rart "true a מתט yzed, fals (1) aral CHO T med 70 HAL 84 8  $\vdash$ + S C 0 Q

(1) ---- $\cdot { |\!\!|} =$ here CH 4-1 4 M rine 8 4-1 0  $\vdash$ -1anchylos Ur by true 40 14 0 hen Ö 0 13 0 . . cure TMENT joint 国

t t 21). 40 0 much very d 10 the On rubi N No. t Li Ω 0 sting joint hands J O posi thoroughly th OWn cut ON WI 0 د the the H CU intenti the your down 0 ſΩ Ũ Of and 0 S eat 0 reverse part over Ä 0  $\overline{\phantom{a}}$ Sid II Z the press the ,Ō pai atient • nculd affected with hands OFF sing foct, tment, without On rci and 2 0 > up m b joint the treat 0 positi exe  $\square$ the  $\vdash$ hand bear 4  $\vdash$ above ycurs Of this 0 0 th through other t Li tive ඩ) ආ 디 and ~ Ca ب en the 1 over J O just  $\vdash \vdash$ rosi the tive ent  $\Omega$ nchylc +> minutes t is curren Ţ, r200 nega the 0 Н  $\alpha$ +.0 F4 hand  $\vdash$ H U2 14 he 50 다 +2 2186 the 0 01 +-. 4-1 nd s pla tive  $\alpha$ hrowin (1) ween 8 0 011 1100 - $\bigcirc$ Q, Z, + 4

011 --- $\alpha$  $\vdash$ CC H .\_ 0 0 40 th 50 0  $\alpha$ 0 Cr 4  $\vdash \vdash$ hus 0 + 4.3 held +-C 0 4 eq 51 should -Cte fli 0 ,С 4 +2 1 enti 0 3 12 +2 Cri in.t cughout I Ch  $\cdot {\sqsubset} \vdash$ 

ar 0 茁 0  $\square$ 4 4 0 Q --- $\vdash$ Q eur N)  $\Omega$ ORI EH  $\bigcirc$ 田 A 4 IN

0 ma (1) D, 4 ---4-1 1.7 -1ත usua Q J O Ø 0 22 H Ø U > 0 W 4 0 for. W ·H ~ Ø than thi t D 0 OR W.T.  $\geq$ er.  $\vdash$ sual 4-1 suf I 0 0 W. H a 0  $\nabla$ U2 0

ervou 0 exposur 000 toba Sm ナー euma rh from caused etc on, Ø rti -[-] 4 en

001 50 60 milder ffect and sometimes a turbed  $\alpha$ ssuming 2 2 the intensity di  $\alpha$ (U) (X) (X) through again  $\vdash$ OL in and more enced Φ Ω FJ  $\Omega$ Ø  $\Omega$ peri  $\vdash \vdash$ 2 acutene rt pain hear  $\bowtie$ 0 the The  $\vdash \vdash \vdash$ ن ا ئ numbness Of in SYMPTOMS ON pain. cti Zin oni ing th

suffering gair drid Fersons nutes, death hours. ml T. C.N sudden several but to +3 las. ot. liable period usually are disease paroxysms over extend thi The they e

and the pain orces treatment over of reducing the back side nervous spinal column special opposite equalizing the give exercising the intention on the hand on the (33) Treatment, then hand No. by cut health negative positive (see the General circulation the of restoring the and and Give cing heart, 112

#### FCWC1 1 12 1 ţŢ. (FELLINE PFCLAFSUS ANI

B 100 <del>را</del> <del>ان</del> t Libb 01 LD. tr. 1 general stool. 50 caused *は* straining -arr

Q 1,OL assume and carefully pushed back, should ratient quiet. perfectly the each passage re p should and lie intestines position after time clining 17

lower treatment out negative train blood the not hand for the over t T T ш Ц Will speci rlace movement positive carrying hand patient bowel slightly, positive the the Of the the intention Move Continue the give that hands and Plexus. and then Ω 0 bowel. the the abdomen, them, Heat ooling cral exercising loosen inflamed minutes,  $\alpha$ the د+ W EATMENT the G L to Of 70 the urward twenty € 0 order and د 2 O Į

ANTHRAX (Carbuncle).

2 TO ---0 m (1) (1) 10 Si (1) E 40 a (1) 2 40 FH 0 4-1 1.00 ---00 1 60 H  $\alpha$  $\vdash$ ದ du ---Ø ---

APHASIA (Loss of Speech).

(1) 1) J. --4-1 23 7 ---200 40 0 5 usuall body  $- \square$ and 0 th 871 brain ralysi 4 f O  $\vdash$ ha  $\omega$ Ē 1 4 ರ 4 4-1 0 4 0 LH 0 4-1 U 4-2 4-1  $\alpha$ a . [--0  $\nabla$ Z  $\vdash$ H 0  $\bigcirc$  $\Omega$ ---디 dd

pee Of 0 - $\vdash$ tota SI -1a 40 2 1 MPTOMS

Du ONO the (1) 13 C+ دـــ UO 1) Z Z W 73 7 40 0.77 4 ----8-1 a  $\cdot$ -[-] eul 40 (1) 0 نہ 40 (1) ppl 84 50 his no 40 H  $\circ$ XUX ----Y 4... 84 -0  $\alpha$ 1) G L Id. -. . hed H part 0 rd 43 40 a 4  $\vdash$ Q, 7 0 0 9 8. A 4 rculat Z in 2 22 exhaus Treatment; ζΩ -حب ന cul a a given 1 WIL mul Ö rti C L 0 0 40 Kn( ----Z --- $\bigcirc$ ب 40 ent min he FI 0, 99 nence SI ove 40 4-1 pati 4  $\vdash$ tha era ould d De 200 S U O omi a T crea \( \sqrt{} ntenti P hal 1 Sho 4 out DL cords DO C 24) ough ive th gorous  $\cdot \vdash \mid$  $\Omega$ 4 the art Z W Wi ا\_] ه 4 VOCAL rong thr  $\Omega \\ \vdash \Box$  $\vdash$ P OVer 1 0 DOW. CQ Vì  $\Box$ 7 Ze wit a S On 4 0 thr. by aly the t 1. and TMENT 口 ody cula par ng 2 C HY 4-1 Д ---0 ----0 H (1) --- $\mathfrak{A}$ () - [--] ---+  $\overline{\phantom{a}}$ ---0

Z, 0  $\Box$  $\bigcirc$ C a d  $\Omega$ --- $\circ$ 4 8 1 bit 0 X  $\alpha$ പ C C 1) thi th OL 9 2 0 7 4 4 Q  $\zeta_{-1}$ (D) full 40 حب +ent η Ο pati talking  $\vdash$ and th rom 4 thy ruc  $\rightarrow$ ا—ا a 70

### APPENDICITIS.

70 -O 디 73 th The C ---0 4 0 C (1) نه OP I 4-1 ----() rmi 0 7 8 0 × --- $\nabla$ --ppend cher thi  $\alpha$ H 0 Ċ + 0 3 4 r90 0  $\langle f \rangle$ cddn 91. حب oneou m L Ed. H 0 7 8 J F

Ø cur ()  $\vdash$ Wh () T 5 C 50 0 usual H 7 Z, pai 0 the the 9 44  $\cdot$ SI 70 ove hirty 4 22 Thi  $Q_{i}$ 0 ower  $\vdash$ and  $\circ$ musc orm  $\vdash$ 4-1 C the evel  $\Box$  $\vdash$ gail rĭ M in 4-1 a SI C 0 nd Pai um 0 a 60 ب gain  $\alpha$ YMPTOWS 0 (1) Z 4  $\alpha$ -디 1 1 W t M  $\Box$ 0

on 0 Ц ---4 0 H 0) nt 0 C 40 4-1 ا\_\_ا حب Z W Z 0 1  $\vdash$ tme 口 0 W OW 7 a Z 50  $\Omega$ 0 ದ 口 H Z 1  $\cdot \, [ \, ]$ 45  $\Omega$ 口 7 -+--1(1) 0 ದ 4 C  $\omega$ (1)  $^{\circ} \square$  $\bigcirc$ 0 × 0  $\square$ ON 0 9  $U_2$ (1) -디 42 1 40 4 a > Cul H 0 --pa.  $\bigcirc$  $\varpi$ 8 pl LL Ci . Zi nfl 0 0.00 D D  $\cdot \sqsubset \mid$ 4  $\cdot \, \, [ \, ]$ 4  $\square$ a a 40 tme 2 mm 60 (1) Z ದ rea 口 Ţ -4 4 a Z E 4 mul  $\cdot \sqsubseteq \mid$ 0  $\vdash$ 0 r g W tij D, (1) 40 1 7 W 드 -[-Ng 0  $\Omega$ 4-1 0 0 ---1 0 0 Ĭ 0 М П.  $\Box$ W (1) 0  $\Omega_{i}$ pur

70 Z Q H ---ದ 口 W (1) H 4-1 Of 0 anc d bun  $\alpha$ Z a W  $\alpha$ IV Z D Z حہ Z ri 0 pa 4  $\alpha$  $\Omega$ Q he 4 ದ 4 0 40 (1) a Z C + 40 (1)  $\Omega$ 

#### APOPLEXY.

H 9-4 0 0 5 1) 2 1 I > -[- $\Omega$  $\Omega$ H 0 0 60 0 (1) 4 W OHO 4 • [ 8 4-1 4 (L) 50 口 U.S. ٠, N  $\alpha$ -[-] 7 () man ---5 0 54 61) 1 pl 67 1  $\bigcirc$ 50 a J 7 ---0 国 AUS  $\overline{\phantom{a}}$ oho 0 a

Ng -[-] 口 +> 70 OMO --Th () (1) 2 2 ロロ 40 Ory ಥ 2 gr. 73 5  $\square$ enl S E ಹ 0 J て  $\vdash$ 13 ಜಬನೆ cti. 4-1 owe 1 0 4  $\vdash$ -- $\bigcirc$ 7 () tri 叮 H  $\alpha$  $\circ$  $\alpha$ にいっ ---(1) ()(1) .⊢ ™  $\alpha$ 0 によ pla ,C V. 40 4 ы Н Z . . T  $\Omega$ (1) lurre mp He  $\Omega$  $\alpha$ --4 -[-] (1) On 1 40 40 M  $\overline{\phantom{a}}$ 0  $\Omega$ 4 -ಐಭವ 듸  $\alpha$ 1 YMPTOMS 2 W . . 8-1 7 0  $\alpha$ 1). 0  $\vdash$  $\nabla$ 4 0  $\Box$ SO L W 디 60 ---S (1) 0  $\bigcirc$ un H U

口 ---0 0 Ç 4  $\vdash$ W (1) ----() 75  $\alpha$ 口 DI a 7  $\bigcirc$  $\omega$ 40 a D be -C 2 8 1 th -1 4  $\bigcirc$ 20 7  $\alpha$  $\bigcirc$  $\mathbb{H}$ mc 1 0 H 4  $\Box$  $\cdot \vdash \vdash$ (1) 4-1 C 二 00  $= - \{$ 3 H びば  $\bigcirc$ -[-] ----42 60 KI. ·Π (Ω ---4 N > Z 0 pati NU 2 O Q50  $\Box$  $\square$ (1) 4 -[-] 口 0 ဌ  $\bigcirc$ 47 ا\_]• 7 C 50 +> 4 en S 1 1 10 teme FI 4 4 T D (1) men a 4 4 hal XCI 0 4 0 OL 1 (J) > $\Omega$ 0 ---Tr 0 4-1 C and itting 1.0 eatment MENT era 25 1  $\Omega$ Oj 1 压 Z  $\vdash$ 4-1 5 4 Ė 8

0 0 ---4 a 2 口 (1) P 9 U 4 4 44  $\bigcirc$ 75 2 ongue 40 СД 4 pt 1 th (1) throa 4 tha the 20  $\Omega$  $\bigcirc$  $\bigcirc$ 4 دب دہ in 0 aken back ಗ್ರಗ ب  $\alpha$ 9  $\vdash$ and  $\alpha$ oul 4 4 CU W 口 (1) 8-1 1 (5 7

 $\Omega$ حب 1 Z par. Omo  $\Omega$ 0 he  $\Omega$ 0 ga 0 4 口 40 0 0 4 - $\zeta \Omega$ ب + 4 1 Z orou Z Z D, 4 ent 40 1 40 H ----4 40 0 40 വ tm (1) 0 -4 Vì 0 a ζŊ 9  $\Omega$ (1) 20 part 2 C 50 ロロ 드 hroug + Kin دب Q 4 HB d on, り 4 1 ----7 40 gor D D 4 by (1)  $\bigcirc$ t L a ----7 (1) けっ ---**E** Vi F.F.  $\bigcirc$ ಗ್ರವ ದ + > onsti reul (1)  $\omega$ Giv (1) (1) 1 ng Ci 4  $\bigcirc$ hould ا\_: knead H JC OVE 1 en O 7 Z 4 0 Q 40 4 0 حه  $\alpha$ sing. tmen til ands 011 by 7  $\bigcirc$ 0 d'u 5 Z W ದ 4-1 rea 1 > --7 H 50 9 0 DC () S 4 1  $\cdot \sqsubset \mid$  $\overline{\phantom{a}}$ 124  $\alpha$  $\vdash$ 4 0 0  $\alpha$ 0 口 mul 4 84 7  $\bigcirc$ 1)  $\omega$ 0 0 0 On ZÁ 口  $\cdot [ \cdots ]$ 4 حب ---4 0 - $\Omega$ 디 4 In the par Z +-> Wi  $\overline{\phantom{a}}$ J

F >> a Ω \_ 77 - $\overline{\phantom{a}}$ 1 7

### ... TH. 1113 (30:11).

73 0 • ry 0 + 0 (1) 0 14 FI 11 ----0 0 4 FI Z 4-1 ---a 2 . . 4 73 0) 1 a matte omen, H rate eople 54 4  $\alpha$ (1) (1) 0 mp 73 H +0  $\leftarrow$ CH 22 4=1 نب ۲ (F) 5) --- $\cdot {\sqsubset} \mid$ 4 0 4 × FI 44 0 7/2 -40 7 × \_ 40 rl 0 one 10 H + Ci DO. To CULS C 4-OX. S H 40 he ٠,---40 G1302 5 H Ø  $\Box$ Way e iii 77 + 40 4  $\vdash$ 40 M (1) FI :3  $r \dashv$ no -H thr.  $\vdash$ a 8 ಬಿಬ  $\overline{\phantom{a}}$ 4 (1)  $\Omega$ 17 -

42 Si 40 11 liring. 13 77 なった + > Suc 40 11 10 40 H  $\overline{\phantom{a}}$ 21 bibbing iving Frans- it 40 THE  $\overline{\phantom{a}}$ 1 1) Tine W 디디 4 4 N [1] 000

130 10 ----5 ! D ---٦, 7011 51 nflamma 2 42 . . ----0 (1) (1) 2 44 73  $\vdash$ 40 H 4 11 -[--]  $\vdash$ (1) err. 5 Ω, 84 Orse olde joint --172+ H the io row. painful 4-55 first 90 دد en ually 다 기· the 4 pa 71 rds .  $\langle f_{ij}\rangle$ 1 I SWOL M  $\vdash$ as 1 40 겁  $\bigcirc$ 

On  $\alpha$ N N hem d acil an 50 endir ndi (1) 0 C 1 04 pl D causing UC C the 0 0 (1) by > C L .\_\_ 0 gativ 45 اب en, دہ N II ---OVE en, ナゴ・ tment Ø 50 CQ .— hand ne di 41 cd pg ರಿದ್ದ 40 0 mul ΤΩ 0 (1) and the (D) FI  $\Box$ 20 0 \ a the f.i. H + (D) purpo نہ حب Siti and the 1/2 place かけつ omarh eet 4 over 112 OVe 1) cd 4 드 the 7 4 4 the Then 0 hand R patient a hand 91. JC thu U (1) en 50  $\Box$ 77  $G_{-1}$ 0 (1) placin. give Z (D) . 0> uc dneys properly ch --negati (1) <del>با</del> the toma the and 1 nega N Ki an by  $\square$ 50 Ø 0 the Z. 0 (C) 1 the -WOrk ent, the the > tment, <del>ن</del>ا اب I L 5 ncu anj through through tm( ガロ (1) pos FI 50 re3 0 trea.  $\alpha$  $\Box$ th exus е<u>д</u> 67  $\vdash \dashv$ 4  $\Box$ (1) Kidl ent Orm n t  $\vdash$  $\vdash$  $\alpha$ a  $\alpha$  $\vdash$ (1) H 8-1 0 8-1 0 1 3

4-4  $\vdash$  $\Omega$ 4 47  $\Omega$ 0 50  $\vdash$ な こ え د+  $\vdash$ d 4 00g 4  $\alpha$ the 4-1 without (1)  $\vdash$ · [ MW ten 0 7 7 9 shoul pe should 4 67 pati food (1) 0 された (1) Iq

#### ASTHMA.

can C horr though 8 symptoms Of orehead picture W M usually the 4-1 and + 4-1 --acts ilment, countenance Z N Vel patient the ressing and The hi.s ~ 40 and mistaken. prominen . الق blood Very ocating, With are tended eyes SUL Wel Thi 2 (I) (A) -

Of  $\Omega$ excitemen The loud orles breathing 00 stomach ·H great the day-, urine expitement. the hoarse, ndi ating - Terthu anythin in in fullress axed, --oice F G J quantities, are a The τΩ Η bowels flowers There systen. rreat The Prom wheezy. nervous L'I perf.ume -YMPTOMS: last passes and may + + acks the + 1

ir.us 1 2 3 Вгазыла t II Forti 11+ triro-t pulatin the th 1 4 1117 On heating r:1 > t +-751 --ul~s もうマー front Treatment. posi treatment the 2 177 L'I General 7 hand placing sperial the norative TIVE rr-ithinr and , Lion tubes Warm, TREATMENT: th 0 onchial ely XUS, Of

# BILLITURES MALLIARY CALTLI).

---77.  $\vdash$ U ~ Qmulant -4 11.7.2.1.9 t O Ci ---4 69 ~ 71811 = habits. 1000年 sedentary CAUSES

the 071  $\vdash$ 4-1 o Dre ting floa tongu-, pecks 304ted 0.4 Ø nausea, 0 4 ---N N -H-adache 0 owiting YMPTOMS 17. +3 2 DI · Ω trio

hand special 0 positive D D GIVE Lumbar Treatment. the PO د placing 12 OVE hand General D 7. ive Stomarh Vigorous 40 nega and 40 ilve liver nd 2 for h - m TREATMENT ---treatmen 0 4 over

cu ---(1) Q ---equa 5 W 0 W D 0 (1) Ğ C (1) t'n C 4  $\vdash$ S al دــ Д Ф 40 0 H UL 0 50  $\cdot \bigsqcup \cdot$ 0 nd  $\cdot \vdash$ 40 (D) Q

7117

me (1) FI (1) W 0 40 7 -H Ä دي. . \_\_\_ -Z 0 50 -Z 40 -73 40 fu 73 00 4 C  $\vdash$ ,5 C --- $\vdash$ UO -40 -Z 8-1 -7 50 S > FI (1) F-1 \_\_\_ + -40 + a H -19-14 + 40 12 40 40 0 C 0 -+3 () H 0 C 60 +2 ---+ > 4 ---H  $\vdash$  $\vdash$ 0 FE 8 0 - $\vdash$ 40 01  $\vdash$ 8  $\square$ 

01 H rna 00 D, D, 0 4 4 hu 1,  $\vdash$ a they + Λİ he ب ب 40 H 4-1 1 4 40 S 13 H 0

11 a •— . 70 (1) OF + 1 cure 1-70 5-1 0 4  $\cdot {\sqsubset} !$ 17  $\overline{\phantom{a}}$ ---0 40  $\cdot {\sqsubset} |$ -حہ 0 0 (1) 40 + 4-1 SI  $\square$ W C (D) 1  $\cdot {\textstyle \vdash} {\mid}$ 40 (1) -Ω, 4.5 0 ,51 4 -40 + C --0 Q  $\cdot \bigsqcup$ 40 4-1 0 V

10 1 51 70 On -0 0 C  $\cdot \vdash \mid$ 4 th ery دب rec حد  $\vdash$ a (1) med -7  $\vdash$ 73 a 0 4 0  $\overline{}$ .\_\_ 4.0 4-1 0 7 ---0 (1) H  $\vdash$ 7 Д ----4 ing ре H O 4.0 (D) C ne Õ, 0 D, 0 + = + H •— 0 4 O L + Φ α 4-1 FI D'a 0 <u>E</u>-i 01 H 4 --nd UO H 4 A Top  $\alpha$ 40  $\Box$ 24 70 -4.3 디 4 r ura -5 40 42 13 13 54 FU. ----4 ---40 60 77 CL  $\vdash$ H a  $\cdot { \bigsqcup}$ 00 9 % 8-1 -F 10 +-> 0 70 0 1 4 7 0 (1) m H  $\vdash$ --- $\vdash$ . 4 4 --4 2 ---8-1  $\bigcirc$ (1) 1-3 4 8-1  $\omega$ 

### IMPURE BLOOD.

Less ang World 00g this more 0 pur in fflicted things H ----Q pure a three are re, family but 9 they O 2 human . . 00g 0 There 19 the 0 pur 0 4 ب men KO thi ---en  $\alpha$ ter + Nine--N N th tha pur

ON tha. and day th ties, hygienically; ter ದಿ J. NA tepid 0 quanti pur hreakfas  $\alpha$ 0 f prescribe moderate freely llves before patient drink 0 in H exerci e food 4 1 L h. pure en t that have Cl eats and suffi S O O 51 ·---[ aily, p p ۲2, THENT: takes П. 4 alt tha 0 五月 0 0 aking I W. I  $\Omega$ 

### ERIGHT'S LISEASE

SWel 00 (C) 1 dropsi 0 + 25 0 \lambda 00 Kidn 90 an J the نہ حہ 2 th, 4-1 On There OF consumpti malaly. legs, . chronic OP fatal 44 15 abdomen SOrt Or some A acute Ω′ ⊢ the 42 lead. 디디 Of

exer and 0000 thorough th 100 + W. Cily etions abdomen Kidneys exercise ratient positive Jay ama 0 the the each د # B as much the the OVEr through Give VCids Place 9 placing hand L, U have him take creing ient hygienically. current negative 0 tatigue Dat. hands, 4-1 JO the circulation intention Send causing the the that lives and ب heat idneys. Treatment, without kiuneys teady sition; D.C. the T.MENT: that in and in 0 0 1 0  $\alpha$ TEEA sibl 200 th N ZU ZU (1) (2) ٠٢٦ ٦ 4

#### 7) D 1 1 C Frenchis 七九十 CF (Inflammation HCHICHITIS

that membrane  $\alpha$ --affai د |--mucous Iungs. trifling character the the a JO JO but dangerous inflammation tubes W ٠,--40 air ----Often most Or a L bronchial affliction. ssume H nchiti ៧ Cases the ccmmon ince 0 CIII

1 1 1 bout a 1 H symptoms the Case evere ery  $\geq$ U  $\vdash$ 



PLATE No. 13.



Sway

PLATE No. 19.





 $\square$ S ----4 50 un pal a 0 a ಹ ON (1) 0 DL whi 40 0 I -0 7  $\downarrow$ دب par ches as H  $\alpha$ nf 0 2 --he H 4-1 1 0 ---4 حب  $\Box$ 40 hal 4-1  $\vdash$ R H 4.0 4  $F_{-1}$ 4 51 pa 2  $\Box$ 0 4 en ---W 40  $\approx$ حہ  $\square$ 47 ---FI froi D, Z 0 re\_ 4 70 a appa and 4-1 --nj O II (1) 40 ш. Н. H 4 ppe Or  $\Xi$ FI C  $\alpha$ 0 -----1 Du 40  $\bigcirc$ D, d Z تب ಹ -+ OF oni d OL 9  $\alpha$ N

1) -[-- $\vec{ }$ H () + 口 0 + R C 01 4 -- $\downarrow$ 0 40 +) I O Z H (/) E U ٠,--| +-UD O RO --------FI 4 +2 a 40 rac pne + () XD d -د\_-Ed Ed Q + 4 Ch -----40 whi a DJ.  $\alpha$ Ä  $\circ$ + brond ---ranc ugno  $\bigcirc$  $\alpha$ 

C (1) 50 4.) -07 ರ ಇನ್ನ á 田二 D, Д ----40 ----40 4.0 ---r.ch 9 File + > br H  $\vdash$ ---4 FI H 4 thing Ω N S ght d - --shoul ဌ ----Ĺ, (J 70  $\omega$ hand  $\bigcirc$ br th 0 chest Q 0 > (ന -Ch Ch 4 -دہ Thi ಗರ್ಗ  $\alpha$ ರಿತ್ತ +2 271 Q Q EA 40 5-1

#### BRUISES.

(D ťΩ  $\alpha$ banc Ch Ci ---:3 1) にには 40 FI pa and 3 0 0 0 4 bruis Ons rd H ----0 (D. 0 + Z On -|--| кеер  $\nabla$ dippe 4 0 8-1 0 () L'IL C U a 90 t all > a ра

(1) 11 th اساء 1) 7 Q. 4 NUZ U C ٠,--| W H 42 9 4 13 Way in NU a JO  $\Omega$ H a Q<sub>1</sub> ---40 (D) Si mal SI. 40 ----31 and 0 口 دہ 0 0 ing 口 + (D) ghout very Ö. 1 O I C OUL Ø  $\not \sim$ hand 1 H  $\square$ - $\alpha$ (1) 51  $\omega$ Ĭ a 7  $\omega$ (1) 7 工 Z

#### BUNIONS.

حد .,-0 0 C SI 0 **د**ې ۲: 200 W ----4 4 W ----7 1) 2 20 rin  $\alpha$ H 0 H  $\alpha$ 1 ---the K> (1) 4 C 0 041 디 -[-NU D -(1)  $\bigcirc$ Ż, 4 4 ---J (1) 2 Ġ. (1) 8-1 the 더 0 5 H 27 0

Of W 0 E 7 تب (1) Ome W 0 inn H cui  $\square$ on ----D, N N 40 ---M (1)  $\vdash$ دہ Z 4-1 though d 9 2 ಥ  $\alpha$ 0 حب 4 ſΩ -----0 Ω OIL 0  $\bigcirc$ 0  $\Box$  $\bigcirc$ buni 80 (1)

0 17 C by the  $\alpha$ 2  $\alpha$ known Qed orming -Ch 0 2 UO Whi  $\cdot \vdash \vdash$ + 口 irs.  $\vdash$ 0  $\Omega$ 4-1 he 9 radu 0 + the 4 W DIG ロロ ---Η *U*2 but buni ಗಿರೆ 20 Z CQ a  $\cdot [ \cdot ]$ 8  $\mathbf{C}$ - $\vdash$ 0 ppear lui 61 the become pr + 5 S lmos 4-1 0 -Wil 40 th by J O -1- $\alpha$ て efull par 0 Z ouble 111 inni --ni accompa 200 miles the 0 ere beg ems 54 that + rednes he ,4 cases The + 4 4 4 opening ٠–١  $\Omega$ ~ though 0 eq S other nd 4-1 0 2 ni  $\alpha$ a d 4 a 0 NS -10 ous and ne -[--]  $\Omega$ ココ H  $\Omega$ OMO a the tul 0 0.0% ymp ende 0 8 (1) UО 4

40 a ation oughly U O unula hor 8 ----نہ 4  $\alpha$ pul 54 1 40 0 Ħ 4 + + ent ЦO tm ---+ 4 --- $\alpha$ intention 0 OUC th local (1) 7 ---trong Give -7 pod the 0 . . 07 ATMENT Off pe Sing nave carr 出田 Ch

#### CANCER.

+ whi F1 (1) 4 Vari emaciate H 3 --ur auful 4 **₩** and -7 4-) the tree epres 1.00 J the 41 and languid,  $\vdash$ JO efore one  $\vdash$ - $\langle Q \rangle$  $\cdot [ \cdot ]$ enera  $\Omega$ on t

1 and inful Limin b ginni 1-1 CQ uppuration; ttende concurrin a שווק the indolent Skin point, the 디 ting 1.1 ----11811 nute + C cording Sualli tho tunor Ver  $\vdash$ ---- $\overline{\phantom{a}}$ -Jul CI CI CI dual + H SILL 7 8 B YMPTO. 0 こつ 50 ran pr 8 ome 0 +0 10

300 CC, ついつ 4 nce UO ---and 9 (I) 口 Z 1) ----> a be 40 0 0 9 ₩ 1 th 8-1 Ked d  $\alpha$ 0  $\vdash$ 80 0 口 口  $\bigcirc$ Z  $\vdash$ --н ш Z  $\Omega$ 0  $\vdash$ --th  $\circ$ > O L 4  $\vdash$ 4 and 0 -C 0 2 ough 0 ~ 0 4 ent cance for H 80 tho 12 디 4 thent. ---eive 13 نب  $\square$  $\omega$ a نب renl rea end 15 H 4 رت ا 12 The J abi shoul and 4 + اب. 口 C ppos ho EATMENT  $\Box$ ent hi 4  $\bigcirc$ 4 posi and body H  $\overline{\phantom{a}}$ 4 ua 200 H 0 0 day the 0

84 • cance د حب d Pe done +5 d ound  $\Omega$ ٠, 84 ----Q Thi 4 Kub . rrying center 0 ting 0 trea the hus 1) CHO  $\vdash$ + whi f T n, way <del>ال</del>ا + cula H (I)  $\bigcirc$ a  $\vdash$ 0 60 + > 디 i r 13 ---N rons ----1 +2 للك 0 BB N N --- $\alpha$  $\vdash$  $\alpha$  $\vdash$ 12 ದ

C C ا۔ + P . H L'I + 71 드 ---4 Z o H 40 12 J. 40 tment (1) FI 40

--beli onm. Tly 0 ---0 FI ----+- $\leftarrow$  $\mathcal{Q}$ 7  $\alpha$ CUF H += 9--tho 4 me Ci さいけ Tred cer () be n bu

## CANCER I LITE OF MACH.

حہ O.T. E C 3 177 quite 5 naivered 4 1501+ 21:0 17 f'-ction, ry painful LUG

•— out (1) rai. 40 urrestion given be the hcul mert nould rest1 Se , τ Ω アンもご 田二田 L 田田 121

#### CALIKEF.

cer ul TE 170 White 40 the which 0 14 i h --upper 0 ت OLH  $\subsetneq_{\vdash}$ inn r outr. that 4 --anker ロロ 4.0 4 H

10 17 . L 0 eanlin T uncle eneral -٠---84 00 0 7 oul + r t 4-1 84 impare Tre ٠ ا ا EATMENT さに、 р Ф a 1St mou M 0

---4 0 4 ا\_، 42 . washing 75 M ime. 4 Ď +2 hould cul λq Q for 8 р () ani 0 parse T P bowel 0  $\Box$ (L) > the thoroughl 0,0 Full shoull . . 84 day C+ O 40 4 (]) times -E T should the Tr many ลทอ ral 0 d mon ter +2 0 regul 84

#### CATAFACT.

حب ·H 84 口  $\overline{\phantom{a}}$ (1) Ĭ --- $\overline{\phantom{a}}$  $\overline{\phantom{a}}$  $\alpha$ 40 > FI ,C + > ty --- $\alpha$ 2  $\vdash$ 40 1  $\alpha$ psule ذہ  $\alpha$ 

t t P P C.L. a pla by tment treat a Ci 0 Q  $\Omega$ Φ > 0 0 Ä ۲-0 G. L. . . TREATMENT

ticit nti a the th UO > ---Wi th --0  $\alpha$ Ç nten a 73 4 60 (1) ا\_\_ا 0 9 F 4 4 67 N ٠, ---+ 4 -4 للك the in  $\bigcirc$  $\alpha$ 40 edua he thi rub  $\langle l \rangle$  $\alpha$ 80 (M) br rryin 0 C 0 0 + 0 lac ಇಗರ  $\Omega$ Wi ロロ 0 +) C d 0 Q 4 an 0 40 ---A ent nt Z 4 0 ent tri tient  $\Omega$ 0 . 0 hu H nt entire body 0 ur 0  $\Omega$ 0 دب  $\Omega$ tm U) --0  $\alpha$ a and D, rea 0,0 0  $\Omega$ 0 the 0 + end D,  $\vdash$ 0 C د+ J sing houl  $\vdash$ 0 C L W a 4-1 J.C 4 ٢ +  $C \leq$ ಗ್ರದ a 0 0 xerci cul the Z  $\Omega$ ಭ throughout 0 a hand hey U ---H oughout 0 0 > Ci  $\Omega$ 0 0 ~ > -[--0 0 40 0 U ich 0 the CI.  $\alpha$ the --Wh +7 • د 4 hr ---50 0 Z 0 40 od CH  $\vdash$ -OLL 40 a H 40 a >0 a W a 4 70 mul -- $\vdash$ 0 خ 0 a 0 اساه ha

## CATAFH, ACUTE GASTRIC.

5 4 7  $\alpha$ 0 12 H 7/) U + 1 0 2  $\langle l \rangle$ C 70 4 S 1,1 0 Fu Si dizzin change -42 -> tomach sudder CP a 0 in the A. L. 0 ٢ 0 Fain 121 Uz H 0 14 1 • • 0 YMPTOMS the the . . W 国 W で 少 W +--4-1 2 0

oma ... OYI nd tmen.  $\geq$ a 40 4 cu ಗರಗ 0 a の の - |---| (1) 17 th th th 40  $\vdash$ omach 0 lthy  $\vdash$ that H +  $\omega$ 2 -+oppos  $\circ$ 9 4 O Ω 2 H  $\Omega$ ---the 4-1 omach 12 O 74 and. II. ing t P 9 over 4 in + 0  $\alpha$ , 二 timul the 1 4 드 (1) abdon 다 '너 Give hand 12 th H 4-1 0 > 0 0 tive th ON ٠ + ಗರಗ 67 <del>ا</del>ب a F ω. Ε  $\circ$ t III en  $\alpha$ 00 hand  $\vdash$ О В 4 0 14 디 > 0 H ·H -0  $\vdash$ 40 . . the TWENT tive  $\vdash$ frcm ra a 50 51 tr 口 ene ا\_\_ KEA M U  $\omega$ -

## CATANHH, ACUTE WASAL.

- [-- $\vdash$ H 1  $\omega$ 121 mer.br 1 0 (1) tho دب 7 musous 0 0 elf Ü, 4 the D D 4  $\vdash$ C F 0 -Sonfin  $\succeq$ laryn tion passages a inflamm and may harynx, sal ρ 40 p. H B the CU the + fec t に に に 9 Sal --WI 4-1  $\alpha$ W Ha may Non C -a ---0

 $\alpha$ 00 -4 H :4  $\vdash$ 80 CU ----> H C 7 and und bad thy blood,  $\vdash$ -0 Д 0 by impure rrh erwi th 40 U  $\bigcirc$ C, 0 H 4.3 е ф 9 a T.M cause ho 0 0 3 Iq > LI suall 0 + 1 OM ty ---0 ナーコ  $\Omega$ 4 0 0

2 +--- $\alpha$ 0 C 54 0 C + FI -دب pp ÚΩ. 5 0 C +-C a S 40 ountry m.c.r.e Ö H U 12, C+  $\vdash$ a دب DO DO

2 \_\_\_ (D 6 -5  $\vdash$  $\overline{\phantom{a}}$ なだら may -O 12 IJ 0 thi thi > G.j. EUS Ω H 7 ecomes ecede th 9 weaknes 0 th ours the = ã 14 نہ ew ho ch ringing in ends 4 --whi Rua 4-1 ext C a and  $\Box$ --eel d Mess Н -4-1 ous 010 (C) 1  $\alpha$ ever Q copi ness ome and + at  $q_{-}$ W eafi on, ight 0 111 On Tr Ţ,  $\nabla$ sua 4 S 0 S amma Q SYMPTOWS N 0  $\Box$ λq infl 0 > Ch C,D cred 11 0 --- $\mathcal{L}_{i}$ 

1.50 'n.  $\overline{\phantom{a}}$ N 2 0 FI 4 0 hot 3 near by thing General -77 a breat hould  $\Box$ cribe  $\Box$ gorous --kept D 124 pres ĽŢ. ta ω. Π. are VI 10 ent water 0 2 4 ťΩ a tie 91. en. 67  $\circ$ pa hei ĹŢ. MO ere 0 a pur 4 Ω 0 04 oths 0 th and the ghly; JO Ch  $\vdash$ H 0 mach whic + ty horou  $\vdash$ truc (1) lanne TMENT ter 1  $\sim$ 4 TO EA Warm 0 4.0 د+ دـــ 7

## CATARRH, CHRONIC NASAL.

1 D 7  $\vdash$ L unfavora () (+) () υ Ω g 0 3000 Or ---70 dust  $\vdash$ ona uti Cf OLU Crsti lati inha ure

eq ri دب 4 13 1 many ---4 1.12 are S rrh catal +-r g 40 T.D ymptoms KNO. well Sary The unne

1 SOO 0 60 0) H ma CI W heate ·H 0 nose grasp 0) hand tre Warm n.e given. the 4 OVer then  $\Omega$ Sing not tive MICT and snuff should J O 00 9 increa hand tion ω. Π root nd C C C C 000 en t a always posit ghtly hands tive the 4-1 me **₩** the Of a  $\alpha$ Of .⊢ .Ω ω. Γ the tion over  $\cdot {\sqsubset}$ The should 0 حب tem er. f t the  $\vdash$ inten ave evers tri hand ----Z Treatment 4-1 £1. nostril nost acing Or wrole  $\vdash$ and the negative treatment. MOM the ten pla th 0 the thum the epeat Squeeze WI by 0 General sibl( ent the hroughout the tm thi brain, EATMENT en 0 trea sure 2 arrh, th twe 800 in W a pres <u>a</u> ent 1 etween much he NO 0, Cl d ti  $\vdash$ cut Da ₩ O th NO P4

OP bef nost 4 0 0 72 ĭ Ø Ø expectora  $\Omega$ the day;  $\wp$ the water until pour J times pe the should snuffed should When three ent نب 90 there 七つ throat  $\nabla$ trl Da shoul NOS The from the water the **د**+ cleared into dn nuff The er.  $\leftarrow$ \_\_  $\alpha$ tri oughly nd TO OI hands hor 0000

## CHICKEN POX (Varicella).

MOTE smal contair first and become third day, into FOL hey mportance in the surrounded changed Cr and they first red. day second elevated, varieties; enth and the اًbecome much arrearance, are the ransparent 4 the Cf appear slightly ON and they considered Sizh appearance ir ninth day (I) 40 1 ky ted, ceeurs in but Sixth a mi the 口 increase small, poil 4.0 in L L The Or H ~ small  $\vdash$ them 4 fluid. nrarcus are 40

The calle icles, rst. ÷Ţ, appropriately Ves opaque the round manner come large 90 more Ch by inilar whi aced  $\vdash \vdash$ Ch fluid repl eruption. wni i n ety, quickly transparent UO ri comes the 2 are second JO pox, day roints ning 1 Cnd

Dat. where <u>Д</u> the the place 4 oben; l'n Well eated spars in and Kept  $\vdash$ 0 4 atmosphere, 90 shoul i 2 hould Snould diet ب. en COOL bowels the pati - Dox had; the The Ci H REATWENT: 9 J EB

#### CHILBLAIN.

W --th Of 0 caus primary the one Ø ٠, exciting cold Although the AUSES

onditi  $\circ$ weakened a han 1688 Or more nothing <u>.</u> ain pJ

m amount They part. on t 8 the 400 thom. tha capillaries emain in tract, D to re minut owed tire power

d pe exercising 101 --by treatment pain, 4 1 circulation SOU t special the parts Jer C equalizin; the affected hand ive the 0 23 1 0 077 eq <u>ل</u> ال

### CHOLERA INFANTUM.

the well 1... Jre pe oues dellines ب 1 Ler moti with the let meather, and C L and the aust the infur-blood ي. اي. temperature, diet With 田田田田 J 0 autumn. in the the rise 7, H has. 213513 chill. weather Witi the

TREATMENT: See Dysentery.

### CHOLELA MOLBUS.

Z, attack the C F OU months; 七十、 nsal (1) hot Dis the pre ead Jarian Joenra Q breast usually .⊢ the sudden or pains D.

I Julis, usually by eating indigestible 0 vegetables 91.5 thi production of POOKel improperly the ravor allu also т О unripe f + 2 ing drinks CAUSES

حب frequen pains The vomiting and 12.0 17. 12.0 17. (1) rec Severe ب س rradually becoming less yet gradually the -2000 vomiting and purging are bowels ۰ pul colorless the patient and cramps usually follow the voniting. rapid the and from becoming short The passage paroxysms, finally ordurs, may be accompanied by Nausea, H. H. 1 til a reaction symptoms. him and yellow, 2001 Virging occur SYMPTOMS millent サイゴ

Mani 2000 should disease. भूगा demeral Treatment, operator this The treating and limbs. H. Give vigorous time for the feet nor trength EATNENT: atment neither

0 + 1 10  $\Box$ 1  $\Box$  $\dashv$ 1 ny  $\vdash$ n0  $\mathbb{H}$ 0 × 1) limbs on. and ati reul ىد 0 the the 4 a

CHOREA (St. Vitus' Dance),

13 1 rr it +- $\sim$ Q £ 0 +-> 3  $\Omega$ ---Con the on. acti Dance, JO motion into Vitus called Jerking τΩ + when 8-1 nd.  $\bigcirc$ **مر** 5 L L Chor emul (C)

enti 0 477 pend the S S unti 1  $\vdash$  $\vdash$ 02 02 03 03 นธนล convul 0 2 3 Spr RE the a gradually convulsions th always MI begins and not these ζΩ 86236 limbs, but this affected; dj. the the 0 3 11y sleep, face Usua boay i

cours and youth, 45 03r 40 disease OB  $q_{-4}$ 23 1 a part may boyrs 4-2 most than or i s for the day only, girls in uently. Chorea t for

m freguen tate nent <del>다</del> 다 によっ C denti  $\mathbb{M}_{\dot{\mathsf{l}}}$ (f)fre ---most debil connection the 73 (t.D.) secon through tend t ucstion Irritation of in would considered, Chorea 12 beyond all 0 f whatever predisposing to 40 . T 90 chorea rror is i. may Of: generally causes centers Thi Sh 0 21136 S S AUSES:  $\circ$ times ting SOX, cance rvcus 0)

 $\Omega$ Hypnesi quie tho treatment Manipulate (n) (1) (1) special Treatment. ゴ い bowels 95 70 . [ Guneral おびに 2 stomach 4-4 いってい nduced, the REATMENT: Give اب. (I) saculd 1

COLIC (Ileus).

Weak حہ omen, ting ರಿದ್ದ d vomi m OIL the ·H oret. and ĻĽ M nausea  $\Omega$ parl 0 口 د ping th 0 Wi ate 드 р ()  $\Omega$ ccompani **د** generally ted 7  $\Box$ a pl ti a Vì a sometimes erm ದ bowels to T ttributed of the H are  $\circ$ Coli CD,  $\alpha$  $\Omega$ whi  $\Omega$ NO NO

cuiarl 0 W a rti  $\bigcirc$ pa ľΩ  $\vdash$ erva • bowels 4 in the with in NZ pains ti alterna Twisting omach, . . SYMPTOMS (1) Ω,



PLATE No. 22.



LATE No. 16.





40 CI XC1 te  $\overline{\phantom{a}}$ .\_ 54 t p -4.0 + th -~ > +0 D H NZ a and ration ti. cons \_

017 hands stomach entic PC and int 4 0 strong th On fee CHO Give hands the 0 inte and feet. give the and exercising L L placing Treatment; the hands by treatment, members, ecial treatment, General in blood Give of the special secretions the 0 0 0 0 TREATMENT bowels forcing  $\Omega$ ·H m ロロロ 0 د ـ FI T O J O

### COLIC, FAIUTERS'.

4 CCL S. -rlumbers 17. coming G\_\_\_ LY Z 1 1 7 0 the , uns +0 117  $\vdash$ U SS D  $\vdash$ such H 回以 ters

orei pat breat CCIC Re  $\Omega$ ---Someth CONS the d. N N +1 thus O F SWeet CLIOF, puls peculiar fetor becoming a small --there ulst mouth CLO ನಿಗಿರ 12 engriati a CCEP the become discolored O E a .companied gums membrane 9-4 mouth, eeth OWN  $\vdash$ 0 T

timucrder that Ireatment 0 ťΩ in na 12 pt equalizing the circulation, a tion in Gereral extremities tem. trorcugh healthy SVS the tre patient the t O the poison from creans throughout intention of tory --gcod expel exur EATMENL ·H ng the the

4 PXe breathing Very аке enic in +2 t 0 ころこ patient are D C U +> + truct

#### CHNS.

H +-14 PI 0 1 1 to nee PAIN. Well-Kncwr CCFIL Cf 100 ymptomy are

share aria H 02 improper Of shoes Wearing AUSES:

rni D'I ಇಗವ away. night cut hot water pe should feet in <u>ا</u> soft, the omes the O 田田 be corn EATMENT

by Crn ن the iven 9 should treatment pecial 71 Forous

0 1 口 4 U 54 OUU  $\vdash$ CL  $\alpha$ ircul GF 6X 0 and C Ci زبز 50 다 70 Zi  $\vdash$ ۲ --- $\vdash$ dua 124 r L JO With につ ---C U 202 1.0 ٠, che 0 th bing

# NHUCPING COUGH (Pertussis).

O whi ound lahod chi 2 in pecul tly MOS tine ter occurs 4 77 +3 name cough.  $\vdash$ 0 the 73 Setuca H

The SIMS parox soft hygienically De J houl much the during AS 5U 17 clothi lives pure. given ient the and Q Q pat. a 4% Soft spare should the 90 and that Cesires should ght 0 0  $\vdash$ --drank tient 9 0.0 TMENT -3 מח H pa 4 تب 口 41

no nflammati 91. he Plexus, hand throat. 20 positive ا---the N equali Cervical the laying 40 hour the O Į in a I the OUR ON ecretions hot and place the intention of ntenti hr over 4 nand  $\cdot \vdash \vdash$ 0 OF the healthy negative rvous with very with Ne ment, timulating nands 0 4.5 Д, Ц rren Hea rg H the + m H ral Of +2 D

# CONSUMPTION (Potonsis Filmonalis).

bad ery 1 0 < dabl era Da 4 0 en formi ZI PO tion 60 D. 0 The nvestiga H 4 mos 1 000 1 di r R and the 0 اجا٠ the the 0 E D D and Whol affects Ы  $\subseteq$ . . ttack 43 ttenti emp. the that a OU かれて victims ecial any insidi ---0 40 H. the person. red the . | | | furnish 1 N H ence  $\mathcal{G}_{\longrightarrow}$ 7 12 val 40 1 (1)

han har  $\bigcirc$ Z Z ceive  ${\mathcal O} \\ {\mathcal O} \\ {\mathcal O}$ ре 0 00 0) 00 and 0 4  $\alpha$  $\vdash$ ·r-1 ಇಬ್ಡ ПO 0] thought; preventi 口 alarm  $\circ$ fever, 0 those Widespread  $\alpha$ 8-1 scarcely their M.O diseases tnumber 7 20 for anc ion U O OUL such いけ ೦೦೦೦ಇ೫ receiv far  $\alpha$ GI era and cho  $\nabla$ cnsumption --ter sumption DOX  $\Box$ 4 0 hara small-FUL CHO 84 0 0 H 1 0 ---4 口 دب MOS ----

cen 0 entirely the ely H confined D F-1 ٠, CUO 7 onsumpti ONO  $\bigcirc$ erroneous that common idea Q The 0

ದ -0 5 W (1) 口 4 5 SI 0 > 14 0 J C 0 0 a H

7 (1)  $\sim$ \_\_\_ 40 E B 40 40 + 5 ---0 077  $\cdot \square$ F, +-> O ---10  $\cdot {\sqsubset} \vdash$  $\sigma$  $\omega$  $\sim$ MI  $\overline{\phantom{a}}$ ಹ 0 nal 8-1 > ----84 + ---On  $\vdash$ 40 rma mu (S) SI  $\cdot {\vdash} \vdash$ 40 :3 4 .\_-0 4 1 口 54  $\vdash$ 4 EH

nd  $\overline{\phantom{a}}$ 5 1) () 40 51 ---45 . L J VÌ --bi ب 13 ---C d 4-2 tary SI UC ofula H 02 i + .IC? CP -1-4 13 -E anything 4) perfe a 0 + 17.0  $\cdot | -|$ 1.1 1 + 4 --- $\cdot {\sqsubset} \mid$ O P ons  $Q_{I}$ 4 4 p 3

dun. On. İ () OILSI n. 0 rn T/2 ---ne tha 77 rr( 0 P by 0 + H ---5 ry 4 • 0 a  $\alpha$ ency <u></u> ب 40 di. තා prough 40 F.D.  $\nabla$ S L-I Whi 4 4 n e Lry 77 --------CL) 4 40 edi pa  $\cdot {\sqsubset} \vdash$ un.pt. her 85 4 ary + ا\_. +  $\bigcirc$ nsmpt  $\cdot {\vdash\!\!\!\vdash}$  $\Omega$ 40  $\Box$ H have H 1 1 -+ ) 口 4 1 SI 4 ---NO  $\vdash$ 4 J (1) -----Õ 1 1 +  $\leftarrow$ -H +> ---

50 1. 3 may and . H SI 1 5 3 0 13 7 +-> are Ä 0 Pumomis 0 +2 ing ivi 40 42 C+ niti C 0

0 4 + 1:1:5 ti n. S ONS u'np BO 0 81 41. () 70 J. onsi , R H حب has eri C divi --C. Ö a (I) (1) who Ct 8  $\nabla$ 40 60 05 7 tment H ന ದ rong 4 aken th H eral C, e V uc puls Q m 4 ON ence 9  $\overline{\phantom{a}}$ + 1 SI 0  $Q_{i}$ pe. Z ni Н the children in the children i are نب Li. opil 7 far for 0 Vì the a tion; C) (1) حہ quency ilin ----4 \_\_ O t で b1.  $\alpha$ COM th ymptoms tween  $\square$ emaci T 4 875 ent fre may true Fal Dr  $\vdash$ رب ج 4 be ----1 0 exi 4  $\cdot \vdash \vdash$ 200 Ü, 00 1 3 the 40  $\dashv$ •— 0 the C. 0 when P4  $\cdot {\vdash} \vdash$ ever e n tur ng : en may て Д H جا ھ 0 Z t D -ON +2 C. 5 14 Wa 42 0 ----

em 5 ent 0 W 口 -[-]  $\bigcirc$ W 口 ---4 17 40 ----Z  $\Omega$ -Ω 'H U 1) ar C 0 27 03 口 H 57 0 51 42 have a ----bu 40 where  $\alpha$ C hey 50 디 H H (1) -+ th 1)  $\circ$ + 0  $\Box$ Germany (D) 1) 4 Z en 4  $\; \sqsubseteq \; \; |$ ----디  $\vdash$ 0 ·H 7 2 S ---- $\alpha$ H (1)  $\alpha$ (I) 5-4 20 773 40 ----H 0 m 9 (1) 40 73 7 tutl 디  $\alpha$ cure 0) mp 3 1) Wi +0 0 0 dry OT t I 4-1 50 4-1 0 'n  $\vdash$ are Ors Z  $\alpha$ (D)  $\Box$ 7 033  $\Box$  $\Omega$ 40 an K. H. nt 40 0 erm e  $\Omega$ 7  $\alpha$ -MIL 디 - $\vdash$ + 13 10 a ದ್ದ UO ----0 th 01 0 + 0 0 ---0 Ī Th  $\Box$  $\vdash$ 10 hn. a 40 (1) 27  $\subseteq$ 

Of 874 air C 0 1) 1) 770 H 1) 4 S D, CO 7 .[ n H 51 0 ()expo +  $\omega$ 5-1 1) 57 65 hay. 4-1 edd (1) 070 t D vely 5  $\cdot [ \cdot ]$  $\alpha$  $\bigcirc$ 0111 2 H J ten 7 H اب-4-1 40 0  $\ell\Omega$ ಚಿ (1)  $\Box$ ha ---() a omba  $\Box$ コロロ 71 unn 다 0  $\bigcirc$ m ---4 ٠,---H 4 nsumpt  $\bigcirc$ 0 (1) 4 23 0  $\vdash$ E E 37 (1) 1) ---1 4 ,d 0,17 Scd (1) () ()1) --enever 12, 5-1 thing E E ر د د her (1) ---디 -Z 11 0 ロロの 4 ry H 1) but 5 ロロの 000 Der UO  $\Box$ 다 디 T 0 0 201 hi (I) 0,0 17 3 いついなに FH 77 DJ 口 50 a 5 ble 40 0 14 40 ,5 10 ا\_ر، ш Ц  $\Box$ + C th 010 ----C pog  $\Box$  $\Box$ -J -8-1 th an n 9.1. Sh 田田 Q

ग्रव HO Cir Mid ;; 0 17 17 +-) dun 77 42 (C) 1  $\omega$ Z pla 20 ent whi -40 N N 70 ರಣ 40 a  $\Box$ 为门 ا\_. ating careful (1) Q  $\vdash$ pat. 40 4 (1) 40 E L 0 0 OUL  $\Box$ (1) 4 S 5 ,0 1) 0 40 4  $\vdash$ oul The  $\Omega$ (1)  $\Omega$ 7 0 onsi + luci ---ന en 1) S being 0) ばの 40 4 8 tm () JU O mus  $\Box$  $\vdash$ () N sumpti body 7  $\Omega$ rea け田 0 means th 4  $\alpha$ 0  $\alpha$ 4 د H 40 ರಿಬ (1)  $\vdash \vdash$ (D) 1 TO The 0 ene H the  $\Box$ +> erci ---any The . 40 J 4 0 77 07 ous 0 ವ 4 • Z ( ) H 4 40 nt On a  $\bigcirc$ 1. 0  $\circ$ OP 0 ---however, ---On 40 ompli 0 دہ Vigo C haus 다 니 40 functi O U 47 44 ung stema 0 -(U) th ty  $\mathbb{G}_{\times}$ 7 houl tre imagined, nd WJ en Of thing, > a 1 Tre - $\alpha$ D, 2 8 97 4 hort nd 25 day DU and and M 73 1) 50 TMEMT 8 (1) - 5 ing, (1) (V) 0)  $\alpha$ 8 once 40 ш Н once 0 n. in 4 grea umoni REA 0 0 L ure OL 0 ナー H FH V ON 81 (A) 1)  $\omega$ (I) 40 07  $\alpha$ 

0 4  $\bowtie$ (1) 0 0 4 (1) (1) H ---- $\bigcirc$ ---Z -H () 8 × 1) 0  $\bowtie$ 72 얺 0 hing 50 th 40 On ۲ brea -4 40 0 Z Z رب د+ 3 rmi 0 Ω, H  $\bigcirc$ 4 0 Ø 4 (1) ---On 40 --- $\vdash$ دب han pra fu 9 40 0 ar 4 5 J XCi  $\alpha$ oul  $\bigcirc$ 7 60 0  $\alpha$ C -COM (1) 40 2 E CI -8% 24 Ď, 4 NY C 0 P 50  $\alpha$ un  $\alpha$ (1) 口  $\vdash$ Me De ---0

#### 0 Ĭ 0 > ----دب M 0 0 2 $\vdash$ F d 0 $\vdash$ 02 O O

S W (1) 0 the W H 10 ,C 5 H Φ + |-----| performe 0 he 44 M D  $r\Omega$ Pe 4 H ſΩ -5 4 bodi حہ Z a د ـ (1) resul -:-H thos (1) 0 ಪ the im gul 4 the NO vilual trous 0 me تـ 40 FI īΩ nd ---U O  $\alpha$ 0 D. OU 0 838 indi ----40 دب Wel 40 cti دب Z  $\Box$ J  $\cdot {\sqsubset} \vdash$ 0 upol 4 fun ery NO > تہ gularl produces na > mental 0  $\vdash \vdash$  $\vdash$ W 0 1 thi  $\Box$ 50 بہ Z FI UO re  $\alpha$ when 4 -er the comfor pa د  $\Omega$ <del>-</del> 1 T  $\cdot$ 4 0 for 00 4 |----| Of W OL OIL 13 MU د emen () 0 口 4 0 Q 0 OM 4 0 **S** oon  $\nabla$ H + 7 60 0 2 0 > C end -40 0 ナゴ・ H W 0 4 4 Na J (1) 0

d W 0 ne hei ナゴ absorbed mpuri intes ecomposed th 50 re Wi ar  $\vdash$ ONE 7 دب --the د ---port: orrup  $\zeta_{-1}$ -1---until 40 fluia  $\Box$ 0 thus eranzem ained (1) th and  $\Box$ 40 (1) caus r.e a 00g 150 D D --be 10 bei ion the follow 4 FI 0 4 into ن 40 HB On 70

the urine 9) COManj by 0 Į. the 7/2 J Ū minc an fluence 0 0 ON - [---0 nd. he the  $\cdot \vdash \mid$ etion  $\cdot$ ini Ot pre M and The ecr Ver W  $\nabla$ ťΩ W 20  $\overline{\phantom{a}}$ 1 hardn 4 bundant them, H  $\Box$ the 0 ದ tha ing OIL a  $\cdot \vdash \vdash$ nsi void ons Ween e r ---0 the t i ymptom D ppre 0 4-4 fun be an 5 . -د T cul. T 0 th N. C. Wat 4 ffj. DJ upon di. nj SYMPTOMS  $\alpha$  $\alpha$ On  $\nabla$ 40 ಸ 0 mpi thy ent たけ Da g ----Cho

7) --to 0> Φ .\_\_ د 00g naci 4 Ä. prepared ture T 沼 - $\triangleright$ improperl  $\overline{\phantom{a}}$ H  $\circ$ 1 C 4 orsupations F Ę,  $F_{-1}$ 20 re Di edentary AUS  $\Box$ 

 $\Omega$ 100 1 H impos 3 ways  $\Box$ ent a **E**  $\vdash$ tie ing seem a have day pa bi should 70 L I hal the may to 0 62 On d 0 جہ trive (/)but tha time thi become 1/2 first 4 + same Nature should insis 4 L'S h t  $\vdash$ wil 4 13 t the 50 ----7 JO H shoul Φ patient اب. د+ day; th T C ion M ter ime DO CI regularly Ch. ntimat healer iri WB 4 The 9 short + re time hol ---The ,311 the Of ore same 70 0 Ø REATMENT 2  $\alpha$ th  $\vdash$ 27 د rjus Wl to  $\alpha$ ST 90  $\vdash$ دب \_\_ nd W 7 0 W 40 3 d  $\bigcirc$ 

give by nd d C 0 د od ond 0 1 O 0 11) OF bowels 50 £1. the he نہ 0  $\Box$  $\cdot \bigsqcup$ en tmen t t ゴ pa the Trea 0 Ö

and Ħ ×  $\nabla$ a 0 C  $\overline{\phantom{a}}$ Д W and Z  $\overline{\phantom{a}}$ ra C.T.  $\circ$ H 0 Q - $\Omega$ 0 4-1 4 4-1 0 ----3  $\Box$ 0 odd + On 54 ON 1 اب. > 4 Z cut 0 hand + pg 0 5 a  $\Omega$ 20 1 tiv 0 th 0 4 posi  $\overline{\phantom{a}}$ W 0 H Mod Q 0 0 ted and ---0 th 9 -Z H 0 the 4  $\alpha$ ~ N Si Si 4 4-2 80 0 0 0  $\alpha$ 0

0 0 th S .H M. 国 be EV Plexus ent  $\alpha$ ma should  $\Box$ nanu the hand  $\Box$  $\alpha$ over 4 Sacra tion ert t W 0 tor: + 4  $\vdash$  $\alpha$ peral Worked the the opera 1 40 with over the gradually 0 (1) the 1) Shiy hand thi 4 40 tha (1) horou  $\alpha$ ive In order pe 4 C ti 4  $\vdash$ rection 32) Dos should On ire in COL and the で 1 ame don ---t, he 3 and  $\nabla$ keeping 0 ťΩ te 30 the --oppos pula 0 もりず NO in ದ the tes he vel on; 4 a 1) Sam M 001 13 t

12 K 7 ſΩ Par th Plexu  $\Omega$ nu to 0 ·H t 1  $\alpha$ exer ೮ enough should On ing the  $\vdash$ nd en Cervica bdomen; 0,0  $\alpha$ rci C rom great 0 حہ Mel exe mus Dowel ----Q 4 00 the (C) [2] --the Care not Plexus the tile OU 4 LI Of The Zh. nto .— 33). hand 4 OILC, brou center sure • acral ----1001 0 positive 1) pres nut . Z obstina the (see cut Ω, mi 4 the the th een the + an movement that hand carrying 40 patien slowly - J Cervi kneaded Place 40 ·H ersi nerative Case ten the t L L  $\overset{\times}{\oplus}$ pain roughly the to touch thing tive the tenti H xus hi 4-1 JI ause CJ nls Pley J.L NO I

SOLL ---0 roubl 4 7 40 5 4 4 77 i n d ert  $\circ$  $\circ$ 1m( 40 CT -----14-1 0 (1) one tment Thi PE

#### CHAME

42 W 40 0 Z  $r_{f_2}$ ++ mus 1  $\geq$ me 3 -4 0  $\vdash$ pain. 4 bu d Of Jute contrastion usually 1 rat by a T snirt ompanie involuntary body usaally ---+ F C ---Н  $\nabla$ musc crder Thi Cu 0) any 70

swimmers -. U 4 a = 0% er i cold, 54 8 ひてりつ ر, いいに exp dre reat bowel AUS CH

th m. stirp with g rolsly 1 + i n , 'fer+ rrt the inten atfrotal 4 11. . . . . . . . the win the Treatn na, de, TEEATTENT

 $\Omega$ 410 nic S mati SO L ti (B) J elrane producilly 11. T larynx; ashger and windpi ガゴ、 + he Lronchia inflammation of u . the formed extends to usually  $\Box$ 

up the Ch sound DJ. Whic tone 019, Whee LTIN  $\alpha$ days shrill もたから  $\alpha$ pe uliar も図り JS ... Ily in appearane after . ^ Oral the grorg nspiration; pr ars, Y.PTOYS:

(1)  $\square$ Treat t kept 1, DOW a 1 the thatt necessary. 9 fever rompt reatmen "Cold." The @1y absolut action. <u>-</u> ب under ral ene tment described --this s -Give sure traai rapid Od first; oben. The × (1) <u>മ</u> വ ы. С حب THENT: the ---Hel  $\alpha$ rom 0

### DEAFNESS.

0 -0 4 through tight tak . can scripti he day 40 outh 5-1 aii aji Cr nin.  $\alpha$ twice NO the first Know arry Instruct hi that force OL Ω (1) need the Clos 0 onco B and nd t 0 in in air Treatment. S known eaths patient ears. open hi bre Well Dag 0 the holdin D deep د+ the eneral sal Of 100 in na take iace ime  $\Omega$ tubes 5 the -1 erci 1 0 ame and through troub TMENT him and achi the ru .t HAH 田口口  $\alpha$ 2 0 0 00 br in 0 , C

40 H a nou 0 C ound 4 S 0 The but orce popping . through ard Z 40 00 H f 0 J and 4 e f forced trying cking +  $\Box$ 0 cra S by  $\cdot \vdash \vdash$ ars 8 1 ---4 th  $\alpha$ 1 口 DY the E L hì hou  $\Omega$ --th. when Z • ra g M 4 > ead 010 0 ය ධ حه 7 pla Z Z ough で ದ oul m M (A) 0 0  $\alpha$ Д ma C

0 W 0 Q 0 C 1 ing 1 8  $\Box$ ne Z 4-1 Q FI  $\vdash \vdash$  $\alpha$ N 0 ger 0 حب cuum emov  $\Omega$ tor the ----8 end fing -audi 4-2 54  $\Omega$ Z 13 S 0  $\vdash$ حب th time a tion fir sua the orm O.L N the Z  $\nabla$ Ci 4-4 ruc 0 10 ing Sull T  $\alpha$  $\overline{\phantom{a}}$ 70 4-1 -40 and MI د  $\cdot {\textstyle \vdash} {\vdash}$ 0 the a 13 Ω Δq timul  $\supset$ which Thi an  $\alpha$ 4 0 tmen  $\alpha$ 40 A 20 . FI denly (J) rì 9 0 FI ther inge F-Iintention 45 45 the 40 4 4-1 sud -0 4-4  $\alpha$ NO ロ 07 the --the them Ū حہ nd Cu 2 tion. Ø hal th the  $\Box$ 0 8-1  $\vdash$ 0 M (1) 9 emov  $\Omega$ > hand  $\circ$ ナゴ th a irmly OU 0  $\square$ --thy ---FI - $\Omega$ N --and 4 0 0 2 ruc > ت. > (L) Q <del>را</del> the 0 W  $\alpha$ C ear cur  $\Omega$ t 0 pr (1) QO 0 C

### DIABETES.

 $\Omega$ on dry  $\Box$ ubi un •-edd 7 Wi E tful and 4  $\Omega$ W  $\Omega$ H eq ----a -mes N N nd re 口, 上 th accompani 0 mi  $\widetilde{} \vdash \vdash$ ٠, Wi 0 someti waver ur and insatlabl The body, rapidly , TO stied bu t amount but W lungs the  $\cdot {\textstyle \vdash} {\mid}$ ati 4 tes and ed, (L) ٠, from relie The  $\Omega$ the ch progresse K B dis 1 40 unpar ナゴ ten . ₩ 9 ppe sui FI propose + 4 4-1 0 en 0 a nxious ಶು amma ---esh ous exhalin ナゴ・ 0 odor  $\Omega$ pa 9 4 C Voraci  $\alpha$ 0 lean <u>'</u> th ry  $\alpha$ OF 0 th and 0 the tu دب p - 4% > cen ful the 0.00 ٠, 0.0% tural ting YMPTOMS n,  $\overline{\phantom{a}}$ ha تہ (U) in K KO OL rus ady ue ---,C حب +nd Or H a ---4 7 UΣ

1 - 1 - 1

+-+ O ar bout nte 2  $\Omega$ end 000 4 حب 450 tem 50 --- $\alpha$ ing  $\alpha$ р П S  $\sum_{i=1}^{N} S_i$ in br are 0 Ω () th 0 0  $\alpha$ 0 62 ·H 4 ma d  $\alpha$ <u>ال</u> ---4 thi  $\overline{\phantom{a}}$ gon bj  $I\Omega$ 'ni d.e Of and 4 ever OUO t j iver 4 wha 0 cond 'n Ħ 3 sed ~ however the The (J) حہ 0 0 noq 7 田SS AUS Known  $\alpha$ ance 84 1

0 0 > 8 ---1 0 50 Z  $\vdash$ G.  $\alpha$ the lment 4 4 ma 0  $\vdash$  $\alpha$ 0 Dowe Z thi chari tive ing 0 حہ  $\circ$ rea defe  $\bigcirc$ 디 1d the ا ، 2  $\Omega$ Z حہ 0 W 1,60 sibl the Ω ength Off OQ The  $\langle I \rangle$ 8-1 1  $\alpha$ . . CU ΤΩ TIMENT far the to REA 40  $\alpha$ -1/2 bo 0 디 Q 80 9 W

rink で OIIIO H 4 حب en د ا Ba 0 口 9 D 1 14 0 + ರ್  $\circ$ Z S 0 0 7



PLATE No. 18.



PLATE No. 23.





Very little food should be taken; the less the better offen ar his been tote, but he should to allowed all he

Place the putternt in the tirst or second puttern and eiver Soul a current the lord signification was any Expublic planing the heated positive hand over the right galacy, and eneral Transfaction Give the kidneys recorni treatment by stuniating the Kilm y to healthy land over the ablomen opposite. the thent if possible. the intention of e negative 11.1.1.1.

## DIM. LIEV.

low and green bile; enturrhal, when they are of a semi-transnatural and frequent evenuation from the teachs of a nerbil Diarrhea is said to be billous when the discomposed nostly of serun highly colored with character; serous, when the discharges are vitery, sometimes mixed with bloot, bile, or ingesta. ·/· 10:11 1:01 The Till etton which is preprint musous to thind. . Hally con all.

The earse are miny and varied; it may be brought improper and indigestible articles of impure witer and air. un leanlines; F 111. CAUSES: LY COLT

SYMPTOLE: The symptome are negally at first these of indigoetton; fullness in the stommer, flatteney, and celleky pains. (III) ublom in, SKIII. The re may be an umpleasant sinking consulton in and with the discharge Feeble pulse and cool PREATMENT: Assertain the chuse, if possible, and remove it. so sere cases it is best for the patient to lie down constantly surrountings are as they should be. He should drink plenty See that the pullent's habits are hygrenical, and that his pure water, and he should keep perfectly quiet. In

Place the patient in the second position and rive General

placing the positive Give the howels special treatment by

 $\Omega$ Continu upward, the UO ٦. ۲ hand bring 4-1 minutes out o Slowly Plexus 200 Plexus, --carrying the blood 4 nega. hand wenty Sacral Lumbar the positive 0 1 the and fifteen body) to the ~ the Plexus reached intention of Move some the cral has touching S 4 4 tment ا hand 1 oddo th the H OVE. ing the bdomen hand When C. Wi H

DROPSY OF THE CHEST (Hydrothorax).

0 the ----H ON ---٠, oppres pared eep N and O Į during ense red urine  $\alpha$ starts by countenance; characterized and palpitation  $\nabla$ Ç', ----Thi 0 ٠ ٩ N.G

abou. howeve COULT lingers ime, 4 dist position. 220 fever dangerous becomes advanced  $\alpha$ after reclining S107 breathing ble; JO and persons impercepti not oppressed in 0 f does in rest difficulty chiefly 4 disease 1mos1 cannot Q and ound the the tient NUM radual rs t thi tem; 8 f. brea. the  $\Omega$ At 1118 + Le

pag Dropsy. llular 0 0 0 EATMENT

## OVARIAN DROPSY.

opsy A  $\alpha$ --- $\rightarrow$  $\overline{\phantom{a}}$ 田 EA

DROPSY OF THE SCROTUM (Hydrols Sorota

anera\_1 conten 177 this O.E + veirht ٠, in the through s rot m Hydrosele G G transparency The called pe the pain. ttain sometimes the without candl  $\alpha$ t0 a known known slowly and .H W that ·H su h bee di. has po mgs. いにい

1> 123 --grs. wounds parts ~ Blows other CAUSES:

- $\dashv$  $\square$ حب 0 ----a th that TREATMEN sible

(1) ---50 nd UO -------SI 40 FI 1 4 in 4 en en ナゴ・  $\alpha$ 2  $\alpha$ 

0) by the 3 Si nd tnen rrent a trea Plexus Scrot IT. special sending Sacral circ lution, the crotum the scrotum, over 8 4 the hand rplus Give ulating Che Che positive tment. tim the 121.4 rea the 4 \_ 0 QI CI

W bdomlri A (Hydrops HH PSY

th D. I  $\overline{\phantom{a}}$ contained abde he ..... Abdomen cavity Dropsy of the the in 0 1 organ 11.7 affected ď,

(C) Dropsy ( Cellular

## DROPSY, CELLULAL.

thi 100 .TO predisposing cause cold, nte t 0 exposure -Of. fevers, great the Liquors, OL  $\alpha$ Debility SCroi of Dropsy. nduce it gout, AUSES: od,

UO the inactivi دہ H An respect scles and nd respir . ed surcharged 40 a eral the į. the Cia . . costive 4 7 4-1 ا\_\_ 5-1  $\alpha$ are consequently eve 4 waxy; bowel ppetite pe eyelids and tua the 13 rpe sallow the 4-4 Slow; the and  $\vdash$ 2 enera Zy; and  $\alpha$ • complexion organs пg face Wh the a pulse and 40 The 178 and the the MPTOLS: the קומ Weak . . 70 pJq OUS р О ncha 1 ついて ad uncti (U)  $\alpha$ 1

by and general the tment unstimu  $\dot{\downarrow}$ · | parts the aresi surplus debi J 0 the trea ne stimulating the an habit 40 . Ω the pecial tore sult J 0 that over rest the Off and 1 hand plexus carrying parts J 0 10 Will sparse the  $\overline{\phantom{a}}$ negative ntention  $\square$ ing W C the afflicted  $\alpha$ be very 0 by looking L'I such over cause ----4 the the اب. hand pe should the great and  $\alpha$ with should done positive 4 0 Give ر ( order parts current The dj. --tment nature This The in REATMENT sed the on, (A) Ф Ф ent N N th E E dj. C 1. 4 ----Q heal د (1) 40  $\alpha$ 

under hing, ined 9 br outl eep Ø  $\alpha$ 70 5 tmen t 0 ak rea 0 ent al Cli  $\cdot \vdash \vdash \mid$ 40 Da (1) 0 S 0 th kidney truct the NS 0 >---(L) 5 0 W abe water  $\circ$ 0 Di

### LESSON X

## DYSENTERY.

the nervous OUL tion the JO vari Ø --cera in th UO ttack Z Wi ر. اب، pains ul u amma Z accompanied  $\alpha$ th The --pa infl Wi severe 80 0 0 achin tines tools an by Ø intes and  $\Omega$ ------distinguished bloody disease ~ Flux  $\vdash$ large chil and Bloody The  $\alpha$ the th scanty HE  $\Omega$ parts ---0 OF body in and membrane requent, hered Dysentery on, the ected prostrati  $\Omega$ 0 mucous times W men; H pa.

abdomen Φ th  $\square$ ---Ø  $\square$ --a  $\vdash$  $\sim$ du . . 0 4 t L bbe a Of  $\Omega$ Los 1.0 SYMPTOMS  $\Omega$ rine a 0

4 tmen Ф В Tr  $\vdash$ nera D U erous 50 Vi 0 > Gi EATMENT ഥ

# DYSMENORRHEA (Painful Menstruation).

the sickness and (1) (2) KU Con-3 0 before charac : houl 0 more Ha th bed pain 000 lancinating body hour <u>د</u> pain, often The g 0 ometime the twenty-four 10 sing ef. very JO led reli  $\Omega$ ದ increa other functions compel JO and ·H brings  $\Omega$  $\Omega$ thi commences with her and  $\Omega$ --but 4 often patient 0 continues oins in pain, sometimes 0 Menstruation, like  $\vdash$ flow --and 60 the eural without the and back until JO stress begins, ome, the place ting, mencement Ø ロ ----·H in 7 flow take omi 301i 4 and 07 ter

the bring and cover 0 back increas  $\vdash$ -0 The MI bath, حہ extremities eatment and that Sitz surface, and such tr 0 heat the hot foot magneti pe the should t0 gorous and Give 00g tmen t pJ bed VI functions. trea the pA in Of warmly The • thoroughly On . . ati TREATMENT ratory ient rcul 01 ghs Spi Da the per the thi

(1) 7 a FI • a Z pel the lengthened in walk rly ,Q houl a regula 0 0 bl ре .Ή 'Ή d 10 shoul pod 4-4 -1Φ 0 stanc + en ---۲ Da اس. d

5 نب Sell a 50 0 H rcul 7 دب an, Sacra opposite <u>-</u> pail. UO t1( spe the the ---pos. the equalizing organs bdomen over second ting hand Q  $\alpha$ enerative the 5 1 CI positive 0 54  $\pi$ OVE H S ticn  $\cdot _{| \cdot |} =$ hand nten the the ted part 0 > the i in Give hea , T ent 1 negal the tho t L tment. ti . pa he + ing hroughou دب the 0 rea curren and pl  $\vdash$ 0 by 3 exus, ra On ent 1 0 Ü

## LYSPEPSIA.

CR millionaire 7/) 3 sympathy aid bli 3  $\alpha$ digestion di . TO ď sposition the number indigestion. needs healthy rreat di and erful K 5Q man, . chee primarily lives that poor a ract p p making tion. ದ which KNOWN ed --organiza On N erially i たゴ 0 in well are 0 ty 60 ---ommuni d tal T nt H Dood E E omplai 10 very t L the no

to erei suff gradually tr.e though 000 L L eq roce Uz friend tment. 54 and rea , O commence دــ suspicion active may desires the a Dyspepsi 0 Cit ally

(1) Ï 0 Symp anxiety (C) the flatu the Of 7 mouth, egion. sluggishness, onfirmed, t h 5-1 Φ Ω 1 the the hr ir ensive in becomes 0 tast \_ ness ity off( fulli bad irritabil sease bad dreams, Φ heartburn, OL ppetite, ----J \_ uneasiness the impatience, S a YMPTOMS: When poor sleep, drowsines lancholy, ght, sturbed omach, Wel ency, 4 ---

she tomach ons 04 dimini mind, CO. functi 7 Ø ngu the CP Whatever the food overloading body OL Of, the health, ۰ 0000 overworking t i solut articles, 6 the habits 4 0 84  $\cdot {\displaystyle \mathop{\vdash}}$ mpa by bad 8 indigestible 0 2 digestion. trength, i S the caused meal hinders J O Ø -[-] W Dyspepsia eating arity sure general mea irregul  $\alpha$ 0 lif f00 the

C دب  $\omega$ د.ب bj 0 प्रभ Dr the W --en ب tha ت (A) 0 0 0 000 4-1 should he فه حب tha healer ~  $\circ$ hygieni The A TMENT: 0 H en a

+2 th. air and open ten, the Of in and exercise > arl regula Of the amount ga 40 en 0 onabl ---40 pa reas the 40 Q tha akes 4

the Liminirg ಥ COJ Send pecial 2 his r--| on, the over stomach. positi ticate stomach stimulatirg the hand mas econd the that positive the t 0 over See him Give Or 4 Instruct the intention negative hand action. the heated firs Sloviy. the healthy very in tment. by placing tient exercising the eat t 0 Treat and pa t 0 tomach the eral Plexus, thoroughly; tment, urrent, ace en the 5 rea + Q

### EPILEL SY.

tendenav tution the deep consti herealtary tiven-si the liquore, impairs Q are alpoholic foods which anything Sposing H. Kinds ndige etc. predi all ---are insomnia disease, The n. tion, citing

zhing 9 4 These convulsions ---sleep, suidenly; deep 4 awakening Ponfused foaming Q ΔQ ronsciousness followed back;  $\alpha$ Upon --into purple. roumstances turned sinks more are loses and OL countenance becomes patient then eyes minutes G. ~ subject minutes muscles, Pe realize thirty The The three the SYMPTOWS: for first nspiration. Of t0 the last idity om two ۲ mouth; 1-3

0 condition ne-3 Case spinal near down intention the in the S1.  $\alpha$ patient, place and down to than the face, Also on, passes ther the exercising coming Treatment. hi. Instruct tomach and make else over are hand, hand something spells General circulation. his positive the place JO Give the when think eyes, with the the OVER REAT (ELIT: conscious, 0 ualizing hand his sible olumn SCO  $\vdash$ 

ಶ nin ecli 4 in 90 should should ent ナナ pa the 4 -1 the During

U2 H (1) (1) 4 2 Z a en 40 120 4-1 (1) 70 1) > pre 0 7 C ته ťΩ 4 hì H I the tite . . a 14 be 0 C > 40 -1-1 bou t 4 Z ced د. Ø th T L  $\alpha$ J A pl  $\nabla$ -+ 4-1 7 UI C -1Z 50 + 8 pj. 0 8 7 Z Q PK1 0  $\cdot$ th 口 na Z 7 4 70 0 H 6 UO 0 4 4 a

m 7.0 MA 0413 -+ ) (1) AR FI 3 دب ---0 84 4 ) 4-1 40 4 g 7 enc Pe H  $\overline{\phantom{a}}$ + 4 15  $\Box$ حب a 7 oul 8 4 UL 40 7 T B ته e. 0 40 50 8 pel Z 0 -M C -4 DI 40 ---8 any 84 d P hi ය ග 40  $\rightarrow$  $\alpha$ (I)

#### EAFACHE

د P w 4 دب 0 E-1

60 en. D N -[-] -8 9 J O 0 9 Z (1) ĪΩ  $\circ$ NO th -[-] hand 4 nti • a 4-1  $\alpha$ d ive 40 Dai Id H De the H 4 حہ nd the ing the (J) Ver cut 40 a H තා حب ving ery ho 0 Sin the imul Whyard 0 H 4 xerci 0 54 and 0 ----0 0 70 and FI  $\nabla$ 0 hand O.F H 0 > 4-1 9 84  $\overline{\mathbf{H}}$ current 4 0 UO H en C cted 62 the + H. Ď, the en Rub 0 ffli( 4 nte M Hea a 디 end a - $\subseteq$ On 田、王、田 he  $\Omega$ D, -4 40 ta,  $\circ$ තා SI he 0 84 国 a H

#### ECZEMA.

. . Ø ura 7 ت ") T 2 <u>ب</u> han in  $\overline{\phantom{a}}$ نب  $\overline{\phantom{a}}$ 2 2 > -[-] 7 4  $Q_{i}$ 70 5 5-1 0 S  $\overline{\phantom{a}}$ 4-1 0 Q. 40 an 0 7 0 Xude a 0 4  $\nabla$ ymph  $\vdash$ e 口 T ن the 3

FI (7) 4 ---- $\langle \Omega \rangle$ -[--tha 5 0 . . Q - $\omega$ ٠,---H 40 ب ب H a en 0 40  $\alpha$ 8 OVE. H 0 60 end 0 Ď حب 성 12y 0 0 ema W N

0 4 0 m mpl 2 Of 40 On 0 ti  $\Omega$ rma  $\vdash\vdash$ 0 ಪ  $\mathcal{G}_{-1}$  $\bigcirc$ the nto 50 口 0 chi 01 اس، cut +3 ---the 40 3 ď 4-1 0  $\Omega$ OUO ednes H Q  $\alpha$ 1)  $\alpha$ W

and im 0 ^ rom Si ---4 د ـ H a .H U O  $\vdash$ imi ا---40 III. transi  $\Omega$ a Ve sudden t 1  $\Omega$ CJ. ا\_\_ 4 CH nu 0 F by  $\bigcirc$ ive C. P.  $\nabla$ 77) 0 exce cd Z  $\alpha$ 0 W Or λq  $\cdot$ ema eficient ty N othing 田〇日  $\cdot \leftarrow$  $\vdash$ bi (1)  $\Box$ S J Cl  $\Omega$ vous 019 AU proper 0

d shoul Sing one d shoul Z circumstance W arly  $\cdot \! \! \vdash \! \! \! \vdash$ He Ø thi gul skin. that P bathe ПO the 0 0 0 under ould must upon SP pure; used healer ent pati bsolutely 90 the oap The and  $\Omega$ cheap a REATMENT cally H that gieni impure soap

> nd ON ---Ω Ω 2 econd  $\Omega$ OF rst p e 40 Z  $\cdot \! \! \vdash \! \! \! \vdash$ en pati tment the (U)  $\sqsubseteq$ -L B a C

### FAINTING.

W Z 0 4 . 나 edi g omino 0 50 E faintin the O sciousne bec 0 •  $\mathbb{O}$ Of Kinds Of injuri  $\Omega$ enda The • circums tances Con  $\vdash\vdash$ --fr  $\vdash\vdash$ etc. a shocks, 40 with the him • emotions and ent from tore 4 ordinary angerous rest pa 0  $\Omega$ the ari air 0 may ttempt dosing  $\Box$ oul under  $\vdash\vdash$  $\vdash\vdash$ 44  $\alpha$ Thi on, 40  $\alpha$ need, Of  $\alpha$ the  $\Omega$ 40 OL poi no 田の日 CAUSI NO armed sual blood 0 hay 0 d 0)

plenty ON  $\Omega$ circulati nj. ent t L reali t has Rub pat.  $\alpha$ tien' the in the loosened breathin placed fan 8 accelerating the 40 be pe that 0 idea th should should 4 0 0 0 d bag JO and  $\alpha$ ent  $\alpha$ ON O clothing not 0 intenti . .. <del>را</del> اب، 7 parts р В doe Ø The ا----the H the hose and and REATMENT With 40 etards 4 --ghout  $\alpha$ On fresh omach <del>ب</del> S throu  $\cdot - \mid$  $\langle i \rangle$ ni. 10 to Od

#### FEVER.

ghi d a me pare Ø 4 H  $\cdot \vdash$ feve 000 ome pe from (1) ICJ should the suffering +> and tha 40 S 0 0 •  $\vdash \vdash$ progress considered Ø Always in 0 ---4 40  $\Omega$ made en <del>با</del> ·H fully patio uan 0 eas en C dise be care the  $\vdash$  $\vdash$  $\alpha$  $\Omega$ ha SIL the Of very 2 cure 0 0 ا۔۔ whil  $\vdash \vdash$ pe ken  $\nabla$  $\alpha$ The hould  $\alpha$ ght ter دب and ದ



This cut shows the positionof the hands in diagnosing by impression. The muscles of both the operator and the patient should be relaxed as completely as possible.



the (1) 7 سد اب. () 4-1  $\circ$ 0  $\Box$  $\Omega$ 1) th 4-1 4-1 the Ď ب f j a H 02 pa. ry C  $\Box$ ~ تب 9 84 ---d 2 runk H Q حہ 0 ous J. <u>\_</u> 0 0 UO تـ H. m نـــــ d Z a TER  $\circ$ S V B 0 he 40 --+ the · pmol 40 CI. the whole and 4 0 head a 드 حب Z اب. ب 0 body -SKI the حب d f f ( bul cul 0 ----0 th  $\alpha$ 5 0 4-1 (1) th he H -~ 13 5 -حـــ .  $\rightarrow$ 000 D  $\vdash$ ect e---9  $\alpha$ 4 0+ 4-1 ,C . . 4-1 + 7 0  $\alpha$ 4 . \_---F F F -4 0 d T تہ a and دب 8 0 a -4 دب NO . . 4 -+ much CH CH J 4 > ----C rml OL a . . . ~ د ـ H J FI  $\Omega$ 4 Ţ. 0 حد ---> 70 ID4 her S uni, ----0.0%  $\alpha$ 0 -[-H 0 W 0 H 4 em 0 077  $\alpha$ I SO  $Q_{i}$ mi ₩, 0 1 5 OII ( 口 **4** 口 1 40  $\vdash$ 

5 t T 9 -(1) d. eh 51. [] On th un 0 J O the OL إسره On .Н  $\leftarrow$ 4 H +  $\circ$ ne Of t L rgan the  $\alpha$ Ina. un. rcula H UN 0 S حــ (I) on bac J ed tmen 0 C d th hand the  $\vdash$ tment --bowe the rea حب  $\overline{\phantom{a}}$ on E E ----5 4 tive + ove: rea + 0 0 tmen in 0 C11 t +  $\rightarrow$ Z. 50 4 C, nega N + hand eluali ontinue then iV 0 Ç tre 5 4 0 0 the \_ C rive ely .--4 4 . . نہ 2 --- $\geq$ -H posi Z 0 ----D rai ٠ - -54 2 t III E 40 4-1 3  $\vdash \vdash \vdash$ C 0 É H +->  $\Box$ en t Ⅲ th t H Da 2 0 ت ب the  $\alpha$ 4 51) 51 4 -54 ons  $\mathbb{H}$ 0 4-1 N -----Q  $[\!\!\!\!-\!\!\!\!\!]$ 0 +  $\vdash$ دہ ----r B  $\alpha$ 50 0 4-1 g 口 . 0  $\Omega$ Ф Д en  $\vdash \vdash$ + rh -C U 0 H 0 a 0  $\bowtie$ 

## EVEF, BRAIN.

(1) C ---コ d 0 īΩ SUC > -0 XCE 0  $\Omega$ n n - $\circ$ حب +  $\leftarrow$ 9 enl H C O L C -4 4-1 ------73 -2 5 . .  $\Xi$ ٠ (١) 9 9 4-4 d. (1) aug +2 -Sul  $\circ$ ťΩ hi دب 70 0 + a H mu C 0 , 0 Z - $\Box$ حب -0 ·H H  $\Omega$ C حب ----H W S 4 40 en. tme O.L. On 8 OH ---th ťΩ  $\alpha$ 000 ---conne  $\alpha$ + U ---(1) d H -Z 0  $\nabla$ . [---] حہ .Π Ω in en on  $\alpha$ dr Dr 1) chi ould 2 th th th ته 4-1 ays IN. On 1 cur t 1. 2 nflamma 4 ----تـ 4 nd ---U  $Q_{i}$ OL ease lady  $\alpha$ ry 0 H E B 0 0 - |----| > 0 70  $\mathbb{H}$ the: - $\Box$ erons Q 0 J 0  $\Xi$  $\alpha$ a W

10  $\vdash$ 4 d 7 حب a Ø 0 0  $\square$ 1 4 0  $\Box$ 5 ---0 W 31. 300 +2 en 0 0  $\square$ Vì 4  $\Box$ 2 Nes 4 70 4 0 C H 0  $\vdash$ 7 ---- $\Omega$  $\geq$ C 0 て 0

a band speci magnetized them giving 100 moles wet, L V cold, not stomach free • with patient the head ard the borels that CCCl EATIMENT:

217 is receaing lim b comirg equalized dir ions giving circulation thi Lypnosis When ひしている Care fifteen minutes, these of the body. the Treatment. the all the fact that cir ulation is in ce hyprotizea, Lat G reral f r ten or part when VI-Vstion is given, mpha-ize exer :se that cordition thro . h that Gire arri the pattent suggestions body, De the head. equal should mplio. + ly the enain Ver 100

TTTT TTTT

I T L 7 + JEAL. n at tne 3079

renerally, fever respiration and (d) JO There i rract1'ally sough; elome ever-present the disease the are SILE H appea and labored breathing; They Fever b-rilling of with the experture; n acute brouchitis. expert ration at the chest while, however, The JO are rapid those little the SYMPTOMS in first pain same 4 pul rus

H cver the Lumba lurrs specia hand over the lover part of the second the لم + , 24 , rerinning, Give the hand first heated positive the. General Treatment. separately 1.L patient I LIL the nerative placing Plave the treating . . KEATIVEIT treatment by and sition st. Plexus part che 07

Trea 0 th Plexus treating of the thest. over the Bruchial position; upp-r part from this heat a positive had over the lungs the hand the negative part the upper Place and the

D تـــ B Ot حب · - the もかして ing OLO 4-1 nd ----0 HO 国  $\vdash$ 0 0 40 T Z p---- $\overline{\phantom{a}}$ 

حــ t .L ratu 4 ev n HIL . 14 -2 + 44 54 ery 0 >---4

# HEVE SCA EI (S'Irlatina).

UO ---Tre apt ひった 4 the chiluhood 4-1 SOLOT the disease t t ... 1 v = from 7 roperly 12 \*/\_\_ pe irs. TELL

\$ II C nau-4-4 アンたり f S J thi: Chillin flush usua heat, ety, by 0 o' the far r 4 LIXI D-110 Scar , CO CO CO f,0110 tre the heal, r - t - ss 01 - 1 : T. Spr the bout VOIL er inates d nd a

TTT -4 C in + II. 14 حب atchus, (H) + 7 Scarlatinai fact rst, the + measles scurl tinu. t fi by 8 6 9 the rai. 311. 115, POV ted at 4 SKin 40 great not b long g ished from *™* ruption, distin rei th loin, J O tom and  $\sigma$ III t 5-1 ---rlati 4 00

+ ) 87% ťΩ 773 2113 - Dox oins, may b snall i I with nevor ba 'k | Lidenly but rash, stoma .h., pain other --pit OL rere ~

0 2 . . . . . . . . 45 nating carla ----W termi 9-4 moderate, + () [] t::0 nto ----Malivna, -ever divided the Scarlatina .H which EVIL F 40 Scarle tion; **X** 

en  $\bowtie$ 0 W W S -0 0  $\overline{\phantom{a}}$ d a 1 a W -[-] ng 7 turi 0 디 ma nd a Q.r. Ong 0 Z  $\vdash$ 175 Sh  $\cdot \! \! \vdash \! \! \! \! \vdash$ >  $\alpha$  $\cdot \vdash \vdash$ H 0 a Z 0 40 7 الط 0 Z 4  $\alpha$ SI 0  $\circ$ 0 er. ous +-) 0 4 H -0 + he On ---

T T he 84  $\cdot {\sqsubset} i$ 4 0 pot gemen T T he  $\Omega$ tupo. Ø 7 On تب 0 0 8 -4 ಹ ا\_،  $\vdash$  $\alpha$ Sma S 40 enl  $\circ$ 8 8 rium, 4 r I  $\Omega$  $\omega$ 84 ಗ್ರದ appe eet, FI en. 4 ough a 133 On cul -[-] 60  $\overline{\phantom{a}}$ CD 4-1 67 0 ous  $\circ$ 8 0 7 4 and Whi 0 ome 2 > hroa 0% ri 0 0 4-1 (D)  $\alpha$ W and fneg --and H oubl a he 4 Φ Ω 0 may 口  $\Omega$ th 4 4 4 5-1 the 7 JO 4 р<u>т</u>, 4 0 Z Z  $\alpha$ d T. UO 9 ON our ch 010 0% ---50 ati fl <del>--</del>> i II Z sters ()  $\alpha$ 0 brai N he 2 ----000 surfaces  $\vdash$ 9 0 omp 40 -:-- $\Omega$ --resembl in br (L) Z bl he 13 022 <u>م</u>ار + JO rrhea, තිබ ety ympt hor thi eni rna につ - $\alpha$ H CT ------ $\omega$ 0 22 +7 7 4 0 amma Z > the no W 0%  $\Omega$ odi and H 1 a  $\Box$ 

> Z --ಶ ---+ and 口 2 ----H 4 posi. + TI cond 4 Z, 0 - $\Omega$ --th Z, 30e 디 4-1 pl ent then ment. pati the tment; trea Place  $\circ$ rea hypnoti  $\vdash$ EATMENT r B ene U give 3 ಗರಗ 111 a

do. W UC J circulat  $\circ$ 0 pesi th make Of  $\bigcirc$ 1 rgan end the Ject 4 hea ಬಗು 26 ON  $\vdash$ Thu a --oth equal On N +- $\circ$ hypnoti -0 and (1) 0 the FI ---20 Z + いい organ, itive 40 fee a 0 UO s not 4 the ťΩ --nega any cd ent ---0 the 4 in  $\Box$ the +-40 --tien 7 acing Pe hea ttles anj +-ದಿ 0 gan th 0 pl he --from د NQ OF SH ---0 > 0 ω (1) 8 0 4 1 rdS S en 4-1 ×  $\Omega$ ته roke the atm  $\bigcirc$ -[-] r = 10 口  $\mathcal{G}_{-1}$ 4 F-1

## FEVER, TYPHOID.

This is a form of continued fever.

0 4  $\Omega$ head -디 77  $\bigcirc$ 口 1) <u>ದ</u> the 0 in 0 unc  $\alpha$ 0 sing top mperf Z the: en 4 -8 pain Z Suc  $\Omega$ the pa  $q_{-1}$ -W - $\square$ 50 rits finally 4 40 lin • ---- $\vdash$ .a  $\langle i \rangle$ dines 8 **е**д 0 0 -1-1 t C Sp 0  $\vdash$ + 0 Or gide whi ent  $\alpha$ Of 65 yellow white tude ťΪ jection become 0 pa ushing the and 0 brown. a 0 may ---ರ CK ushed iness, imbs, 17 tongue ba Languo pe the 4-1 may ranj chil ace The 4  $\alpha$ 40 SYMPTOMS dark ---Oil OL On OU rium ----42 ب حہ C K ----설 W () 4 0 **В** pj 0 pJ D

4 - $\Omega$ W 0 Z  $\Omega$ W a 0 ome ω Φ pul  $\Omega$ Z Φ ---40 0.00 rd ha  $\bigcirc$ r- $\Omega$ to CH Z, 105 ot in mcrj 0 bl W  $\Omega$ 0 0 L I 4-1 W 0 0 tur  $\Omega$ 3 pera 0 OMO em + ·H  $\oplus$ Th a

T A P . . . . . . . . . . , and us " 1; 3 thesc middle are, un absent. 2003: 1 seldan rises above 160 मां मा अध an ally T. L. S. C. those II = SID tite رر در .

111 s outan 11, - metimes contains, contagnous disease, for <del>-</del> ٠,٠ Tils remembers have

ב + ר יי r ilish t t [1 1 + 0 art raturally and relative Graf our mist , T , t III k t. shorly of the usual Peris 30,00 he d b rubb d and starchy food, in the trantmin, in is use. armpits patient 18 D = I. bith 3, at inter als th being . ( 06 Milk, fruits boly. 0010 atio; t the

## ELEL YELL JW,

OL t 70 14 tamperatura is ally requires fluit Len . it it; Will n the the 1 WL Pr nonths of hot weather to e at in those localities - erre-s Faur, upward. It ilsaus isaally rari. en and quite 

sometimes present from the berindin, warring; or the attack is sometimes preseded by the follo ed Li The vomiti 1 - X - 1 - 12 aplear until 24 tulency i chillness, t, 113 real wases it does not ب cases the attack the buck, heal of the , such as the commencement the thi rary symptoms of fever very violent, j T . S najority of pain and heat \_\_\_\_ienced; nausea after "LPTOLT" in the د cre

W 0 cha me -+ 0 .70 Som the and -0 headach Ve t-) 00 the J. y -. . enera 0 ---en Off are ghly violent bowel hi are he 1 40 eeding mad ent when pre

dryish taken tea however 40 and W calm e ject coming patien seems 10% irregular rom everything 4and Ω, and respiration This, 0.05 skin  $\alpha$ blood 6 9 40 the usually brown headache пd matter particl xhal( the  $\alpha$ well. find quick, ~ the ·H Ω and enced; the reaction J new not unusual to OL tongue ا۔ subsi the the appearance; 4 irritable, odor becomes qui flakes experi t and natural 2 the oppressive 40 quiet 0.00 he is up, 4-1 pulse . . Ω. Π. the capillaries Z H comparatively case; that 7Ω •Η blacki pulse 0 disease is yellow stor: 1 The course believing convulsions ٦. د the the 0 10 in ediately in, and ueath takes and hours. means 0 softer, the ψ Ω of th SKin isappear, -[--stomach ·したたーか。 in in 1 41 g ant an N N 10 llrium tting. --ior the 7 ron 12 unsist >GP not  $\alpha$ ains 001 mel nd Н

9-4 epi that referre 1. Giver and en, ---reader be tak 7 £01. he should 1 Treatment Thich fre baths 0 should LUid

FELU.:

40 0 usually th Of the <u>1</u> D , 1002  $\Box$ sores 10. ---JULCT The fing 40 ---T T or thated surf upon the painf the OL +enera near 0 nail the the may Of ogne HOH 000 ---4

4 100 eng 111 4 This antly ۲ CONS ب ب 70 magne inners 1> horoughl 4 par. the 4 een Кеер 200 EATMENT

0 0 ب \*F comir ・ 育子, 1 110 111 arn falor from Some times finrer ナカッ re- res unun a fect d the effective treatment. 1... t P pr-Jelits the bloom tof rethe water, pouring धगाप in lammation the 1.4. V-ry in Of immersed out and rlaining eau, 90 40 D T ·Π Ω

tr [ I : '] THI ٥ J=P I i or, har. the rallowing t 0 t rid 75 C 11 3 D.J. pasnr. aryt.in \* **⊢** + 17

S S Mrytr. n. + . K. D. ot in it. 1) 11 + IN Or, I sait to to the s v.r. pain is felt and the pi ·onstant H-2+ 40.

4 the fever T. T. K. こう・0~1 en +h fron healthy equalizing tha-100 O.er Subdue 4 of forcing toma h while the inflammation r. . . the first . (15.2 J O cpen. intention Ferer (rare positive over the Kent General Treatment. are stoma h, the heated exercising the under bowels n gative tremely lirht in the 4 FLUCE 1la ing TIVE treatment that ulation current, TIEIT. by (I) \ \ \ \ ent H ٦) the Plexus 0 end OIJ 0 H

GLEEI.

OM FI 4 ri scharre hroni, di gonorrhea. 019 r T neglested Simply J. OT ated

See Gonorrhea (pare 98).

GOITRE.

ಶಾ oid Bronchoeel the Of enlargement eq calle sometimes an Of consists neck thick +3 R R

Or nd *I*  $\alpha$ trache = ppl the Adam's Of side 07% 07% <u>ಭ</u> ಬ KNOWN each On prominence and CVer the 0 between WLICh

--0 reat smalloving. It that action t N.C. derormity CLUIM epilepsy, etc., by pressure on the the the large veins Some Freat interferes with clothing. the head. until the act of the size circulation in and irom with ometimes in from the pressure and increases to 4 running --apoplexy, impeded tumor piratory cduced, vessels The cause

SECCIA DIST stimulatir extrs മ. വ Special + 17 the the side, OTER the soitre intention of other han placing them the first arry. the roitre, may arrying of the lympn. patient in they the goitre, and the negative hand on and give General Treatment. away from the the Lands, heated exer ising so that by placing the Place the Haat he lymphatic vessels current, goitre; rub of lymph. TREATMENT: ention of treatment elding a Imo nt the He

## GLI PHHEA.

Trom tria lurit . 11 - 11 C.P. 1, ... f-Male, poison, renerally the in va jila tre norbid an ir andti collection. 1.3 - , arpl 'ation OL er ourse hra

11 11 115 y Wind cherry or tinged امر با ا 1 ts put littl the S. T. T. T. S. 'a peculiar is at + Own - than and whitirh, sile greenish disease "ater. along the inn r f.11.8 the ur thra, OI in makinr thin the -H Or patient glans yellowish When takes place, at first orl'ice of the - calling puriform. siells, discharge is slight pain and the teroming thick and penis ---Leat the tin ling The JO heirht, charge blood.













CO. a DI consti<sup>+</sup>1 iv urin tin, Th T r , are -Ul'11,10 "IKing . and rections, pain 4.00 P 5:011 Th especially --paint'ı pain ar parts GIPTO 11日日 Th r ana sorenesa, 40 1 II ontinued \_\_ and 7 an J. H. I.

4-1 -C+ 71prord cleanse dr lik plert C 11 417 marn ti Sacral t 11 -Sho much a= all kinds Je reasiny treated OF 1/111 over the part <del>ا</del>ل di should lie down as as the urin-LOT shoul Of tions of 1011-r Darts Stimulants hari but t00 the I wiltent the intention annatory the positive tine, inflamed stind tisit better, infl hund Freq nt impure matter. OL for some patient heated throughout the fationed, given, and nore the nerative with ₩.H "iror usly. 35t Gleet. the the current This -Place the and the sho'113 and OH. voided, 1 1 H ati 4 DJQ Q

## GRAVEL (Lithiasis)

dyspeps s lentary Of 40 ----Ma ರ au pJ O  $\cdot \vdash \mid$ 70 ron 6 "ater <u>ب</u> Thi HAR J

bid emotion highl diff. 11291 the ದ to become there contains violent scanty,  $\alpha$ rritation (1) eranged, SUC OL sposed OLO warm, generally a with 0 بتام are while and and by d 01 ans pains bubes the lumbar regions, Ω H. ven olor, increased 50 It Or (I) 1 the arite trong (1) urine > gesti --cul behind OL urine, cal The of a <u>م</u> Dull small The pain der. the 0 て H. SYL'PTOMS: 01.  $\Box$ ing a nal Н cooling 7 S . L Ī VOI 7

0 ongue + furred flatulency and feverishness. epigastrium, restlessness the in weight skin, J 0 1 GILS

J 0 and exercising the intention dissolvin over the soft water should be present, or second position, d.i. breathing The the If much pain is hand given. and of placing over the kidneys, the negative take should be bladder 40 first only treatment by patient current, circulation in the and Treatment but sufficient. the the food should be taken, in a Instruct patient special sending General the bladder spare, and TREATMENT: the substance. hand Place bone, zing pe the tive rcise qualit runk. cul 171 00 ()

# HEADACHE (Cephalalzie).

/ |1) 1) t 0 W = L1Headache are too Symptoms the is also true of causes The

1 the patil' cir ul .vin, pressing them backsendin the Cervi'al the head, cut Second pain avay (see the time-Or hand over the forehead, at the lower part of bringing then step directly behind intention of equalizing patient in the first hard over SOVETAL the temporal forehead and carrying the ., and place the heat a positive No. 43). Repeat thi over Off + ne Pass the that bs down and the negative REATMENT: Place the exercising the ang tho hands over the intention (sec cut No. 13); ears ral Treatment. IMIJ (SO CAT the past Sing

## HELLORRHAGE.

possi a inclinel Q O L C bleeding 3 99 0) OL the 0 head should either be erect If the **∓**0 tuings one Ω. H important known. oold constringents has long been That most 0001. 77 8 keep the patient the first the nose, OIT the

tep. the JO 0 d n arid 0 nap snuffed and ened TLO 0086 ~ 90 the ре should ould the حب Sh( assert) pplied 50 tue clothin many 0 elorrha 7 Loul 0 T T ~ ~ CKWard cold 301 + he ascerta. Dag nostrils; + P.J. · 4  $\vdash$ 4 ---

نب --7 7 100 .⊢ .⊢ diff.ul' the حہ 0 10

t m the indicative the lungs () () from alarm he of the <del>ب</del> often T. 1 fatal lung 5  $\Box$ **ب** fata 0 100 the olorel, ---Ω. Ω ~

otr J D freel water for حہ that sı 11 be C like Ç\_I 70  $\overline{\phantom{a}}$ t cloths  $\bigcirc$ should ear frequent Cold we ar ection. trea ment pationt c est, and *w* /f₁ • • • 1 • 2 OUI. The Torrhag the lowed. サンプ t O 40 е ф  $\vdash$  $\mathcal{L}_{\mathbf{I}}$  $\vdash$  $\qquad \qquad --$ 91

Whin T TESOC hour 4 1 Out. UO 100 th---ntent: eatment, Of ar tient cul  $\Omega$ when des int part  $\cdot$ ----4 ---200 par 7 27 the the H 4 The flicted 4 With -1that ---specia with 0 odd . . SLUCALA rrent ghout Treatment, the af foll 口 4 اب On that from ands H 4 50 U should UO • 🖂 tr atment  $\, \vdash \,$ General ar hemorrhages •[-] 40 C reu 4 and parts acing mild. blood  $\bigcirc$ () part, the m. Tu-ti icted DJ the the chi λQ 7 Z 0 4 ·H N N 0 حب One ecrea --a F1  $\overset{\bigcirc}{\square},$ 

# HEMORRHAGE OF THE STOMACH.

shoul oppression, Ó tment he 7 preced except treat JO The omen renerally ing pg emorrhag feel epigastrium.  $\alpha$ and over 口 under toma ness ed the O actio cribed in uneasi Dr pain from des be general arp  $\nabla$ Hemorrhage oul a Sh ame OL Of dull 0 the ---en 0 De

## UTERINE HEMORRHAGE.

44 0  $\overline{\phantom{a}}$ 0 princi 0 > T B and the 0  $\Omega$ ON 9 ted trea 40 0 019 be  $\circ$ て houl (1) H. د ــ 50  $\vdash$ emorrha  $\vdash$ 7 0 0 en Ö D D  $\mathbb{O}$ 7 rrha  $\dot{-}$ en 1 Da

## HEMORKHOIDS (Piles).

11 7 85 orme There hi 40 than tumors 5 dilation celli ernal common J 0 ext their  $\Omega$ حہ þq consis more Pil the JO anus ding are  $\Omega$ 1 20 20 iseasi Blee thickeni Pil the tha  $\nabla$ about 070 arnoying. this internal 1 and a and J O mal Ø rectum forms vein T. G. are more the emorrhoidal general the and few ithin

44 tion - $\alpha$ 7 S S omen ccumula hear pg  $\vdash$ a  $\alpha$ a 0 the the Of undue sposes cause in Of an tumors predis diseas common avor rom veins 4-4 t of t0 دہ 4-1 MO pressure resul tends hemorrhoidal 0 the Whatever . mechanical often tipation. CT CT the AUSES: in ver; auses (A) 00g ---

nuc unea 0  $\alpha$ M.O. 0 SHOW the حب al d 210 the piles Of 7 swollen sensations Verge are symptons and the constipated. a The inflamed tching tric pains. Orli become igh ancinating are ٦٢. soreness often fir owels At Ď they the times YMPTO'S uch J.T. ternal evere

the 0  $\alpha$  $\Omega$ nau tum, حہ  $\alpha$ itching  $\bigcirc$ • FI بـــ the th an at only fulnes 4 M-ny not 0 produce 0 ent 4 د4 Q they ere bowels 0% foreirn body nternal the  $\vdash$ nen mity

prin > hemorr ---1 ಶು pe  $\Omega$ d 99 H shoul حب mus which should the tion drink in reatment, حہ ilment a rcul presen and CI  $\alpha$ f.oog this The 3 whinh ---Ded f.or ter tment stimul charac A congestion removed trea general All The the 90 IKEAT'MENT: 40 and indoned Of zed, Dal.

erretions turn ho T. J. the orrelation Sacra and r'r, - החל .01 , sti I. CVer a flicted d cr sil. rard tn th part, or r no irr OVER .10 stinulativ intention hird tive the nega with the throughout that ace i." i.te rit. H 0 4 t, 0 0

## . ( J = 1 - 1 7 EL ATLIES

. . ipa ion, -3 C - 11; , . . r = 3 Į. Į n' the " hyro. . . ur m, r till in 7. T. shoulder, 'nı raa of In Taination Siu. ever; nar-ea, the rith right the in ui. right g n-r for lying on · Y.: PI 5 2 3

War such eff.. the and pe full preat treatment should 0000 A r medy of health. K > Dt pain and in lammation general spromen must the 1 rring, the cases, IVER to improve The iven licht I EA TON Th s norsible. 3. I ultited In The link, 2 L C

# HILL'S (Lron-y o' the Brain)

ILLI . 0 + il auult to produce arcisy H : V I D. tro it 'h inf'i er i 'feren'. adults, disess occurs in コキューシュ ho.errr, rother ш Ц .H Ω chila "= n, one as Then this J O <del>ب</del> 7. da 7. Q 1 5 1 1 5 r ha the rally.

rjn as insciole Ir ctically the should he begun as lular Dropsy (see jage of the disease, and slould treatment Cal The OL

# HYPOCHONDRIASIS (Low Spirits)

from ಗ cause vari be may Of and On  $\cdot {\vdash} \vdash$ 0 ~ ment --٠ Q () () ommon ty,  $\Omega$ -7 ery pover anything 0) --bus  $\omega$  $\alpha$ 

he --1 outl  $\alpha$ CL en. the the en 4 Or igh. 4 br 9,0 t nould this TIII giver. for that 0,0 tment should rea ent The  $\alpha$ 

71 according order dise 4 the in scerta gesti had, <del>С</del> rned a must 90 sugg given intelligently ب 50 nus 0 1 10 heal 4 nd situati in , the are displayed by ircumstances these knowledge of the 0) +3 H: may 9 i, ha can suggestions tact aused tain Much

## HYSIERIA (Hysteri's).

5. 4 Indiges and た」などで 71 such excessive ~ Ω (1) stimulan (1) (1) (1) Emotion, indulgence, . . AUSES essive xual 0

evere, culty NO 40  $\omega$   $\omega$ ejecti iffi make 0 (1) sensation H th perioa ₩ 1 ---70 before J 7 sease and 4 uncontrollable grea that and the nausea di nervous <u>α</u> the before 12 BS CD . . . such heart, dom <del>-</del> the -6618 aggravating, present the such is 4to  $\cdot \bigsqcup$  $\Omega$ patient often throa Hypochondria Of  $\Omega$ palpitation ---why the alternately Hysteria mdre The 40 in are YMPTOLS sing athing while planation rits, ymptoms r J. Cry bal 0 br

디 does. shoul pasm; the be should should patient  $\Omega$ emoved the hand clothing Off doors H that the .H S кеер <del>ا</del>. rms and the Sooner 40 the windows spasm; tends د+ ary mus the air the the healer and S ne ne resh during ly, •— 4 H. ب The immediate 4-1 the cold herself TREATHERT: 4 0 becaus how ened 4 0 ter Jure

7 (1) 5 27 ~~ 1 0 Water 77 D C CIG

4.5 I. S 40 that à E en, any oul 4 . M a ---TO7. II. الدخ 4-1 (, t.) en ti rd rd 4 fri Sest Da hand The 1 - 1 , ithin, the 120 end. ent th the rbou pit the rom 3 of city. i. Lin tantly 4 mist 40 cons the pati ---and that 1 rì 1 0 7 relie (a) S 011L pi H Jet H E E

## Womb) the 40 lamma

دب en. d -4.0 pa the C rai riti Č, 0 Pil 4 Hysi nd impl OE, -4 ï SILEA gnant delivery -Le 0 a ---70 aft 40

ing. ur n SI thi තා 1) 4 500 omi painful 0 OL the gradually 1:00 II. within the and pain touched, which in ened, ension, tunor, 1.07 pail harde belly, there also ting. arred, uteri omi ent the ral 4 > enl rpe Of pre and Leat, Puel the tom becomes s, throat, naus-a bot. in Fever, womb, pain disease the Momb There .. 57 4.3 er.T pair the - 111 -6 ---

77 1. (D)  $\vdash$ 0 C L (pag د th 47 ton 9 077 subdu 2 Perit 1 1.12 7 T.O.T 1 thi 45 real the S The should  $\vdash$ LEATWELT men 1 0

## INCOMPINENCE OF URINE.

ons 0  $\Box$ phinc 4.5 CIO OF Of 0% superabundance N N rya rinary Z Of the دب sul 4 H H 2 the оше pe may in laddar tion  $\Omega$ H

4 0 0 the patien H اب. gring d then and D Q an O £ 2 0 slee healtn (I) di ವ 0 d after the eneral Ø 0 hypnosi 4-4 ---٠. 60 trie carefully induse 4 UO F.estore ---4  $\Omega$ 0 4 LOOK 50 2 10 he .H nt. 4 0 EA ent 2 8

6.0% 4-1 ---H ime -17.7 hat 4 ion 1) 15 CA -1-1 the I D (0 him 1111 .i.

I :FLTF.N7A.

- Clarr (pare 7.

### I SANTIY

1) - 7 LULL ا ا 10000 is the rant 1. T. T. rent OF n redisposition

+ - 1 +-15 and thi . . . stions should be given, wh 110 10 10 et first, as futur 0 :::11 N 77 CILT procedure patient try t hypnoti person. nade the past o nditi + 4 -xe ution. upon the If the tstall' failth · O. ISISt have 40 as pastiv. by the snould uand. in + J 100K to their insam ty shour ひていつこう a tions acour o rator remarkable 드 rorrard *r*Ω .⊢ su restions that bron nt est has become resource i ozsible to T. I. Ey the shoul in fact, the . . of the rutur LE tratment of tiert to look inion is patient Zo orn be liver, this,  $\stackrel{\leftarrow}{\vdash}$ -e-tion 1 1 tow, .08t ren. 4 (1)

Sag the par IQ tent and اسر. --tu. t Iros dure. i. はいっぱってい best suit almost firs own any exact nethol 42 it is - - -.ondition operator arc surgestions insanity the passive In some JO :: .m usel, phases nand. ent in ciding 0 iffer nt H. 4 pa Sibla Case H. set the 7 TRT. +2 (

WOLLI 1 1 1 however, "ill line, everance in



PLATE No. 32.



PLATE No. 30.



I.- I 73 17 0

## JAUIDICE (Icteris).

حب 7 distinct and by itsel H otne] ith. occurs . lally aples 7 Thi

Pr rel 19 1 .. make may that .ill uetarioret, L: t lious, or H CAUSES: р 1

cir ul: i months Citte en r. skin, yar, bil S IS SISE DY Y-110WI SE Thi SYLPT IS: lr'lc.

also. If 七一丁 other is e tr at Jamui 00 7 0 Cu r-, 1 . . he .in rr ference other j, I EAT .. II: ナデュ 0

special trannt ypur a "rrent, exertiain" Ind C 7 L 2 Ja . 0 ID Plexis, of the abdom n just action. the first or a soul n olthy the liver the OFF φ Ω + Liver to 0 7 7 sm. 1 a sptiti (U) live rati nt - rirht neated rositive . Tria nt. I.n and Of  $\vdash$ 

Larynx) 60 (Inilamation , AC LE LALINGITIS

.,--0 1 . I H 

77) Ğ 4 d J O De in ell rain, ver-exertion 4 4 - 1d, intlumation small-cox and. Sure to l tire, 

71 secreti the lips riors i llo - by fever At U L respiration. lary x, .xpan | C. a xious, pain in the , r. r.trils form: the countenance beaches s ress, impursive ccurh, ous, difficul y 47 8 8

Sper whi  $\alpha$ tion ر د د suffoca reduced and fear of voice irregular, the restlessness and extreme feeble frequent, lost;

0 grea this 2 demands be very vigorous extremities con rned tnat disease and the The treatment should There is possibly no rort subdued, the kept virilance TREATMENT: 9 must and

SIVE oircula 1 on in mealthy second position and heating a Send one Kept special treatment by other. of Tilliling nand are positive on the bowels the putient in the first or hand the inilammation. the intention that larynx the remative rlacirc Give the , no Treatment. exercisin and -llaying very larynx ondition. Place General hands

## LAKYNGITIS, CHAUNIC.

Laryl part. tric affecter 107) cough, pair. the Laryngitis (page Of ulceration husky Hoarseness, Acute cases S (C) confirmed TREATMENT: MAPTOMS and

### LEUCORRHEA.

001131 purlent OL and a uterine and The discharge varies in color a yellow or greenish of curdled appearance, some cream. manifestation of consistency mucus to it is systemic of the white Sometines affection. ದ  $\alpha$ ω .H Ø from ب. ب Varinal This matter mes

membrane genital the serretion but if the condition the linings of inflamed, the moisten them, offensive 4 OF sufficient mucus congested and irritating healtny temporarily fuse, -Crete

inflammation  $\bowtie$ XCI abortion, The OL womb. menstruation, pregnancy, are congestion OL vagina the causes 0 membrane Immediate deranred mucous are CAUSES: the causes OL

8 -0 ur --Z Z --:3 7  $-\Box$ 

0 K d 712 . [ Es nd -mi  $\nabla$ (1) 4 the he E Q 7 4 troye entl. .\_ th( en \_\_\_ Quio 011 C -d 7  $\circ$  $\geq$ ă 54 () OL 44 Q व्राप्त ery FOO T 7 H a ur ence > . d and nk1 ------- $\alpha$ 5-1 C  $\overline{\phantom{a}}$ ಹ aH dul 9 ---OX nd d Z Kir the  $\alpha$ H -40 a -60 OT ne the ead mel 4 Y the 0 口  $\vdash$ nd Q  $\mathcal{L}$  $\neg \vdash$ 04 40  $\alpha$ 0  $-\Box$ 1 H 40 7 C  $\alpha$  $\cdot \sqsubset \mid$  $\Box$ -10  $\Omega$ en () d YMP -7  $\alpha$ a Q

20 d C --4-4  $\Box$ 0 7 4 d pul 4 \_\_  $\cdot$ crul ,Cl حب th 2 +  $\alpha$ حب genei Wi 84 pa f.10 d 4 th ب + 50 0 Z -OP 4 the 4 t0 the eep H On and 4 K Ф Ф G H 40 FNE + -[-] 4 50 40 J 7

(1) 5 50 MQ ಗ t D an tmen. UO (1)  $-\Box$ 4 trea nd  $-\Box$ حب ťΩ 00 hal the On  $\Box$ ong V. d ·H -けっ over 4 0 -H 04 0 ťΩ OP 0 n.d ch the 0 ha oma the 40 H 0 > 4 NZ  $\vdash$ 4 40  $\vdash$ --4 a 0 mul a the th G 50 DI neg  $\cdot$ \( \sqrt{} 40 >  $-\Box$ and  $\cdot \square$ 口 J 4 0 خد 40 and ent. ent 40 7  $\alpha$ an 日日 Urr exus a Ţ 0 0 40 th  $\alpha$  $\square$ 0 50 61) Q 77 ಡ 디  $\overline{\phantom{a}}$ 

51 ťΩ O (1) 4 par Z 0 ٠.  $\alpha$ 4 -40 2 the ne by the 50  $\Box$ 40 -4 en. nd Cj. tm er 4 Q  $\alpha$ Ž (1) -40 H 40 Z Of omen, M M a PI 'nΪ U O ----4 84 اص. De 7 . [ 4 ã 7 2 0 Q W br d  $\alpha$ ans the  $\alpha$ thy ake  $\overline{-}$ 84 JO hea 4 -حہ 20 دب Ver pari the ti 4 - $\alpha$ 5 ener hand C L 다 다 a 80 ing 7 M 0 pa H 口 60  $\Box$ 0 4 he > (1) 4 40 ب 4 -146 On 4-1 0 0

## LOCKJAW (Tetanus).

Q uin SI 0 9 40 r D 0 ťΩ tu 4 d 0 0 bri(  $\cdot \subset$ d 7 -[-] L L 2  $\overline{\phantom{a}}$ 40 0 H -en Z  $-\Box$ XX O  $\Omega$ par mu ny gul a th the r r 4 --J -E -[-] Ch  $\Omega$ t L ----Z. Wh -1 ---4 pů pů th tr rnati njury + ďΩ Wi S facul  $\alpha$ 0  $\bigcirc$ ٠, 0 UO --4  $\vdash$ a 口  $\cdot {\sqsubset} \mid$ \_ d 4 nta X 4 \_\_\_ -[-] a mel OL \_\_\_  $\vdash$ 8 DJ. H  $\nabla$ W D,  $\Box$ . 1

5 \_\_\_ 40 pn C -> Z OH 5  $\alpha$  $\circ$ ದ ب Th  $\Omega$ 

. . The 7  $\Omega$ 0 extremit n the back of the nock, which gradually increas joints aff. t the roo opened حہ a The the Н stiff until the teeth cannot be back. uneasy sensation a stiffness at ruscles pain the the chest, in the SILZERt of rigid stasm. pro r ss s until all shooting pains T T T about manner there tightness rulual and state Lally become time इ. रीग इ 000 same

very not, placing them 1 CSJ thom, exero din of the parts by tno SHOOKIN circulati n. Give ested opposite through ŢŢ Place the fitters in the Tratmom Treat th hands a current placin . them tre stinulatin' sondin G - 15r рМ tratiant inte iti. ted lert an 4

... A ...

ee in usu (pay 125

LUPCE

the ala of the 1 cm, " · X. O ACTESC Cancer (page about being of turerally laing ulo ration, chiefly e-to yed, the nose tr. nt, COLLBIBLE していい -oon d ) LT: U OF

LOCOLOFOR AFAXIA.

the 0 X + ofinions in rearrd to common attributseroful X OFUR , TT alcohol, τΩ •Η renses of **⊢**1 dis se. コに Of the Sexual indulg dreaded ar NOTK, There this ment. rally. IVE

名口に in contracted legs, the peroneq --pains the Tirit. "alk properly YMPTUMS: The pupits D 1 affected Lot abi

Q and bdomen und Phe ent tme 4 a en 84 a er Gen 0 > .— LALYKE

## EACLE (Lubella).

Of <del>---</del> ۵, "ever a d usually Wet LOI 4 and ر ب ; boo b : 1. stat 1017 0 · · · IP > erard-d bad tne +-> ungs in during H 90 ٠, <u>-</u> ٠,-shoull 4 the 1 100 to 1 Tr. Tr 1) (A) H HILL 40 0 0 1-1 40 .\_

0 Pe + shed, t CONBILL, いなけ nose run flus  $\vdash$ P = are Cr har more ebleed; are 676 there the nos ₩ 1 9-4 and beginning sometine J Ŧ thr heavy, hinr; 40 the . . t bra ears 노 디  $\overline{\phantom{a}}$  $\vdash$ ne יתה dirfi

gr. ir formanı a 7. 2. 0 t ... bow ls, there 90 m. y nflammation of the plarisy; there -0 びだり 0

tepi on? . by placin つってすい the C+ .. .. at 4 out sirface empt thorough treatment, the د 4 .-1 1 brinzinz temp 1 the ~ 10". CL, 0 in fever; +eruption the Nature + 0 + Keep Jonn the bowels the the bring bat over rn H L. 77 on in, -METT rositiv rupti TITI the the  $\vdash$ ntı 国

through the - Or - ti P1 X 1.5. sti lati.g purp srotum. ablomer, the for Pl

# MENORRHAGIA (Raging Menstruation),

0 0 نہ  $0 \\ 0$ immoder e too Q Cl subject (D) indi ndulge 84 O L the dance M mulating ons ealth. --been approaching who 1 arge passi who who have cho 0% ナゴ・ much leucorrhea hours, 40 enera -70 indulge in readily Menorrhagia.  $\vdash$ trua are many children, late the men t00 1 intercourse, Kee the ate have who yield subject to Who 17 and rated borne ercise, ~ 0 indolently affections, period, those who have 40 ter exna  $\alpha$ FH 0 Д immod 7 are 1. rual live take > -An

(page Dysmenorrhea

### MILK LEG.

C  $\downarrow$ puerperal delivery after the frequently five <del>ر</del> ر t. 0 from occurs in 17

7 7 7 ā 0 one shinin the downward, swelling or tines i.n pale, pulse limb. renerally linbs extending elastic the  $\alpha$ the tend rness, 2 D: t in ffresa painful the: .e pains thirst with rivorous extremities, thirh, and +-Ther the . . SYLPTOMS the the and

4 42 D, ed Kor i - ing 10 , the parts. raul Pontrury ·H tiri those upmara, H the JO part t = 0113 pain; : TO: parts any tha 4 pain swollen produre carryi g 2 - 1 - 2 the 40 Shout the elieve Iot ul -

posi the Z S 7 Id sperial treatment kidney 12 IVA

abdo. tile CU "; ith Give kidneys · : tior. negative the r . 1ty the tl rough them o current Plexus, Sti. Latiny DISSIC 9 Lumbar sending The JO and On en ion nand

, <sup>4</sup> Q U 4 7 . 7 1,10 L + OR 7 --- 1 t .r.

1 151 4 11 + 1 + 1 1 th , , 1 7. 'I', INT Jaret ur The hird corp fire た 12 rustion. M. CILLY, ir ula ior., יוני זיייביביטן ייון+ + 1 ( ) Legat hand 1 7 7 int rt on 1 7 1 1 T. T.

## UMPS (: ''o' itis).

حب women, thi OL but .1.nds the disease but Of inflarmation. tinree in permanent injury, rollteer, a line the rarct. of the breasts about 4 2 It continues for place. Tonard inflammation JO swelling may take de line. 2000 2000 2000 harm results this may tro t-stes in Jen, in life. begins to between 17 ilment, inflate tion n.alaged, thing no sun-times later occurs ٦. ۲ en badly of the reneral Ihis ally

hand G-1 and Give the nerative with the intention not, the inflamed the bath frequently. and hands ja: the throughout current heating over foot sending a the circulation hot by hand treatment the positive and other, TIMENT: special the equalizing the TREA acing over

erc  $\triangleright \triangleleft$ Ω should cold care tch Much 0 s not folder ent he 40 ದಿ 0 S he 36). 4 ha.

### NAUSEA.

71 125 /<sub>2</sub> 0 of stimulating things, etc. The pation 1 is usually deathly use wiffer nt excessive tine being, and vomits ircfusely r Q over-exertion, rinks,

Ŷ glass S- :Olla "ell regulated. Have him drink the patient in the first or are General Treatment. borels 477 that Place TREAT JENT: and rive ter. hot va t + 011

LESSUN XI

### HEURALGIA.

"" LLCD スコセル the nerves distases t 0 painful confined most *U*\_ the the afflictes; it This nc is

the i i i weather, sleering timulants Of Z to the rheumatism, the exposure Cola, gout, o to mer ury, dang room, CAUSES:

0 70 onfined constant, ٠ ا not may are and vain; the pains intermittent, OF Extreme nerves remittent several SYMPTOWS: either OL 13

posi by the current, special treatment relieve second body, afflicted Daln the the patient in the first or sending nerves and the Jo the part until side of side, very hot and give another quiet the ontinue other one  $\circ$ On pain changes to on the intention to hand hand treatment, Place positive hands negative the THEATMENT: strong n. If the I acing the Lin; heat rarts relieved nd the th a 1,00

shor. a in return 0 kely ----\_ -Z - $\alpha$ th 3280 extreme C



PLATE No. 36.





PLATE No. 35.



,	

4 d a d S Z . \_\_\_ pail E.a ب rutien the 5 Siol not DOS 0 12 the 0111 whether ٠,--snould rir umstan s r turn ascertain 24 operato likely t 0 the order Under nen .e in

+ + 2 a tr hyon of in

### HODDELTY.

-7 Of I reculiar the --

(1) 73 fferent joints; esparially thus deformity. are 151 05 17 *U*2 , ILU join tre p31-+5  $\vdash$ 40 vicinity of th press r. , any of the joints ruch suffering under consists muscles. the immediate tender om t The affection about indures <u>L</u> the ush mreded and the sometimes affect often about 7 confind to but ar r t llings tinger-, YMPTOLIS Inge

### OSEBLEED.

H .rrhage (pare 1

### DESILY.

m m --hinder mor ۱. ---funct health たねし body 000 ° 23 H· the Of . Adipose latter enc mbers fleshy per 5 1 objectionable OF ---the I ex that obesity nelpful pl y i fact trie; H ral 

drl e eati y and times hereditary life. ent disease or ..ith an indol re us result nnection

the 0 the rom 4 0 Off 4 POH t D in the and e lies ores small prin ipal cur vital f The the . . until T. ENT em,

and graduaily the 4-4 ousl 00g S TOE ded 67 ersons 4-1 zeal of t the OH more OŢ 99 W  $\alpha$ 1 1 first, should 40 • pounce tmen. 0 --mself t tak X ā er reached eatmen 7 0 Q 4 hundred 0 mu ب Ni ible allowance H Q 40 lmo accompa hi oblised much Such ind +-) Q Bog 40 -[-] (1 9 be two amount  $\vdash$ tr <u>ന</u> വ  $\vdash$ 40 4 the  $\alpha$  $\alpha$ -1 $\vdash$ D. food IM little 4 Of  $\alpha$ and begins minimum but much  $\Box$ F ime foods Of ---H bundance one, powe J te + 0 Q short ent owanc ing -4 7 40 g B 0 th + pe 1 1  $\vdash$ H + pe upera S Wei  $\alpha$ pa Q 4  $\vdash$ timul 4 H 4 Q 4-1 NO Q Z un 4 7  $\cdot {\sqsubset}$ th --thei ent  $\cdot \vdash \vdash$ ЪŢ  $\Box$ pn. ON (1) 4 houl +Qth tha he 0 pati ha O L S 4 7 100 121 0.0 E II 0 W 4 -40 1 -H 0

## JOONTAL'IA (Tootmarke).

7 4 malawithin 4 00t11331 9 110 07 2.7 ime TVCS decide + 1 011 4  $\vdash$ bout 4 the court has t. n.  $\vdash$ ·H the the 121 avoid eth, +-thache that t orol Lly Of 1. d 40 ON thei trying 00 L D 11 + amnati +-) done TOTION Of 4-1 has r.o. + hs nfl M B S never  $\vdash \vdash$ ~ an bad perience (B) by very 7 every tnorolg e nere დ 0 rood has ದ gain, ther the and מוקן riter ooth. ith ----and 4 ب ---- $\cdot \vdash \vdash$ 95

JQ urrent A'hir <u>ದ</u> the possible sena over. 1.22 jar i rediately roulat other ·H the eal IJ the qualizi nerative hand the 0 OD EAT FIT the サゴ nosi

Eye the ON ---(Infl OF HTHAL MIA

70 FI afte OUL ren aifect adults.  $\cdot {\vdash} \vdash$ 180

C 7 m.g.e.to.t trat, in all 70 + ency ii H 200 V ry a - 1 Lost age services to to Ltt1 ron-lin t hy'i nica r r r x ·lude rener 1 milt live The m st Yes earen to second the sh uld T ... 110 ey . Th patient П LETT

# 

. . . . H たーアルーム 4-1 "hion is Lamina t

+ T+c od 4 respects. internal 27 in. ammation NOL 20

heat-d post 1 - 1 - 2 intention f reulation throughout the af listed I r 01 = 70 'na if TOST hand Salle mirutes, 1 1 1 1 treatment by placing the the neg +iv current with tre fifteen 021 ir the her ratient and 0 ten or ear, + 11( for sending the rfflicted. FI 61, t manner pecirl 8 0 0 the ci Plexus, 40 er th THENT: thi ing 0 1 2 0 EA th 0 0 N rvi hand gua

### FAFALYSI -.

and nobil + ected, th Cord, confined f f Greek a sensati .H. body it is the derived When 1088 . 0 t. 4 one-half 0 comple Hemiplegi H <u>-</u> "paralysi When only OL termed partial WOLG . Ω ar ---0  $\cdot \vdash$ 

コスカ 3000 3000 30 aware may さい。 A 7 sudgenly D <u>9</u> aralys the +> tien.  $\vdash$ tha +a Da. alsy rt D grad 40 emi Local extr( termed li.c, and 72 lirhtning. S 4 T T ingl TEE gree ~ ffliction. 5 paral ha ON De  $\alpha$ D. 1. ha -

+ 1 er7e ce indu eu pressur alum also ther may and system. It tobacco, THIT ? . (+ O arsenic, division • mercury the JO part JO

(1) ) frezently forto inacti tandin. the pulse ·H are 4 + 1 trr.s torards Side Sid. OL The enerally either lost mental facul affected N'II protrude., iffer dra the Paralysis  $\cdot | \cdot |$ .Ц Ω of the generally and face speerh is The expression, some times The The limbs tongue, the unintellirible they -This form weight. and but but of apoplexy. The 0 T, Slow side. OWN infrequent, unimpaired, void EMIPLEGIA. side. 4 ٠---OL thei and piration paraly ering Aq fflict ften ela 54

40 1)  $\overline{\phantom{a}}$ Fradua + ` uslly OUO E) -Thi Paralysis corl. ARAPLEGIA spina

-H para ovement reel t ا ا ا nana\_ement rin ٠--once, 0 an arkraru T +111-. . frequently remittes + they 12 t the improve in 0X t intil によっ Off necessary that and OL rectum dramn not numbness,  $\vdash$ the 0,0 Ω •⊢1 the exercised Water must attention Zeakness \_ stiffness di. urine bladder SOft If the pe 4-1 The YMPTOMS: hould the **ر**ــ viness, B pures King 3 4 4-

Urard uraur APALYSIS--SYMPTOMS:

tc., 1. T 37 · 7 7 3 1 un the larrhs, Ω -[-] SI SKI, patient tha Д . . . TOREARCE. properly. 7.1.C. .C.2 ecteu eyer. crmity

· ltirue ': . . . . . · . Ta the FV 7 the pri trong of the state of the + intr votae z mera vota ۶ × TYDI - TYDI \* I the health some and a star L sair e t ritted a rool dell "" \*r part. Shi a rrill, E. I. I. S. Tho L: b Corrlll x s, the affilinted dis orrer at to use the Give special treamment for the Everything shold he or that is Ct Saible opposit. rest positive hard a he e the cir ulation hr wrno t of ind restur. 0 Lerone should oiltinue to possible; he parts affected should not ratient should try as and should 4 on the TREATVE .T: ention heated hand essible. ricate oing all int ands. TIPES, 4 1 10 0 11

. CV . Th. p-riton-cr + stin s.

4 <u>t</u> - I T - re omes ver 'r', and i' Tear as th 1 I. Tre TI LO PL TITO , tr DECOIL + , D T Y the pain; = 147 · L. T. tient will the town the sond is Te atmining liter Lirrie: are struck a prossit, ure. The abdomen srells and for if he moves Sometimes the unbi . s. ultimately the rain small and cult;

o en l'atil the S Tall th- I. - . £. special treatment by P SG . If + intenti .r. genera should be very spars O PP INT down the Place the ratient in the first on the han over the Lumbar Plex S, cir ulation and forcing healthy this current wit, the Keep treated 3. J. J. J. intenti caused in inflammation. at .....n; positive hand food pe stoma th and bowels 40 bowels. The are often W on the 3 0 0 the severe 7 rert ctions in diet. bd len; rositive relapses Place The in the 211 the THEATMENT: to on. the com ls, . TITZI Z fatal r. . ition. nciple

177 angerous Bror hitis. taral inflamatine, TIEF PRO COI ·nert

The distinguishing character -the respi "Lill" Seatt shooting link Pneunonia is that in Pleurisy coughing; Y..PTULS: The atta K is usually S. . . Chraket L. increas C+ by fever. Tere the on st, which is short and frequent. and citting Pleurisy ollored sharp

Fev Lurg the r at TFEATMENT: WOULT. th. (F:11111.

vagina, 4-1 dragging the about the rectum bowels; pressure the CH Dass feeling 43 G-0 3110wed and Feeling pressure 0 should times

-xcessiv y -dr. .h3r... 1912. compelled Ther Talks, and is obliged to nb lity t ruriler. her trighs. 17: OT exertion benn. prtiert is r n lli. TIL- P . 15 :; i t ! :: + 'agina f th numbl 38 b] onetim-s th-Dass d n r With an nerself by Tlaving 1 21113 for Frd a discherra urina t rips, in the 11 J. O. O. desira to the H ~ h

t. - p ti - + . n t ion 13, 12 ne. i . . . i t. -Xt rt rt + t -, "1. L In the 1.315, TTT 1 ral h al tr; Heat the hands Pl-Xux, the uter's in place. a do". . . . . over the sarral rise ak n famis fire positing. 1.1. · Pre brill rart EATTE.

- - - t re thin y reserve f + Kir - 1 1, 1. sho 1d not int, t, 以 ticht ·lotining, rationt

A MAN Y ASSTRAN ALL SECTION OF THE THEORY

L - -+-

nand UO ex rand eut and the negative ir "lation ilva i r ril Trathen a urrent, 14 Tall+ n -- t = d rositiv over the 111 1 stimulating the end absess in solution. f. 07 pain, the pain. Lai: opposite the seat of the treatment by placing second Jositi 1., strong intention of r ner r over the seat restors the the Off OL chest special rrying irst 40

4-4 7 <u>}---l</u> open exercise in the that the bowels the out in intention of relieving able, instruct him to walk The meather is warm; if not, he should .ooa ventilation. exercising the ratient is etter is ralk. thr

· YENITA

- Ton-liftis (pare 135

### PERICAPDITI

10 mm c thront dise . -, except 1% to follow a case of Rheumatism. usually a violent disease, It may come on gradually, .eamatism. s lik-ly

int lan. way as other Jaused in the same

hear t certain way, and rarely ex Pressure over the heart left shoulder-blade, upward t General fever; pain in the region of the elbow. arm a the the the LIL passes through to left clavicle, down as far as pain n .... ses the . . Iry guite

\*EATMENT: Se- Lun Fever (page 92).

### PNEUMONIA.

en Lund Fever (puge 92).

### HEUMATISM.

- T extremities; Lumbaro, in which the pain is felt shiefly in get ril another; when Chronic, pain is felt chiefly in the joints and tendons , oints. It is livided divided into four varieties: the Articular, Acute, 1° takes in 100 be difficult and one to kinds. When lisease of the or many joints, and flits from Chronic ſ2 ⊢ af ect one Le umatiem Ante is joints, the



PLATE No. 39.



PLATE No. 41.





	1		
	1		
		•	
,	•		
	•		-

7 ---Ch -40 the ani. puri -(1) 1 71 tock und night T pa. حب J. I. L D 10 11001 rd he aphragm the 4 nd hì No. of the last of K. Ţ.  $\vdash$ .\_\_ macia 11 the rodu inr SUG CI parel a .\_\_ C a Φ Ω

W The I one 9 Ken SONS n'n bout 0 0 m fift 2 0, are ffects f.r.  $\cdot \bigsqcup$ Sons TP nd ty a H per thi > er er ary suall > nost under unnesss when 4 are euma umati Wrong cked Rh ---60 Q er  $\alpha$ by 4 th 4 Known Acut Q 4 رب.

ťΩ (1) 1.0% Ø ťΩ thos Ma ٠. حب re imprope nou Q. oog ro 4 0 mproper f ni. nks Of t 1 ri ರ W Z ťΩ Ö 0 8 imprope H pr 54 etc 0 0 Th the an With vater avor conditions 50 Lood tem 9-1 hard which Syst per nic the mpr erments nks 0  $\vdash \dashv$ ril hygi upply 7 田の oper 7 DI C

X N rgy an 0, 0 bei 00 i=1thes 47 the nful, 103 OL Q and ration ne. ppear urine gely very TOW 10time 0 mor Of inful --ar 200 The - $\rightarrow$ perspi  $\alpha$ feel  $\overline{\phantom{a}}$ 1088 anj the  $\vdash$ 1 ĹΨ 43 ction. 417 hhouma  $\Omega$ re 11 enera ting 1 0 wearines Ons throw دہ -3 to 1  $\vdash$ O read ·hi ب ute the A edimen free] and 7 aci t np ra  $\overline{\phantom{a}}$ 7 0 chill Da  $\Omega$ ty 60 Z Ine a palse ongue quanti that oints h.T. perspi and s dul bearable the -4 OL aches Tuo 40 . . nt mill ment in ·H compressed; d S D joj there erso 5 . (C) nty unl sour <u>ರ</u> hiv edi - 66 7 75 000 GV حب Q YAPTOMS almos ") . . the MOL 019 4 4 purt 9-1 -4 -7 H 5 ore ur --an

 $\Omega$ 00 0 ---- $\omega$ th Rheumati -4 9 No. embe hins (1) (2) 77 10 ma" T W whi thi 5-1 Sign 10a+ enly IMI CH eni 2 fluid 4-1 Z 0 0 4 --back hould 0 t L - [---] Kh shed 0 Fever they 000 ed 40 0 4 W a bje 4 The MOI idd Rheuma 건 tands th О В rink 1 4 16 d 0 ake 4 00g lui (+-) tha a 50 the thence T 0 0 3 N 40 tre  $\Omega$ pitiable Kheumati:  $\nabla$ JOWN J 4-1 47 011  $\Omega$ elirium 003 N. tar Ine --------OT Lol ropel 4 ---hil. 4 <del>در</del> 00 orni and د Acu neight 4 noo cul Q.1. that irati erally H and forced 0 4 im T C the H =ause Z SH be  $\vdash$ -Z from pai nfl Ma  $\Omega$ unkle, EH erspi C K next rom ~ lammati thi an 0 may and OU the anxiou tacked  $\Omega$ 7 7. 1. 1. . D. ma 47 J Z -0 -0 Th ---4 40 wandering  $Q_{I}$ 65 ZI. 40 but tful ght; DOJ  $\alpha$  $\alpha$ -7 2 4 73 A C 40 the ch snatches OL oint sufferin inf ---dd . ---0 20 hi 4--th fre tisla  $\circ$ ni ~ Rheuma 0 4 Q **-⊢**  $\mathbb{q}_{-\!\!-\!\!-\!\!-}$  $\bowtie$ the ter much and -20 0 0 red 4-1 . 0 dre 1.7 디 Z حہ rheuma whil  $\vdash$  $\dashv$ ~ OHO and  $\omega$ tively a hi OU REN . . p P حه fu imbs 9 0 H 4 +3 (Q) join. bad Da 4 -E 4-1 T ead Acute ------Z rm 4 0 ~ **੍ਰ** 2 Si tion 0 nue -LQ. 4 horri ha a rÇ 0.0%  $\alpha$ join per d oren the 0 0 4 the رى رى upper H 0 4-1 Acute back; Wa × compa د 13  $\bowtie$ د th ZI Sil 64 対 - $\square$ hich inflamma -ILLI ---- $\vdash$ Q,  $\vdash$  $\vdash$ - $\vdash$ Q Con 4-1 C -حہ boil 0 0  $\vdash$ 40 ω • th 4-1 th. on Sua نب دد ب 1 H Thus 0 ON حه 4 may th 7 دب nence 5 Ø int be ery W  $\triangleright$ 8 hi Ō, Д Н: D Q 0 0 0 P 0 nd H C > > thu  $\vdash \vdash$ 7 0 84  $\Omega$ ha حب 0 40 10 SIC U 0 ---Q 4 200 21 0 2 O دا. . 口 - $\alpha$ > impl 0 0 0 دب  $\alpha$ 7 0.0 ದ್ದ 1 ----OHO ou in 4 H rob 12.  $\omega$ 4 OU 2 C L  $\Omega$ - [-] nol 13 4 ,C -0) 0

d 73 1 E (7) מז (1) C 1 H -1 7 throa . 0 n lat y affect ed p 50 ユ・ナ τΩ - 1 + 0 0 en. ody h ni very hot Ē the on Sporr > 40 stin latir - ntion of 2 affl ot Tr atr - $\vdash$ rurr nt tom the H 0 Lumbar that 0001 4 ----Q 19 Sympt 9-1 in tions.  $\qquad \qquad \square$ 0 lost fred en ly in the OL the Q 1100 -62S tepia unt. +> the . 4 45 ter hould Give tre other Gneral Q the firs H in the state of th during 6 --day; condi th 70 <del>ا</del> ن رئ ش e3t 77 nt. A the much 0 the the ದಿಬ (d) H and t. e ٠ BIL form of the and <u>\_</u> ent JO Ç, other Z . د ـــ R H  $\cdot {\sqsubset} \mid$ --ever tne tion Trelled,  $\Box$ 4 7 air 40 12 On y rhil re 4 Ma the 04 r the par ring n strd. E d lr the parint This 300 4 by throur 1 th 4 erci 01 known the the UO Off  $\overline{\phantom{a}}$ s p t -, hen in 4 د part, 4 71,1a+ F もして rosi . . 1 ime ne ne C.D. e 4 יוויה מ  $C_+$ -40 4 П . . . 17 Z t P 0 4-1 4 -[-] アナン 1 ---7  $\subseteq$ U2 -0 TI, 以の a -国 3 4 +-

0 W ---d て の the and du musol ~ 日元〇 i i the 4 ri Q chronic and stiff; . [ --th. 0 --nts FO tracte 4 + + + 7 On 7 + en 4 0 40

دب OI magnetic ONSE egul rly th. H bathe T ponge ould en JO  $\vdash \vdash$ 4 Ba DQ DA

0 cut und 9 cut tment 1 houl

SCALLATINA.

SOP STATE T VOT (DY 6 33,

SCHUFULA

**Ο** () () ON -[--7 4 0 3 bloo  $\vdash$ 0 sin pt fron. f t t i ul whate 0 exual the Con  $\vdash$ nsity and  $\vdash$ O Í shment  $\Omega$ ~ uncle and en rally ema, ry int t, L ouri 4 Ecze ·H d ---yphil a 口 H 69 ent . . vari people ------~ 0 -4 0 CJ. . . ナゴ qui cine H . H H 7----the arr +edi ٠ ----In ten. E a ted Of ---raption, 4 0 ---assor 0.0% +000 producing tai ا----(I) unct 327 food,  $\Omega_{i}$ ons nd.  $r \rightarrow$ 4 the Q 0 40 . . د sliont たかい tha AUSES pe DOOL in حب വ വ d +>

1  $\overline{\phantom{a}}$ a ompani па arl COIL many to ROllin 0  $\circ$ 0 0 th appearan 0 0 2000 h, pJ ٠٢٦ H B i l 4-1 نہ 0 brea. d d <del>ب</del> ا Ide  $\vdash$ a but ement Sua obs Ω .Η omach, H 69 I oul 10 there range furr the 0 eebl 4 C 62 حب - $\Omega$ de ent arrh nd 4-1 the W a sually pA Cass era 70 0 اساء J O On F  $\Box$ р Ф 2 67 by ati ت CUO 10  $\square$ 0 H ruct  $\alpha$  $\Omega$ ----Lowed t<sub>O</sub> the ndi 40 ٠, in ondi. ON rofula 1 imy 0 -------حب fol ٠٢٦ UΩ acid වා ග U0 0 ood 4 abnorma دہ 0 00 07 Q.1.  $\Omega$ 0  $\mathcal{G}_{-1}$ function Q rst, th Of tul  $\vdash$ ty ect bowe : The د te 9 4 thi F F Ons H impel the the ndicati YMPTOMS > حہ on; ry EE Ф Ф ongue Of Q Of ب +5 H· 40 a ----

posi 1/2 hrough habi the cond CH 0 The 40 0 OL tea -[--000 0 The > FS t 0 T Q + ----4 9 purify the nve Treatment the eni( ا\_\_\_ hvei in thoroughly ent 0 ral 84 40 ---9 pat Genel hey 1 be the tment + horough + 7 houl a tre a A ent F.C . . give ould EATMENT -[-nt ナー pa 0 口 and 0 the 0

Of hese +2 cter ent, pres Õ ailment 40 4 ording  $\alpha$ ·H be any

## SEXTA LEBI ITY

D indulvense + tf Ja th I you is s Ir stitition its intensity, r stra'r arth, by se execssinunstreater 10 m SIG divorse wift, and tra love tho T. dlock. or inlirect, to the tro the race is 9 held stren, in int 1 torons; toldi establish -1-n-folu Non livin curs , G dir othr lealth -lations 12 016

elr nrriti delivat have , are weak p-uliar have randpar n s and their unildren's course this rule, but the fact remains. because of until their systems such conditions aff cted more than man; of 7 Woman, the vol.en ia e .hildren alarming degree. desirs their WOLLI + N-1r 0 t 0 -M -thiru on T. Sm, 15 into - A - A an rions red,

men of great intellectual renount were extremely satisfying their animal passions. examples Beethoven and alla mate in anelle e rly

000 almost VOnorganism 0 isa exciting the hope agree that whole man can vital fluid and vigor, months, and the The seminal he throws away this pla e. No extent, physiologists xtrem- tension Six certain will take health. self-restraint for a 1 1 a and to and power change that continence, invigorator, : 1 th true tial to アウンドウゴ ractice ze hi

5 T S hought 40 4 0 ty strength. cul E G the and ting bility exal d and urage H N

ong well-known grown 7 hand audi their WOrk CUS P. B ha he 40 Of hi K rais On in rai. years -polluti \(\alpha\) those O F 40 0 beli -Vice twenty young man that self. reques beyond secret after stated OL to almost sturbation, Of men had that subject Ity oung never  $\Omega$ gui --ted valence > 4 Ma t0 had thi also turing D, U, pre never 4 , I q lin., Z He T B er で で The ·p-f 0

to Of OH O D •⊢ Ω result discus iffi self-pol the prolonged Will ---H. 0 £ ten are OL and man can do that principle practice, a intercourse prohibits out Lost Manhood of the nothing course sexual 0 f results 410 this in Julgence there Of 0 a nature

affairs

Of

tate

deplorable

thi

not

em? j ions - -4-1 Dass sfying  $\Box$  $\alpha$ 0 Ч outlined unde 4 11. tuden almost absolutely ati curbed the without. treatment the Healing is determination, should gestions subside employed in the controlled P 0 0 Wagneti affliction the them strong living himself are reason by this this griving not, that +ment, Stil 101

from whole 0 curin driven 7 the hu 4 by will instantly SC PC one d J an the pe 4 be can O L -١-must nte This the thoughts ---nature arise. WILL channels. they that contr lling whenever Thoughts other into hing ind

the: ಗಿಬ JO ther hard cause heat ra COOL > animal ٠, inall that sleep the 4-1 bed and C+ O 0 increa upou careful ri Will ons should COVEr Sy. shoul pas the much patient Soft, Too body,

houl The w h. rig ants Structs 4 NO ----than ٠, ten, 'and bit NOrse 0 are 9 Kind ry not any should OF Drurs حب 9 50 m Much reatment 0 0 n. ----

<u>a</u> r=-1 ) ti ent, Vel. Nill. . . . . . . . . d 1 - 1. treat by doing something that diring you ri'l Abstain from intersourse on when thoughts the Irely In conclusion, onate me will rry person. P=0 na. **E** mi ---

1 u 1 . . G .r eltal allment, ÷ healer jesires 10 t: the

### THE TOTAL TO

expition redes, it sometimes letters ore rein 7 'A : Uniness is intuces. + 2 + 2 r wer, in was selve stimulants or exertions of the take II: , sler nors parts I PA T s is rial active, 4 Orill re and us ally roper time

t L 7 7 toba ...o, Excessive use of mereing and coffee, , surh as tea, JAUSES: The inulants

1 1 CON retiri ven lyprotized, alino.t given. nervous will of fast tho passive :10 should be hypnoti., LOUP hypnosi should that he is ct Le and and \*. |---| in quiet d, after drowsy, ral, ced 5, t.j. > should pla that thoroughl en.t 50 Sugg gradually become given to the pati pecon ame treatment ρ Ω and should should away, elaxed and the system will ent eatment The pass 84 patie . Ω possible, T.TENT. 111 s he nd iced, the being FI nervous 40  $\alpha$ O i tement De THEA  $\alpha$ Ch ---

د cula the Zing body ---\_\_ the edua oughout 4 enti thr 0 the

## SMALL-POX (Variola

.

Surre Tal 4-1 いしてい painful, seight an the ... -1 -1 -) and th ω †) colorwhich thest heat f10.7 practically the pustules then er iption an increased are chilliness, OL central indentation and days spots, and with nearly the pimples, Of shat During become full, few back, tenderness and red are the the parts and sbsorbed. first red in the + herfebrile small inflammation. wiving way, the Small-pox and sometimes Alth that globular, the other, days pustules painful, forms During <u>ය</u> ග llowed this gradually the head and our 0 **L** L such and each bus symptoms 4-1 11. d = 15, swells, the throw. of rose-colored 0 later. Fever; hard center from appear red the small, stinet C ξΩ -H The terstices; face from JO the in pimples, ب tenth the During matter 01.F lever; those pain ب The 9 After are 1115 and th1 ring H ecomes 7 73 AIT 0

1 1 1

absor tre + to uant th s compelled diet **→** cleanliness. smalı esentlal es s laden with the disease. not ever Very outlined under should be taken - saary that the patient alr INC UT II C are fresh 4 Which s Lisease and Pat dir nt.

## SOMNAMBULISM (Sleep-Walking).

Tacult ... body the the a11 Of sleep, organs healthful voluntary and the sound 11 ME Of **Q** to st ta nj the 더



pins only should be employed in this experiment, as any rust or dirt would be liable to cause inflammation. The student is recontain similar pictures, but the experiment was never really carried out, the cut being made from a drawing and not from a photograph. This is one of the most wonderful photographs ever subthey were very dull and were forced through with considerable diffivein, but the bleeding was immediately stopped by suggestion, and no bad results were experienced at the time or afterward. New minded that this cut is made from a photograph. Some courses This illustration shows the wonderful power of suggestion. The subject experienced no pain whatever during the experiment. In this particular case One of the pins in the right arm passed directly through a The pins employed were ordinary hat pins. graph. This is one c mitted to the public. culty.

	t .	
, ,		

the vil 72 r milliast ve, the Herry while sone of the martal faculties, such as trie in areamil. · - n, - J - 1. and rest; but ind n nt, OTO THE 'TLVIEST 11100 - Q r rent: TOI - r tion raj rity reservatkin relaiking 15 THE TAI 113 · T, + + et. h dy r liti; hr wassawer in tree or either trub. , TLan'e, त्र १ व्या th

- Ail Eil : -- -tona in int "... ur Ard in a ni a series ......" THE TANK THE THE PERSON THE THE THE THE La Caraca de la Ca THE PARTICULA SUBSTITUTION NOT DEPOSITE AND ALLE fresh, gir en ex r. us e to lo rout. 11. r O on. When traiting should be the - i.i. i.t. littelline jut i i WINE TET T 7 7 -

F Al .

+--+ 1, tni so Ia. and pail. epr. .ed; this salls s tendons, ilvanerts

:eakness asually sorme; fainthess redness. part, witi the intrasel heat of the ".PTO.3: Pair, which is

the intention o' equalizing present. posit v 10 the the. better. On rirculation and removins any congestion that n rative hana REATWELT: How the hands very hot, slacing hands the sand a purrent with the the alflited part, , c++ = r the temperature vor the e sid.

### SPINAL DISEASE.

Inflammaclasses: t & C be divided into may Curvature. Disease pinal Try and pongy 口 ---( -4  $\cdot \vdash \mid$ + 0 4-1 mani (C) par 862 hese Di nflammatory 47 ing

ing alte-E P gin 69 لے diseased 91 5 Spine reduc a takes luall + 11xperiences  $\overline{\phantom{a}}$  $\vdash$ and Vac v ry.m. usuall ch the 9 , d ourvatur: whi a the and while limbs た。 part, suppuration the to protect awkvard usually usually externt appeti other; near THE the II. complaints; the pain poor .Π Ω patient . دب 40 b-hind. each rri s Q + time, rigid, , isaj 40 pain anguor; swelling, limb is CLOS the annoying the pro stion and After a pe another -. . t 0 ometimes away from it, S. II rigid rect the pressure; being feeling motion. in Dul egained. Of pecome re iert culiarly his acuto ·hange pus heals Z nbon rom anj the the arain 4  $F_{m}$ ons Pard E P eq esh 54

D. being removing intention be passed 7117 ph over beginning then hand may Each special p. sitio., Of them Of negative treatment should amount the should Plexus 0. with the intention Plexus holding the thorourh be exer ised + + + + + they an undue ب ب Sacral the positive hand The Brachia and minutes; 1111 " nunplacing a the spine patien should F: the Very manner the two. the irculation hand the OVOT the hands hands OL Treatment for treatment throughout this negative one placed Fulsh in the the Plexus, Plac f.or the ted heating and this reatment. Plexus stion 9 EAT MENT: Zinz rvical tr General ron ---ghout  $\alpha$ quali Aq -0 دہ ted

### SIAMMERIN

1 4 + - - -H ь Ы <u>ぬ</u> 対 - र्पर +1 Shoule E C +2 40 e.rly X D  $\Omega$ 4-1 1 that E S I, 7 try 0 -~ - $\vdash$ S 65 given 4 about -+ 1 mind patien .ULD TIV thou. 6 6 7 them gestion are S+srm-ri ユナゴ + +-+ tur er, early, 15 15 17 sentence 2 4110 th + Zed 4 rat +he 4 under ---+-4 nd 10 t S the 40 ten He Thi he -MEL II Bull arti u inf -22 mind · ---90 40 40 ---H 4 0 -1 4 ر ر م د + 4 sta m 40 40 0% PH + T temp C Hat pos Most though 419 40 Iy, Z, 4-1 144 n. 4 ----010 4 47 40 D'H TT

+41 4 3 0 0 ring. inpl tal. > FI -----+  $\vdash$ +-4 디  $\bigcirc$ H 0 The 0

## STONE IN THE BLADDER.

13 0 --F there 1) ---L L 1000 ی and 9 CIO -Ted disease rmed in 2 the --ently cul De . foll( thra, cal 40 urge f O a ure 0 apt this De 4 ----7 -----4 tro tro 5 *™* the stopped, requent ubstance whi along orms thi urine Of forms 4 4-1 The enly CH 8-1 > urinate, cervix suddenl severe sudde 0 urethra 470  $\Omega$ rav time the 10 C  $\vdash$ 40 4-1 P th In TOMS 4-1 て ---0 YAP 4 --- $\Omega$ 4 ١----4  $\alpha$ -9-4 8

4 De H H  $\vdash$ the FI 2 dde th fur na I Q the H j j me 1 \_\_ 7 nf Z 0 4 اسر. - [ reg >  $\alpha$ H 7 р Ф 口 40 0  $\Box$ H 0 a ---th  $\Box$ pai  $\Omega$ ىد ymp ~ n E - -----H स्य a ne - $\alpha$ 1  $\Box$ 01 T Q cull

~ 1 5 every Jui 5 In 13 10 20 N N د ---hygienicall د٠ Sof a 2 comp f pure 0 0 live 0 ぴ nty houl should DIQ +> 67 . . spare tent pa pati The ablathe shoul EATMENT ಗಿದ್ದ د  $\alpha$ 0 en, -7 th

1 † ^ thr the alth ena and tion, position. U O over ati ositive t ne Plexus circul 4 1 4 hand nfl: over 7 second i II. the Lumbar positive the the tre ying OL Zing place tive first the equali nega over -د+ ten tmen thus and place the hand the in JO trea H. the part, intention and negative patient ナコ hot thi • XUS afflisted very 4 rrent the the t Lumbar minute with hands and the Pla 0 end U 011 the

### I I

re 'I nert arrect , ~ 911 d the **|---|** T C from Of .... 2000 \*hro.1 the thi + 14 14 diret  $\Omega$ \_\_\_ ten 4 67 4 an. ry not. tri  $\Omega$ 40 hea great pedes received, 7. t 1 -X P a H 0--0--70

1 ther Inflan treatme + 12 CT CT CT the St. uld + throughout the from t 0 intention care, 10 nt cold; 4 taken much en pJ The pati the require not b in rain, iraw w111 + 1, 40 ~ 1 head 4-1 40 en ion -4

# INSILLITI (LAINSY).

ends ofther interest 1 40 - - - II. ru. q ر (ر tro I. T 4 다 . (8) Se pulse inflerme + lons -- that the neel 'all S7 = 110 .. obs rvel; the dlsea coutin, ann and blood "Vessels o fouces, The th r i becomes the patient cannot 4 ре - Inland tion white sline may . . . ing becomes difficul voice indistinct. the the This timo suppuration ther mith a the OYLKE ensation s allowin . Slick covered svollen; the that ĻIJ the tion or

at1 nd + + Trier > it i Phel reat TM the garrle to remove must be treated give trea 24.) garrle soft water; . O N it vill tend 1 H throat. TFEATUENT 107) the - 10US , uld (page

## CHRONIC TONSI 1711

a cendent shoul, r children Treatment 0 aebility General een in Give ten TMENT: 01 S 7 d

### ACUIE 1. TILLI I.

afflicted 1 stimulating over the In the first position; . onsils equalizin hand +over the intention of of the positive treatment inflammation the intention of hand the TH LELL the and the negative extremities. thorough ery hot and place reatment with the the Place Aith neck allaying the circulation in and urrent Plexus, Genera on, thus throat call send give the

### LUMORY

の四中 nodn severa 8-1 mentioned withir into growth. divided 9 Will OL swelling which Tumors few only morbil roay. par

connect Subst  $\Omega$ masses, Ha nvolute, rlera-, ratefy intle. eu+ rr gular rular irre found occasionally like in Li Xists substance Tumor III THE USUALIEV TO fibrous "re Panureati" † f-III e ear 0 1 100S rucrea

in t is one is IV in the con-LITER ر دے E Tous fluid, 4 TT 15 C O U - KI-P-, C r u ril 10 ب · bstance; usually · ap 7. C --+ -- t curra

2 44 ith pain it e rant ritis rrow to pounds \*\* + + rietit , y 0 0 , T , T " Jual y not soll v + 10 1 hey τΩ +2 五 一 イ ror

of lobes the I'I'. exuberun e appea o three ful wnich *τΩ* • + h fly on Alsensible They + that H Conflu-nt OL J.T.J. f,onuq parts. distinct; Lobed, ·H. h rd, other +2 the clusters. On LILIA i egum nt. and found fissures; oales ing and -om times Inis ommon impl and

Some 1 Kew 1 are 7 They habits in food, them. their share or influence in producing in. Coarsenes uncleanly . Warts are Who others to Those than AUSES: 1. ts iable has

(1) tileli 40 SP . ous

.

+ roughout week " irte, rire 119ti the r-atrapt. the +-GIV = 1 JPLO 1 9 1 intention THIFT. L EAT . : 2. 70.74

DILANEY: Lale L.

HEA T ,

.V-Py + E-P Ly-1-5. I'T q , I LI ; VI Ted T Y = + + = | Y = | Y

and the transfer and horse, and horse + 7. T. ٦ 11 - 11 - 11 - 11 - 11 sertaining mening nightless. Us le I

. JKe ·r-r-ting, 's 'm' hish will no mrt. are mun thing but exac ly log he

7 67 - 1 · - T.

- C.L. I. the I are locat brought at ut by hor carefully the + result. cy well-planned 1 . t 1.10 . 9 th place, the ultimate muen importance, · esire r. tto hor, siness thing . . . . . . . stert is · - rtain . y por, it mak s n TITS+ T'11.9

who tedi length Gra ref for people b st the of here be found in every town throughout τΩ ---! portin of the country which Healing Will not be treated of here, The location treated of the land. artipular listed may breadth

DO + J.T. tow.L. location the cate in err chose ary L U U -- 1 -Q 111 ines bus 7007 the - [-] part  $\Omega$ thi 43

--the traffic best place where 4 ne hea in must must

+ 17 rest. 7 H. S of great importation + is that the tr t b tax TIPTING b SIN S. L are street every 7, 7, 7 there JO nice in this m st the than **എ** വ the certain oth r Of tated, rent rent for much more sidewalks, slde 3b1 will nake a All jest the that larticular dofinitely on, 'r' + man who is ŢŢ etc., tc. well-known fact that f'ic 0,0 adverticin show-ndo.s, rood di ference hich may tra 11111 The Trees h. ler \* INOt 4 this opposite, ten 4 . :tly is the tion stree true neti that derati retive 115

ielica · I. Grand Hill 4 -1 - 1 alvertisis. こう こうしょ tc., <u>a</u> 1,1 TOTAL SIDE V er TI IT. 177 ~ 100

r al P,

.riter to 1133

e.nent

rtls

rastiva

+

JULL

1

+

1, 7

attra tive

, T 000 rla rossibl, and, it いろってい 1 + 1 Jr. rriei -bills



TREATMENT FOR HEADACHE.

This cut shows how the thumbs should be used over the veins of the temples. The pressure should be firm and the thumbs should be passed down to the jaws.

		•			
				19th	
,					
		•			
					. ,
	•				
		•			
				,	
		•			

W t O tre rusinesa the 11115 scatter thrown Simply 0

+ 0 - 1 + 172 7 --rurninz TE TA - From B ت r . t VIIV should 10 to Tri is 7.0% hick the herior is ۲) the realer Wanti ealing that 4 ininst trath. JO Itablic the aler to publish test no lals sho 1d , t advertisements the testinonials rticular lock ity ir pre udice, will agairst business, but in bit the C ←+ ←+ er. The vritin. nothing 0 1111 att EVELY

hair 1 all right for quar to busines busir =-TOL that CF 7 rΩ -H tre Ita must wear n.s their projedure oper tor Lis , ++++ The idea treat durder advertising. This is eccentric nanner, for who worth, but errone s. medicine, true th the community; pe form patent this entirely an a in Ω H 0000 40 es t dres realers hen les

man simply that h Will this hims and operator should be buch as takes to constitute healer his actions the means judge correctly say; but course, but modestly; that Just what it can Of mus t 1 appearance of the comment. This, one he NO -v-ry individual, pleasing. well, judge, dressed crable

027 faculty ·Π of impres-1-g that in contact that This manner that Knows enraged. the faculty unconscionaly 4-1 .Π . he experience. have those with whom he is operator must in doiny that ained only by ing, he ble of 200

healer making the irulat Unless JO د ـــ chance 40 capable. inpossible ttle capable, he has li ٠,--| he almost that idea -the ω •r<del>-l</del> OT with he Know irrressi ent

without cor. - - - decir . . . without He with decision. there b-fcrehand, cubt act can be decisive; act acti rs and wit 117.3y= rrould doubt, Gre ully opera or ileration no there consider The ation

there S- 1. S. TOTO J. P. L. rearity Vinnt L I I I 1 1 1 HILL F J. J. tliur the on y y our in it in adairs, . . . car treat at Ω -H Healer stould H 11.0y-d. J. Var. the alr

r, T'1 . tr. ca ex eption "1 1 scor recor the heal The JOES,

Brd r doucl 1...J. רא זמר אח Hamas, tre. ch rr they do Ic+ the f Or ent i Usu. Iy h n the healer is the mon . due then; afford to treat much reve ved all dllars Treath. dollar in the ase are hat c rres ond or y righ. HOUTTH. and two Absont of the country . Jrer retient. tre in nt, p. ti.nt. treatment could the. . . 00 to the fats they charged for h physicians pe than 50 de them, must د د for price pa. I

pre uli d antayonistic With J 0 business down by Jesus the teachings not conflict intensely stir up much antagorism 1 + 1 5 Of course the are principles laid they believe Magnetic Hesling does contrary to and this, Christ. because not believe ₩ •H based upon that. great miny healers Jesus science way statements. Of go .H. teachings r. Lin the but people conducted against ligion, neir Lany the

Church hi the who the conduct not t of the man antagonize 53 should and t0 iness, aul 40 healer need pla 4 ena the notic any no but 40 -There true the tself Ø iness. hand, 4 thi business bus other 17 but the 42 (1) W

ťΩ r- on tra... 10 elem n H 0 ---, y TII rople; relir us th t stra ...t-fir or Christian-lik 0.15 bigoted io, for (C) the th re realer -- that t here ralic d nothir. n t om unity Healin; Ω. intersery CT - T 8. 0 lnto ther 40 throir t ntion ST I BS 1

0 0 7 7 OPLOSIT L 275 ically + rel. horaran ery f en ne roperly € C C C r ... or 1 (h) the s to

 $\alpha$ mis r + - T. II + 13 the real IIII. h r, discuss h hem, 4 Lai domn é u.Jnd consider. effort the tri v roader to 40 thing 1130 i - 'Y, kno J. Q.



	•			
			•	



	•					
	X					
	1					
						إيقايا
				71.5		
	400				٠	

